

TestMaster

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
2 - KWD - Keyword Statement						
2 - KWD - Key	ADDRESS			3.0.0	All	0 ◀
	1					
2 - KWD - Key	ARG			3.0.0	All	0 ◀
	2					
2 - KWD - Key	CALL			3.0.0	All	0 ◀
	3					
2 - KWD - Key	DO			3.0.0	All	17
	4					
	5	LABEL		3.2.0	All	2
2 - KWD - Key	DROP			3.0.0	All	0 ◀
	6					
2 - KWD - Key	EXIT			3.0.0	All	0 ◀
	7					
2 - KWD - Key	EXPOSE			3.0.0	All	0 ◀
	8					
2 - KWD - Key	FORWARD			3.0.0	All	0 ◀
	9					
2 - KWD - Key	GUARD			3.0.0	All	0 ◀
	10					
2 - KWD - Key	IF			3.0.0	All	0 ◀
	11					
2 - KWD - Key	INTERPRET			3.0.0	All	0 ◀
	12					
2 - KWD - Key	ITERATE			3.0.0	All	0 ◀
	13					
2 - KWD - Key	LEAVE			3.0.0	All	0 ◀
	14					
2 - KWD - Key	LOOP			3.2.0	All	17
	15					
	16	LABEL		3.2.0	All	2
2 - KWD - Key	NOP			3.0.0	All	0 ◀
	17					
2 - KWD - Key	NUMERIC			3.0.0	All	0 ◀
	18					
2 - KWD - Key	PARSE			3.0.0	All	13
	19					
2 - KWD - Key	PROCEDURE			3.0.0	All	0 ◀
	20					

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
2 - KWD - Key	PULL			3.0.0	All	0 ◀
	21					
2 - KWD - Key	PUSH			3.0.0	All	0 ◀
	22					
2 - KWD - Key	QUEUE			3.0.0	All	0 ◀
	23					
2 - KWD - Key	RAISE			3.0.0	All	23
	24					
2 - KWD - Key	REPLY			3.0.0	All	0 ◀
	25					
2 - KWD - Key	RETURN			3.0.0	All	0 ◀
	26					
2 - KWD - Key	SAY			3.0.0	All	3
	27					
2 - KWD - Key	SELECT			3.0.0	All	0 ◀
	28					
	29	LABEL		3.2.0	All	2
2 - KWD - Key	SIGNAL			3.0.0	All	0 ◀
	30					
2 - KWD - Key	TRACE			3.0.0	All	0 ◀
	31					
2 - KWD - Key	USE			3.0.0	All	8
	32					

3 - BIF - Built-in Function

3 - BIF - Built-i	ABBREV			3.0.0	All	1
33						
3 - BIF - Built-i	ABS			3.0.0	All	1
34						
3 - BIF - Built-i	ADDRESS			3.0.0	All	1
35						
3 - BIF - Built-i	ARG			3.0.0	All	1
36						
3 - BIF - Built-i	B2X			3.0.0	All	0 ◀
37						
3 - BIF - Built-i	BEEP			3.0.0	All	1
38						
3 - BIF - Built-i	BITAND			3.0.0	All	1
39						
3 - BIF - Built-i	BITOR			3.0.0	All	1
40						
3 - BIF - Built-i	BITXOR			3.0.0	All	1
41						
3 - BIF - Built-i	C2D			3.0.0	All	1
42						
3 - BIF - Built-i	C2X			3.0.0	All	1
43						
3 - BIF - Built-i	CENTER			3.0.0	All	1
44						
3 - BIF - Built-i	CENTRE			3.0.0	All	0 ◀
45						
3 - BIF - Built-i	CHANGESTR			3.0.0	All	1
46						
3 - BIF - Built-i	CHARIN			3.0.0	All	0 ◀
47						
3 - BIF - Built-i	CHAROUT			3.0.0	All	0 ◀
48						
3 - BIF - Built-i	CHARS			3.0.0	All	0 ◀
49						
3 - BIF - Built-i	COMPARE			3.0.0	All	1
50						
3 - BIF - Built-i	CONDITION			3.0.0	All	0 ◀
51						
3 - BIF - Built-i	COPIES			3.0.0	All	1
52						
3 - BIF - Built-i	COUNTSTR			3.0.0	All	1
53						

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
3 - BIF - Built-i	D2C			3.0.0	All	1
	54					
3 - BIF - Built-i	D2X			3.0.0	All	1
	55					
3 - BIF - Built-i	DATATYPE			3.0.0	All	2
	56					
3 - BIF - Built-i	DATE			3.0.0	All	1
	57					
3 - BIF - Built-i	DELSTR			3.0.0	All	1
	58					
3 - BIF - Built-i	DELWORD			3.0.0	All	1
	59					
3 - BIF - Built-i	DIGITS			3.0.0	All	1
	60					
3 - BIF - Built-i	DIRECTORY			3.0.0	All	0 ◀
	61					
3 - BIF - Built-i	ENDLOCAL			3.0.0	Linux	0 ◀
	62					
3 - BIF - Built-i	ERRORTXT			3.0.0	All	1
	63					
3 - BIF - Built-i	FILESPEC			3.0.0	All	0 ◀
	64					
3 - BIF - Built-i	FORM			3.0.0	All	1
	65					
3 - BIF - Built-i	FORMAT			3.0.0	All	1
	66					
3 - BIF - Built-i	FUZZ			3.0.0	All	1
	67					
3 - BIF - Built-i	INSERT			3.0.0	All	1
	68					
3 - BIF - Built-i	LASTPOS			3.0.0	All	1
	69					
3 - BIF - Built-i	LEFT			3.0.0	All	1
	70					
3 - BIF - Built-i	LENGTH			3.0.0	All	1
	71					
3 - BIF - Built-i	LINEIN			3.0.0	All	0 ◀
	72					
3 - BIF - Built-i	LINEOUT			3.0.0	All	0 ◀
	73					
3 - BIF - Built-i	LINES			3.0.0	All	0 ◀
	74					

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
3 - BIF - Built-i	LOWER			3.0.0	All	1
	75					
3 - BIF - Built-i	MAX			3.0.0	All	1
	76					
3 - BIF - Built-i	MIN			3.0.0	All	1
	77					
3 - BIF - Built-i	OVERLAY			3.0.0	All	1
	78					
3 - BIF - Built-i	POS			3.0.0	All	1
	79					
3 - BIF - Built-i	QUEUED			3.0.0	All	0 ◀
	80					
3 - BIF - Built-i	RANDOM			3.0.0	All	1
	81					
3 - BIF - Built-i	REVERSE			3.0.0	All	1
	82					
3 - BIF - Built-i	RIGHT			3.0.0	All	1
	83					
3 - BIF - Built-i	RXFUNCADD			3.0.0	All	0 ◀
	84					
3 - BIF - Built-i	RXFUNCDROP			3.0.0	All	0 ◀
	85					
3 - BIF - Built-i	RXFUNCQUERY			3.0.0	All	0 ◀
	86					
3 - BIF - Built-i	RXQUEUE			3.0.0	All	0 ◀
	87					
3 - BIF - Built-i	SETLOCAL			3.0.0	Linux	0 ◀
	88					
3 - BIF - Built-i	SIGN			3.0.0	All	1
	89					
3 - BIF - Built-i	SOURCELINE			3.0.0	All	1
	90					
3 - BIF - Built-i	SPACE			3.0.0	All	1
	91					
3 - BIF - Built-i	STREAM			3.0.0	All	0 ◀
	92					
3 - BIF - Built-i	STRIP			3.0.0	All	1
	93					
3 - BIF - Built-i	SUBSTR			3.0.0	All	2
	94					
3 - BIF - Built-i	SUBWORD			3.0.0	All	1
	95					

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
3 - BIF - Built-i	SYMBOL			3.0.0	All	1
	96					
3 - BIF - Built-i	TIME			3.0.0	All	1
	97					
3 - BIF - Built-i	TRACE			3.0.0	All	0 ◀
	98					
3 - BIF - Built-i	TRANSLATE			3.0.0	All	1
	99					
3 - BIF - Built-i	TRUNC			3.0.0	All	1
	100					
3 - BIF - Built-i	UPPER			3.0.0	All	1
	101					
3 - BIF - Built-i	USERID			3.0.0	All	0 ◀
	102					
3 - BIF - Built-i	VALUE			3.0.0	All	1
	103					
3 - BIF - Built-i	VAR			3.0.0	All	1
	104					
3 - BIF - Built-i	VERIFY			3.0.0	All	1
	105					
3 - BIF - Built-i	WORD			3.0.0	All	1
	106					
3 - BIF - Built-i	WORDINDEX			3.0.0	All	1
	107					
3 - BIF - Built-i	WORDLENGTH			3.0.0	All	1
	108					
3 - BIF - Built-i	WORDPOS			3.0.0	All	1
	109					
3 - BIF - Built-i	WORDS			3.0.0	All	1
	110					
3 - BIF - Built-i	X2B			3.0.0	All	1
	111					
3 - BIF - Built-i	X2C			3.0.0	All	1
	112					
3 - BIF - Built-i	X2D			3.0.0	All	1
	113					
3 - BIF - Built-i	XRANGE			3.0.0	All	1
	114					

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
4 - RUF - Rexx-Utiltiy Function						
4 - RUF - Rex	RxMessageBox			3.0.0	Windows	0 ◀
4 - RUF - Rex	RxWinExec			3.0.0	Windows	0 ◀
4 - RUF - Rex	SysAddRexxMacro			3.0.0		0 ◀
4 - RUF - Rex	SysBootDrive			3.0.0	Windows	0 ◀
4 - RUF - Rex	SysClearRexxMacroSpace			3.0.0		0 ◀
4 - RUF - Rex	SysCloseEventSem			3.0.0		0 ◀
4 - RUF - Rex	SysCloseMutexSem			3.0.0		0 ◀
4 - RUF - Rex	SysCls			3.0.0		0 ◀
4 - RUF - Rex	SysCreateEventSem			3.0.0		0 ◀
4 - RUF - Rex	SysCreateMutexSem			3.0.0		0 ◀
4 - RUF - Rex	SysCreatePipe			3.0.0		0 ◀
4 - RUF - Rex	SysCurPos			3.0.0	Windows	0 ◀
4 - RUF - Rex	SysCurState			3.0.0	Windows	0 ◀
4 - RUF - Rex	SysDriveInfo			3.0.0	Windows	0 ◀
4 - RUF - Rex	SysDriveMap			3.0.0	Windows	0 ◀
4 - RUF - Rex	SysDropFuncs			3.0.0		0 ◀
4 - RUF - Rex	SysDumpVariables			3.0.0		0 ◀
4 - RUF - Rex	SysFileCopy			3.0.0	Windows	0 ◀
4 - RUF - Rex	SysFileDelete			3.0.0		0 ◀
4 - RUF - Rex	SysFileMove			3.0.0	Windows	0 ◀
4 - RUF - Rex	SysFileSearch			3.0.0		0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
4 - RUF - Rex	SysFileSystemType			3.0.0	Windows	0 ◀
4 - RUF - Rex	SysFileTree			3.0.0		0 ◀
4 - RUF - Rex	SysFork			3.0.0	Unix	0 ◀
4 - RUF - Rex	SysFromUnicode			3.0.0	Windows	0 ◀
4 - RUF - Rex	SysGetErrorText			3.0.0	Windows	0 ◀
4 - RUF - Rex	SysGetFileDateTime			3.0.0	Windows	0 ◀
4 - RUF - Rex	SysGetKey			3.0.0	Windows	0 ◀
4 - RUF - Rex	SysGetMessage			3.0.0	Windows	0 ◀
4 - RUF - Rex	SysGetMessageX			3.0.0	Unix	0 ◀
4 - RUF - Rex	SysIni			3.0.0	Windows	0 ◀
4 - RUF - Rex	SysFile			3.1.1		0 ◀
4 - RUF - Rex	SysFileCompressed			3.1.1	Windows	0 ◀
4 - RUF - Rex	SysFileDirectory			3.1.1		0 ◀
4 - RUF - Rex	SysFileEncrypted			3.1.1	Windows	0 ◀
4 - RUF - Rex	SysFileLink			3.1.1		0 ◀
4 - RUF - Rex	SysFileNotContentIndexed			3.1.1	Windows	0 ◀
4 - RUF - Rex	SysFileOffline			3.1.1	Windows	0 ◀
4 - RUF - Rex	SysFileSparse			3.1.1	Windows	0 ◀
4 - RUF - Rex	SysFileTemporary			3.1.1	Windows	0 ◀
4 - RUF - Rex	SysLoadFuncs			3.0.0		0 ◀
4 - RUF - Rex	SysLoadRexxMacroSpace			3.0.0		0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
4 - RUF - Rex	SysMkDir			3.0.0		0 ◀
4 - RUF - Rex	SysOpenEventSem			3.0.0		0 ◀
4 - RUF - Rex	SysOpenMutexSem			3.0.0		0 ◀
4 - RUF - Rex	SysPostEventSem			3.0.0		0 ◀
4 - RUF - Rex	SysPulseEventSem			3.0.0	Windows	0 ◀
4 - RUF - Rex	SysQueryProcess			3.0.0		0 ◀
4 - RUF - Rex	SysQueryRexxMacro			3.0.0		0 ◀
4 - RUF - Rex	SysReleaseMutexSem			3.0.0		0 ◀
4 - RUF - Rex	SysReorderRexxMacro			3.0.0		0 ◀
4 - RUF - Rex	SysRequestMutexSem			3.0.0		0 ◀
4 - RUF - Rex	SysResetEventSem			3.0.0		0 ◀
4 - RUF - Rex	SysRmdir			3.0.0		0 ◀
4 - RUF - Rex	SysSearchPath			3.0.0		0 ◀
4 - RUF - Rex	SysSetFileDateTime			3.0.0		0 ◀
4 - RUF - Rex	SysSetPriority			3.0.0	Windows	0 ◀
4 - RUF - Rex	SysShutdownSystem			3.0.0	Windows	0 ◀
4 - RUF - Rex	SysSleep			3.0.0		0 ◀
4 - RUF - Rex	SysStemCopy			3.0.0		0 ◀
4 - RUF - Rex	SysStemDelete			3.0.0		0 ◀
4 - RUF - Rex	SysStemInsert			3.0.0		0 ◀
4 - RUF - Rex	SysStemSort			3.0.0		0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
4 - RUF - Rex	SysSwitchSession			3.0.0	Windows	0 ◀
	178					
4 - RUF - Rex	SysTempFileName			3.0.0		0 ◀
	179					
4 - RUF - Rex	SysTextReadScreen			3.0.0	Windows	0 ◀
	180					
4 - RUF - Rex	SysTextScreenSize			3.0.0	Windows	0 ◀
	181					
4 - RUF - Rex	SysToUnicode			3.0.0	Windows	0 ◀
	182					
4 - RUF - Rex	SysUtilVersion			3.0.0		0 ◀
	183					
4 - RUF - Rex	SysVersion			3.0.0		0 ◀
	184					
4 - RUF - Rex	SysVolumeLabel			3.0.0	Windows	0 ◀
	185					
4 - RUF - Rex	SysWait			3.0.0		0 ◀
	186					
4 - RUF - Rex	SysWaitEventSemaphore			3.0.0		0 ◀
	187					
4 - RUF - Rex	SysWaitNamedPipe			3.0.0	Windows	0 ◀
	188					
4 - RUF - Rex	SysWinDecryptFile			3.0.0	Windows	0 ◀
	189					
4 - RUF - Rex	SysWinEncryptFile			3.0.0	Windows	0 ◀
	190					
4 - RUF - Rex	SysWinGetDefaultPrinter			3.0.0	Windows	0 ◀
	191					
4 - RUF - Rex	SysWinGetPrinters			3.0.0	Windows	0 ◀
	192					
4 - RUF - Rex	SysWinSetDefaultPrinter			3.0.0	Windows	0 ◀
	193					
4 - RUF - Rex	SysWinVer			3.0.0	Windows	0 ◀
	194					

5 - STD_CLASS - Standard class, i.e. part of base distribution

5 - STD_CLA	Alarm					
195				3.0.0		0 ◀
196	cancel		instance method	3.0.0		0 ◀
197	init		instance method	3.0.0		0 ◀

5 - STD_CLA	Array					
198				3.0.0		9
199	new		class method	3.0.0		0 ◀
200	of		class method	3.0.0		0 ◀
201	"[]"		instance method	3.0.0		1
202	"[]="		instance method	3.0.0		1
203	allIndexes		instance method	3.2.0		1
204	allItems		instance method	3.2.0		1
205	append		instance method	3.2.0		2
206	at		instance method	3.0.0		1
207	dimension		instance method	3.0.0		4
208	empty		instance method	3.2.0		1
209	first		instance method	3.0.0		0 ◀
210	hasIndex		instance method	3.0.0		1
211	hasItem		instance method	3.2.0		1
212	index		instance method	3.2.0		1
213	isEmpty		instance method	3.2.0		1
214	items		instance method	3.0.0		1
215	last		instance method	3.0.0		0 ◀
216	makeArray		instance method	3.0.0		3
217	makeString		instance method	3.0.0		1
218	next		instance method	3.0.0		0 ◀
219	previous		instance method	3.0.0		1
220	put		instance method	3.0.0		1
221	remove		instance method	3.0.0		1
222	removeItem		instance method	3.2.0		1
223	section		instance method	3.0.0		2
224	size		instance method	3.0.0		0 ◀
225	sort		instance method	3.2.0		2
226	sortWith		instance method	3.2.0		0 ◀
227	stableSort		instance method	3.2.0		2
228	stableSortWith		instance method	3.2.0		0 ◀
229	supplier		instance method	3.0.0		1
230	toString		instance method	3.2.0		1

5 - STD_CLA	Bag					
231				3.0.0		20
232	of		class method	3.0.0		0 ◀
233	"[]="		instance method	3.0.0		2
234	difference		instance method	3.2.0		2
235	interSection		instance method	3.2.0		2
236	put		instance method	3.0.0		2
237	putAll		instance method	3.2.0		1
238	subSet		instance method	3.2.0		1
239	union		instance method	3.2.0		2

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
	240	xor	instance method	3.2.0		2
5 - STD_CLA	CaselessColumnComparator					
	241			3.2.0		0 ◀
	242	compare	instance method	3.2.0		0 ◀
	243	init	instance method	3.2.0		0 ◀
5 - STD_CLA	CaselessComparator					
	244			3.2.0		0 ◀
	245	compare	instance method	3.2.0		0 ◀
5 - STD_CLA	CaselessDescendingComparator					
	246			3.2.0		0 ◀
	247	compare	instance method	3.2.0		0 ◀
5 - STD_CLA	CircularQueue					
	248			3.1.1		3
	249	of	class method	3.1.1		0 ◀
	250	init	instance method	3.1.1		5
	251	makeArray	instance method	3.1.1		3
	252	push	instance method	3.1.1		3
	253	queue	instance method	3.1.1		6
	254	resize	instance method	3.1.1		6
	255	size	instance method	3.1.1		4
	256	string	instance method	3.1.1		3
	257	supplier	instance method	3.1.1		3
5 - STD_CLA	Class					
	258			3.0.0		4
	259	"\"	instance method	3.0.0		0 ◀
	260	"\"	instance method	3.0.0		0 ◀
	261	"<>"	instance method	3.0.0		0 ◀
	262	"="	instance method	3.0.0		1
	263	"=="	instance method	3.0.0		0 ◀
	264	"><"	instance method	3.0.0		0 ◀
	265	baseClass	instance method	3.0.0		1
	266	defaultName	instance method	3.0.0		1
	267	define	instance method	3.0.0		1
	268	delete	instance method	3.0.0		1
	269	enhanced	instance method	3.0.0		1
	270	id	instance method	3.0.0		1
	271	inherit	instance method	3.0.0		3
	272	isSubclassOf	instance method	3.2.0		0 ◀
	273	metaClass	instance method	3.0.0		8
	274	method	instance method	3.0.0		1
	275	methods	instance method	3.0.0		1
	276	mixinClass	instance method	3.0.0		7
	277	queryMixinClass	instance method	3.0.0		1
	278	subClass	instance method	3.0.0		3
	279	subClasses	instance method	3.0.0		1
	280	superClass	instance method	3.2.0		0 ◀
	281	superClasses	instance method	3.0.0		1
	282	unInherit	instance method	3.0.0		2

Category	MainTestArea	SubTestArea	Hint	Introduced OpSys	#Tests
5 - STD_CLA	Collection				
	283			3.2.0	0 ◀
	284	"[]"	instance method	3.2.0	0 ◀
	285	"[]="	instance method	3.2.0	0 ◀
	286	allIndexes	instance method	3.2.0	0 ◀
	287	allItems	instance method	3.2.0	0 ◀
	288	at	instance method	3.2.0	0 ◀
	289	difference	instance method	3.2.0	0 ◀
	290	hasIndex	instance method	3.2.0	0 ◀
	291	hasItem	instance method	3.2.0	0 ◀
	292	index	instance method	3.2.0	0 ◀
	293	interSection	instance method	3.2.0	0 ◀
	294	items	instance method	3.2.0	0 ◀
	295	makeArray	instance method	3.2.0	0 ◀
	296	put	instance method	3.2.0	0 ◀
	297	subSet	instance method	3.2.0	0 ◀
	298	supplier	instance method	3.2.0	0 ◀
	299	union	instance method	3.2.0	0 ◀
	300	xor	instance method	3.2.0	0 ◀
5 - STD_CLA	ColumnComparator				
	301			3.2.0	0 ◀
	302	compare	instance method	3.2.0	0 ◀
	303	init	instance method	3.2.0	0 ◀
5 - STD_CLA	Comparable				
	304			3.2.0	0 ◀
	305	compareTo	instance method	3.2.0	0 ◀
5 - STD_CLA	Comparator				
	306			3.2.0	0 ◀
	307	compare	instance method	3.2.0	0 ◀
5 - STD_CLA	DescendingComparator				
	308			3.2.0	0 ◀
	309	compare	instance method	3.2.0	0 ◀
5 - STD_CLA	Directory				
	310			3.0.0	9
	311	new	class method	3.0.0	0 ◀
	312	"[]"	instance method	3.0.0	2
	313	"[]="	instance method	3.0.0	3
	314	allIndexes	instance method	3.2.0	1
	315	allItems	instance method	3.2.0	1
	316	at	instance method	3.0.0	3
	317	empty	instance method	3.2.0	1
	318	entry	instance method	3.0.0	0 ◀
	319	hasEntry	instance method	3.0.0	0 ◀
	320	hasIndex	instance method	3.0.0	1
	321	hasItem	instance method	3.2.0	1
	322	index	instance method	3.2.0	1
	323	isEmpty	instance method	3.2.0	1
	324	items	instance method	3.0.0	1

Category	MainTestArea	SubTestArea	Hint	Introduced OpSys	#Tests	
		325	makeArray	instance method	3.0.0	1
		326	put	instance method	3.0.0	4
		327	remove	instance method	3.0.0	1
		328	removeItem	instance method	3.2.0	1
		329	setEntry	instance method	3.0.0	1
		330	setMethod	instance method	3.0.0	0 ◀
		331	supplier	instance method	3.0.0	1
		332	unknown	instance method	3.0.0	5
		333	unsetMethod	instance method	3.0.0	1

5 - STD_CLA **InputStream**

		334			3.2.0	0 ◀
		335	arrayIn	instance method	3.2.0	0 ◀
		336	charIn	instance method	3.2.0	0 ◀
		337	charOut	instance method	3.2.0	0 ◀
		338	chars	instance method	3.2.0	0 ◀
		339	close	instance method	3.2.0	0 ◀
		340	lineIn	instance method	3.2.0	0 ◀
		341	lineOut	instance method	3.2.0	0 ◀
		342	lines	instance method	3.2.0	0 ◀
		343	open	instance method	3.2.0	0 ◀
		344	position	instance method	3.2.0	0 ◀

5 - STD_CLA **InvertingComparator**

		345			3.2.0	0 ◀
		346	compare	instance method	3.2.0	0 ◀
		347	init	instance method	3.2.0	0 ◀

5 - STD_CLA **List**

		348			3.0.0	9
		349	new	class method	3.0.0	0 ◀
		350	of	class method	3.0.0	0 ◀
		351	"[]"	instance method	3.0.0	1
		352	"[]="	instance method	3.0.0	3
		353	allIndexes	instance method	3.2.0	1
		354	allItems	instance method	3.2.0	1
		355	append	instance method	3.2.0	2
		356	at	instance method	3.0.0	1
		357	empty	instance method	3.2.0	1
		358	first	instance method	3.0.0	1
		359	firstItem	instance method	3.0.0	1
		360	hasIndex	instance method	3.0.0	1
		361	hasItem	instance method	3.2.0	1
		362	index	instance method	3.2.0	1
		363	insert	instance method	3.0.0	3
		364	isEmpty	instance method	3.2.0	1
		365	items	instance method	3.0.0	1
		366	last	instance method	3.0.0	1
		367	lastItem	instance method	3.0.0	1
		368	makeArray	instance method	3.0.0	1
		369	next	instance method	3.0.0	2
		370	previous	instance method	3.0.0	3

Category	MainTestArea	SubTestArea	Hint	Introduced OpSys	#Tests
		put	instance method	3.0.0	3
		remove	instance method	3.0.0	2
		removeItem	instance method	3.2.0	1
		section	instance method	3.0.0	6
		supplier	instance method	3.0.0	1
<hr/>					
5 - STD_CLA	MapCollection				
				3.2.0	0 ◀
		makeArray	instance method	3.2.0	0 ◀
		putAll	instance method	3.2.0	0 ◀
<hr/>					
5 - STD_CLA	Message				
				3.0.0	0 ◀
		new	class method	3.0.0	0 ◀
		arguments	instance method	3.1.2	0 ◀
		completed	instance method	3.0.0	0 ◀
		errorCondition	instance method	3.1.2	0 ◀
		hasError	instance method	3.1.2	0 ◀
		messageName	instance method	3.1.2	0 ◀
		notify	instance method	3.0.0	0 ◀
		result	instance method	3.0.0	0 ◀
		send	instance method	3.0.0	0 ◀
		start	instance method	3.0.0	0 ◀
		target	instance method	3.1.2	0 ◀
<hr/>					
5 - STD_CLA	Method				
				3.0.0	2
		new	class method	3.0.0	0 ◀
		newFile	class method	3.0.0	0 ◀
		INTERFACE	instance method	3.0.0	0 ◀
		setGuarded	instance method	3.0.0	0 ◀
		SETINTERFACE	instance method	3.0.0	0 ◀
		setPrivate	instance method	3.0.0	0 ◀
		setProtected	instance method	3.0.0	0 ◀
		setSecurityManager	instance method	3.0.0	0 ◀
		setUnguarded	instance method	3.0.0	0 ◀
		source	instance method	3.0.0	1
<hr/>					
5 - STD_CLA	Monitor				
				3.0.0	0 ◀
		current	instance method	3.0.0	0 ◀
		destination	instance method	3.0.0	0 ◀
		init	instance method	3.0.0	0 ◀
		unknown	instance method	3.0.0	0 ◀
<hr/>					
5 - STD_CLA	MutableBuffer				
				3.0.0	0 ◀
		new	class method	3.0.0	0 ◀
		append	instance method	3.0.0	0 ◀
		delete	instance method	3.0.0	0 ◀
		getBufferSize	instance method	3.0.0	0 ◀
		insert	instance method	3.0.0	0 ◀
		lastPos	instance method	3.1.2	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
	414	length	instance method	3.0.0		0 ◀
	415	overlay	instance method	3.0.0		0 ◀
	416	pos	instance method	3.1.2		0 ◀
	417	request	instance method	3.0.0		0 ◀
	418	setBufferSize	instance method	3.0.0		0 ◀
	419	string	instance method	3.0.0		0 ◀
	420	subChar	instance method	3.1.2		0 ◀
	421	subStr	instance method	3.0.0		0 ◀
	422	uninit	instance method	3.0.0		0 ◀

5 - STD_CLA **Object**

	423			3.0.0		0 ◀
	424	"\"	instance method	3.0.0		0 ◀
	425	"\"	instance method	3.0.0		0 ◀
	426	"<>"	instance method	3.0.0		0 ◀
	427	"="	instance method	3.0.0		0 ◀
	428	"=="	instance method	3.0.0		0 ◀
	429	"><"	instance method	3.0.0		0 ◀
	430	class	instance method	3.0.0		0 ◀
	431	copy	instance method	3.0.0		0 ◀
	432	defaultName	instance method	3.0.0		0 ◀
	433	hasMethod	instance method	3.0.0		0 ◀
	434	identityHash	instance method	3.2.0		0 ◀
	435	init	instance method	3.0.0		0 ◀
	436	instanceMethod	instance method	3.2.0		0 ◀
	437	instanceMethods	instance method	3.2.0		0 ◀
	438	isA	instance method	3.2.0		0 ◀
	439	isInstanceOf	instance method	3.1.2		0 ◀
	440	objectName	instance method	3.0.0		0 ◀
	441	objectName=	instance method	3.0.0		0 ◀
	442	request	instance method	3.0.0		0 ◀
	443	run	instance method	3.0.0		0 ◀
	444	setMethod	instance method	3.0.0		0 ◀
	445	start	instance method	3.0.0		0 ◀
	446	string	instance method	3.0.0		0 ◀
	447	unsetMethod	instance method	3.0.0		0 ◀

5 - STD_CLA **OLEObject**

	448			3.0.0	Windows	0 ◀
	449	getObject	class method	3.0.0	Windows	0 ◀
	450	new	class method	3.0.0	Windows	0 ◀
	451	dispatch	instance method	3.1.1	Windows	0 ◀
	452	getConstant	instance method	3.0.0	Windows	0 ◀
	453	getKnownEvents	instance method	3.0.0	Windows	0 ◀
	454	getKnownMethods	instance method	3.0.0	Windows	0 ◀
	455	getOutParameters	instance method	3.0.0	Windows	0 ◀
	456	init	instance method	3.0.0	Windows	0 ◀
	457	request	instance method	3.0.0	Windows	0 ◀
	458	unInit	instance method	3.0.0	Windows	0 ◀
	459	unknown	instance method	3.0.0	Windows	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
5 - STD_CLA	OLEVariant					
	460			3.1.2	Windows	0 ◀
	461	new	class method	3.1.2	Windows	0 ◀
	462	lparamFlags_	instance method	3.1.2	Windows	0 ◀
	463	lparamFlags_ =	instance method	3.1.2	Windows	0 ◀
	464	lvarType_	instance method	3.1.2	Windows	0 ◀
	465	lvarType_ =	instance method	3.1.2	Windows	0 ◀
	466	lvarValue_	instance method	3.1.2	Windows	0 ◀
	467	lvarValue_ =	instance method	3.1.2	Windows	0 ◀
	468	init	instance method	3.1.2	Windows	0 ◀
5 - STD_CLA	OrderedCollection					
	469			3.2.0		0 ◀
	470	append	instance method	3.2.0		0 ◀
	471	appendAll	instance method	3.2.0		0 ◀
	472	difference	instance method	3.2.0		0 ◀
	473	interSection	instance method	3.2.0		0 ◀
	474	subSet	instance method	3.2.0		0 ◀
	475	union	instance method	3.2.0		0 ◀
	476	xor	instance method	3.2.0		0 ◀
5 - STD_CLA	OutputStream					
	477			3.2.0		0 ◀
	478	arrayOut	instance method	3.2.0		0 ◀
	479	charIn	instance method	3.2.0		0 ◀
	480	charOut	instance method	3.2.0		0 ◀
	481	chars	instance method	3.2.0		0 ◀
	482	close	instance method	3.2.0		0 ◀
	483	lineIn	instance method	3.2.0		0 ◀
	484	lineOut	instance method	3.2.0		0 ◀
	485	lines	instance method	3.2.0		0 ◀
	486	open	instance method	3.2.0		0 ◀
	487	position	instance method	3.2.0		0 ◀
5 - STD_CLA	Properties					
	488			3.1.2		3
	489	load	class method	3.1.2		3
	490	"[]="	instance method	3.1.2		4
	491	getLogical	instance method	3.1.2		2
	492	getProperty	instance method	3.1.2		3
	493	getWhole	instance method	3.1.2		3
	494	load	instance method	3.1.2		0 ◀
	495	put	instance method	3.1.2		4
	496	save	instance method	3.1.2		4
	497	setLogical	instance method	3.1.2		2
	498	setProperty	instance method	3.1.2		4
	499	setWhole	instance method	3.1.2		2
5 - STD_CLA	Queue					
	500			3.0.0		14
	501	new	class method	3.0.0		0 ◀
	502	of	class method	3.2.0		0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced OpSys	#Tests
	503	"[]"	instance method	3.0.0	2
	504	"[]="	instance method	3.0.0	4
	505	allIndexes	instance method	3.2.0	1
	506	allItems	instance method	3.2.0	1
	507	append	instance method	3.2.0	2
	508	at	instance method	3.0.0	2
	509	empty	instance method	3.2.0	1
	510	first	instance method	3.2.0	1
	511	hasIndex	instance method	3.0.0	2
	512	hasItem	instance method	3.2.0	1
	513	index	instance method	3.2.0	1
	514	insert	instance method	3.2.0	3
	515	isEmpty	instance method	3.2.0	1
	516	items	instance method	3.0.0	2
	517	last	instance method	3.2.0	1
	518	makeArray	instance method	3.0.0	2
	519	next	instance method	3.2.0	2
	520	peek	instance method	3.0.0	2
	521	previous	instance method	3.2.0	3
	522	pull	instance method	3.0.0	2
	523	push	instance method	3.0.0	2
	524	put	instance method	3.0.0	4
	525	queue	instance method	3.0.0	1
	526	remove	instance method	3.0.0	2
	527	removeItem	instance method	3.2.0	1
	528	supplier	instance method	3.0.0	2

5 - STD_CLA Relation

529				3.0.0	4
530	new	class method	3.0.0		0 ◀
531	"[]"	instance method	3.0.0		1
532	"[]="	instance method	3.0.0		1
533	allAt	instance method	3.0.0		0 ◀
534	allIndex	instance method	3.0.0		0 ◀
535	allIndexes	instance method	3.2.0		1
536	allItems	instance method	3.2.0		1
537	at	instance method	3.0.0		1
538	difference	instance method	3.0.0		1
539	empty	instance method	3.2.0		1
540	hasIndex	instance method	3.0.0		1
541	hasItem	instance method	3.0.0		1
542	index	instance method	3.0.0		1
543	interSection	instance method	3.0.0		1
544	isEmpty	instance method	3.2.0		1
545	items	instance method	3.0.0		1
546	makeArray	instance method	3.0.0		1
547	put	instance method	3.0.0		2
548	remove	instance method	3.0.0		1
549	removeItem	instance method	3.0.0		2
550	subSet	instance method	3.0.0		1
551	supplier	instance method	3.0.0		1

Category	MainTestArea	SubTestArea	Hint	Introduced OpSys	#Tests
	552	union	instance method	3.0.0	1
	553	xor	instance method	3.0.0	1
<hr/>					
5 - STD_CLA	RexxQueue				
	554			3.2.0	0 ◀
	555	create	class method	3.2.0	0 ◀
	556	delete	class method	3.2.0	0 ◀
	557	delete	instance method	3.2.0	0 ◀
	558	get	instance method	3.2.0	0 ◀
	559	init	instance method	3.2.0	0 ◀
	560	lineIn	instance method	3.2.0	0 ◀
	561	lineOut	instance method	3.2.0	0 ◀
	562	pull	instance method	3.2.0	0 ◀
	563	push	instance method	3.2.0	0 ◀
	564	queue	instance method	3.2.0	0 ◀
	565	queued	instance method	3.2.0	0 ◀
	566	say	instance method	3.2.0	0 ◀
	567	set	instance method	3.2.0	0 ◀
<hr/>					
5 - STD_CLA	Set				
	568			3.0.0	20
	569	of	class method	3.0.0	0 ◀
	570	"[]="	instance method	3.0.0	2
	571	interSection	instance method	3.2.0	1
	572	put	instance method	3.0.0	2
	573	putAll	instance method	3.2.0	1
	574	subSet	instance method	3.2.0	1
	575	union	instance method	3.2.0	1
	576	xor	instance method	3.2.0	1
<hr/>					
5 - STD_CLA	Stem				
	577			3.0.0	8
	578	new	class method	3.0.0	0 ◀
	579	"[]"	instance method	3.0.0	1
	580	"[]="	instance method	3.0.0	1
	581	"\="	instance method	3.0.0	0 ◀
	582	"\=="	instance method	3.0.0	0 ◀
	583	"<>"	instance method	3.0.0	0 ◀
	584	"="	instance method	3.0.0	1
	585	"=="	instance method	3.0.0	0 ◀
	586	">"	instance method	3.0.0	0 ◀
	587	allIndexes	instance method	3.2.0	1
	588	allItems	instance method	3.2.0	1
	589	at	instance method	3.2.0	1
	590	empty	instance method	3.2.0	1
	591	hasIndex	instance method	3.2.0	1
	592	hasItem	instance method	3.2.0	1
	593	index	instance method	3.2.0	1
	594	isEmpty	instance method	3.2.0	1
	595	items	instance method	3.2.0	1
	596	makeArray	instance method	3.0.0	1
	597	put	instance method	3.2.0	2

Category	MainTestArea	SubTestArea	Hint	Introduced OpSys	#Tests
	598	remove	instance method	3.2.0	1
	599	removeItem	instance method	3.2.0	1
	600	request	instance method	3.0.0	0 ◀
	601	supplier	instance method	3.2.0	1
	602	unknown	instance method	3.0.0	5

5 - STD_CLA **Stream**

603				3.0.0	0 ◀
604	arrayIn		instance method	3.0.0	0 ◀
605	arrayOut		instance method	3.0.0	0 ◀
606	charIn		instance method	3.0.0	0 ◀
607	charOut		instance method	3.0.0	0 ◀
608	chars		instance method	3.0.0	0 ◀
609	close		instance method	3.0.0	0 ◀
610	command		instance method	3.0.0	0 ◀
611	description		instance method	3.0.0	0 ◀
612	flush		instance method	3.0.0	0 ◀
613	init		instance method	3.0.0	0 ◀
614	lineIn		instance method	3.0.0	0 ◀
615	lineOut		instance method	3.0.0	0 ◀
616	lines		instance method	3.0.0	0 ◀
617	makeArray		instance method	3.0.0	0 ◀
618	open		instance method	3.0.0	0 ◀
619	position		instance method	3.0.0	0 ◀
620	qualify		instance method	3.0.0	0 ◀
621	query		instance method	3.0.0	0 ◀
622	say		instance method	3.0.0	0 ◀
623	seek		instance method	3.0.0	0 ◀
624	state		instance method	3.0.0	0 ◀
625	string		instance method	3.0.0	0 ◀
626	supplier		instance method	3.0.0	0 ◀
627	unInit		instance method	3.0.0	0 ◀

5 - STD_CLA **StreamSupplier**

628				3.0.0	0 ◀
629	available		instance method	3.0.0	0 ◀
630	index		instance method	3.0.0	0 ◀
631	init		instance method	3.0.0	0 ◀
632	item		instance method	3.0.0	0 ◀
633	next		instance method	3.0.0	0 ◀

5 - STD_CLA **String**

634				3.0.0	7
635	new		class method	3.0.0	0 ◀
636	" "		instance method	3.0.0	0 ◀
637	""		instance method	3.0.0	0 ◀
638	"_"		instance method	3.0.0	0 ◀
639	"%"		instance method	3.0.0	0 ◀
640	"&"		instance method	3.0.0	0 ◀
641	"&&"		instance method	3.0.0	0 ◀
642	"*"		instance method	3.0.0	0 ◀
643	"**"		instance method	3.0.0	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
644		"/"	instance method	3.0.0		0 ◀
645		"//"	instance method	3.0.0		0 ◀
646		"\"	instance method	3.0.0		0 ◀
647		"<"	instance method	3.0.0		0 ◀
648		"\<"	instance method	3.0.0		0 ◀
649		"\="	instance method	3.0.0		0 ◀
650		"\=="	instance method	3.0.0		0 ◀
651		"\">"	instance method	3.0.0		0 ◀
652		"\>"	instance method	3.0.0		0 ◀
653		" "	instance method	3.0.0		0 ◀
654		" "	instance method	3.0.0		0 ◀
655		"+"	instance method	3.0.0		0 ◀
656		"<"	instance method	3.0.0		0 ◀
657		"<<"	instance method	3.0.0		0 ◀
658		"<<="	instance method	3.0.0		0 ◀
659		"<="	instance method	3.0.0		0 ◀
660		"<>"	instance method	3.0.0		0 ◀
661		"="	instance method	3.0.0		1
662		"=="	instance method	3.0.0		0 ◀
663		">"	instance method	3.0.0		0 ◀
664		"><"	instance method	3.0.0		0 ◀
665		">="	instance method	3.0.0		0 ◀
666		">>"	instance method	3.0.0		0 ◀
667		">>="	instance method	3.0.0		0 ◀
668		abbrev	instance method	3.0.0		2
669		abs	instance method	3.0.0		1
670		b2x	instance method	3.0.0		1
671		bitAnd	instance method	3.0.0		1
672		bitOr	instance method	3.0.0		1
673		bitXor	instance method	3.0.0		1
674		c2d	instance method	3.0.0		1
675		c2x	instance method	3.0.0		1
676		caselessAbbrev	instance method	3.2.0		0 ◀
677		caselessChangeStr	instance method	3.2.0		0 ◀
678		caselessCompare	instance method	3.2.0		0 ◀
679		caselessCompareTo	instance method	3.2.0		0 ◀
680		caselessCountStr	instance method	3.2.0		0 ◀
681		caselessEquals	instance method	3.2.0		0 ◀
682		caselessLastPos	instance method	3.2.0		0 ◀
683		caselessMatch	instance method	3.2.0		0 ◀
684		caselessMatchChar	instance method	3.2.0		0 ◀
685		caselessPos	instance method	3.2.0		0 ◀
686		caselessWordPos	instance method	3.2.0		0 ◀
687		center	instance method	3.0.0		1
688		centre	instance method	3.0.0		0 ◀
689		changeStr	instance method	3.0.0		2
690		compare	instance method	3.0.0		2
691		compareTo	instance method	3.2.0		2
692		copies	instance method	3.0.0		1
693		countStr	instance method	3.0.0		2
694		d2c	instance method	3.0.0		1

Category	MainTestArea	SubTestArea	Hint	Introduced OpSys	#Tests
		d2x	instance method	3.0.0	1
		dataType	instance method	3.0.0	2
		decodeBase64	instance method	3.0.0	1
		delStr	instance method	3.0.0	1
		delWord	instance method	3.0.0	1
		encodeBase64	instance method	3.0.0	2
		equals	instance method	3.2.0	2
		format	instance method	3.0.0	1
		insert	instance method	3.0.0	1
		lastPos	instance method	3.0.0	2
		left	instance method	3.0.0	1
		length	instance method	3.0.0	1
		lower	instance method	3.2.0	1
		makeArray	instance method	3.0.0	1
		makeString	instance method	3.0.0	1
		match	instance method	3.2.0	2
		matchChar	instance method	3.2.0	2
		max	instance method	3.0.0	1
		min	instance method	3.0.0	1
		overlay	instance method	3.0.0	1
		pos	instance method	3.0.0	1
		reverse	instance method	3.0.0	1
		right	instance method	3.0.0	1
		sign	instance method	3.0.0	1
		space	instance method	3.0.0	0 ◀
		strip	instance method	3.0.0	1
		subChar	instance method	3.2.0	1
		subStr	instance method	3.0.0	1
		subWord	instance method	3.0.0	1
		translate	instance method	3.0.0	1
		trunc	instance method	3.0.0	1
		upper	instance method	3.2.0	1
		verify	instance method	3.0.0	1
		word	instance method	3.0.0	1
		wordIndex	instance method	3.0.0	1
		wordLength	instance method	3.0.0	1
		wordPos	instance method	3.0.0	2
		words	instance method	3.0.0	1
		x2b	instance method	3.0.0	1
		x2c	instance method	3.0.0	1
		x2d	instance method	3.0.0	1

5 - STD_CLA **Supplier**

736				3.0.0	0 ◀
737		new	class method	3.0.0	0 ◀
738		allIndexes	instance method	3.2.0	0 ◀
739		allItems	instance method	3.2.0	0 ◀
740		available	instance method	3.0.0	0 ◀
741		getArrays	instance method	3.2.0	0 ◀
742		index	instance method	3.0.0	0 ◀
743		init	instance method	3.2.0	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced OpSys	#Tests
	744	item	instance method	3.0.0	0 ◀
	745	next	instance method	3.0.0	0 ◀
	746	supplier	instance method	3.2.0	0 ◀
5 - STD_CLA	Table				
	747			3.0.0	9
	748	new	class method	3.0.0	0 ◀
	749	"[]"	instance method	3.0.0	1
	750	"[]="	instance method	3.0.0	1
	751	allIndexes	instance method	3.2.0	1
	752	allItems	instance method	3.2.0	1
	753	at	instance method	3.0.0	1
	754	empty	instance method	3.2.0	1
	755	hasIndex	instance method	3.0.0	1
	756	hasItem	instance method	3.2.0	1
	757	index	instance method	3.2.0	1
	758	isEmpty	instance method	3.2.0	1
	759	items	instance method	3.0.0	1
	760	makeArray	instance method	3.0.0	1
	761	put	instance method	3.0.0	2
	762	remove	instance method	3.0.0	1
	763	removeItem	instance method	3.2.0	1
	764	supplier	instance method	3.0.0	1

6 - OPT_CLASS - Optional class, i.4. needs to be required

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
6 - OPT_CLA	AdvancedControls					
765				3.0.0	Windows	0 ◀
766		addListControl	instance method	3.0.0	Windows	0 ◀
767		addProgressBar	instance method	3.0.0	Windows	0 ◀
768		addSliderControl	instance method	3.0.0	Windows	0 ◀
769		addTabControl	instance method	3.0.0	Windows	0 ◀
770		addTreeControl	instance method	3.0.0	Windows	0 ◀
771		connectListControl	instance method	3.0.0	Windows	0 ◀
772		connectSliderControl	instance method	3.0.0	Windows	0 ◀
773		connectTabControl	instance method	3.0.0	Windows	0 ◀
774		connectTreeControl	instance method	3.0.0	Windows	0 ◀
775		getButtonControl	instance method	3.0.0	Windows	0 ◀
776		getCheckControl	instance method	3.0.0	Windows	0 ◀
777		getComboBox	instance method	3.0.0	Windows	0 ◀
778		getControl	instance method	3.0.0	Windows	0 ◀
779		getEditControl	instance method	3.0.0	Windows	0 ◀
780		getListBox	instance method	3.0.0	Windows	0 ◀
781		getListControl	instance method	3.0.0	Windows	0 ◀
782		getProgressBar	instance method	3.0.0	Windows	0 ◀
783		getRadioControl	instance method	3.0.0	Windows	0 ◀
784		getScrollBar	instance method	3.0.0	Windows	0 ◀
785		getSliderControl	instance method	3.0.0	Windows	0 ◀
786		getStaticControl	instance method	3.0.0	Windows	0 ◀
787		getTabControl	instance method	3.0.0	Windows	0 ◀
788		getTreeControl	instance method	3.0.0	Windows	0 ◀
789		internGetNewCtrlStyle	instance method	3.0.0	Windows	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
6 - OPT_CLA	AnimatedButton					
790				3.0.0	Windows	0 ◀
791		getPos	instance method	3.0.0	Windows	0 ◀
792		getSprite	instance method	3.0.0	Windows	0 ◀
793		hitBottom	instance method	3.0.0	Windows	0 ◀
794		hitLeft	instance method	3.0.0	Windows	0 ◀
795		hitRight	instance method	3.0.0	Windows	0 ◀
796		hitTop	instance method	3.0.0	Windows	0 ◀
797		init	instance method	3.0.0	Windows	0 ◀
798		movePos	instance method	3.0.0	Windows	0 ◀
799		moveSeq	instance method	3.0.0	Windows	0 ◀
800		moveTo	instance method	3.0.0	Windows	0 ◀
801		parentDlg	instance method	3.0.0	Windows	0 ◀
802		parentDlg=	instance method	3.0.0	Windows	0 ◀
803		parentStopped	instance method	3.0.0	Windows	0 ◀
804		run	instance method	3.0.0	Windows	0 ◀
805		setDelay	instance method	3.0.0	Windows	0 ◀
806		setFromTo	instance method	3.0.0	Windows	0 ◀
807		setMove	instance method	3.0.0	Windows	0 ◀
808		setPos	instance method	3.0.0	Windows	0 ◀
809		setSmooth	instance method	3.0.0	Windows	0 ◀
810		setSprite	instance method	3.0.0	Windows	0 ◀
811		setStep	instance method	3.0.0	Windows	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
	812	stop	instance method	3.0.0	Windows	0 ◀
	813	stopped	instance method	3.0.0	Windows	0 ◀
	814	stopped=	instance method	3.0.0	Windows	0 ◀
6 - OPT_CLA	BaseDialog					
	815			3.0.0	Windows	0 ◀
	816	init	instance method	3.0.0	Windows	0 ◀
	817	scrollNow	instance method	3.0.0	Windows	0 ◀
	818	scrollNow=	instance method	3.0.0	Windows	0 ◀
6 - OPT_CLA	ButtonControl					
	819			3.0.0	Windows	0 ◀
	820	changeBitmap	instance method	3.0.0	Windows	0 ◀
	821	dimBitmap	instance method	3.0.0	Windows	0 ◀
	822	displaceBitmap	instance method	3.0.0	Windows	0 ◀
	823	drawBitmap	instance method	3.0.0	Windows	0 ◀
	824	getBitmapSizeX	instance method	3.0.0	Windows	0 ◀
	825	getBitmapSizeY	instance method	3.0.0	Windows	0 ◀
	826	getBmpDisplacement	instance method	3.0.0	Windows	0 ◀
	827	getImage	instance method	3.0.0	Windows	0 ◀
	828	scroll	instance method	3.0.0	Windows	0 ◀
	829	scrollBitmapFromTo	instance method	3.0.0	Windows	0 ◀
	830	scrollText	instance method	3.0.0	Windows	0 ◀
	831	setImage	instance method	3.0.0	Windows	0 ◀
	832	state	instance method	3.0.0	Windows	0 ◀
	833	state=	instance method	3.0.0	Windows	0 ◀
	834	style=	instance method	3.0.0	Windows	0 ◀
6 - OPT_CLA	CategoryDialog					
	835			3.0.0	Windows	0 ◀
	836	addCategoryComboEntry	instance method	3.0.0	Windows	0 ◀
	837	addCategoryListEntry	instance method	3.0.0	Windows	0 ◀
	838	boxMessage	instance method	3.0.0	Windows	0 ◀
	839	catalog	instance method	3.0.0	Windows	0 ◀
	840	catalog=	instance method	3.0.0	Windows	0 ◀
	841	catCX	instance method	3.0.0	Windows	0 ◀
	842	catCX=	instance method	3.0.0	Windows	0 ◀
	843	categoryComboAddDirectory	instance method	3.0.0	Windows	0 ◀
	844	categoryComboDrop	instance method	3.0.0	Windows	0 ◀
	845	categoryListAddDirectory	instance method	3.0.0	Windows	0 ◀
	846	categoryListDrop	instance method	3.0.0	Windows	0 ◀
	847	categoryPage	instance method	3.0.0	Windows	0 ◀
	848	catLabel	instance method	3.0.0	Windows	0 ◀
	849	catLabel=	instance method	3.0.0	Windows	0 ◀
	850	catMax	instance method	3.0.0	Windows	0 ◀
	851	catMax=	instance method	3.0.0	Windows	0 ◀
	852	catStyle	instance method	3.0.0	Windows	0 ◀
	853	catStyle=	instance method	3.0.0	Windows	0 ◀
	854	catX	instance method	3.0.0	Windows	0 ◀
	855	catX=	instance method	3.0.0	Windows	0 ◀
	856	catY	instance method	3.0.0	Windows	0 ◀
	857	catY=	instance method	3.0.0	Windows	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests	
		858	changeCategoryComboEntry	instance method	3.0.0	Windows	0 ◀
		859	changeCategoryListEntry	instance method	3.0.0	Windows	0 ◀
		860	changePage	instance method	3.0.0	Windows	0 ◀
		861	connectCheckBox	instance method	3.0.0	Windows	0 ◀
		862	connectComboBox	instance method	3.0.0	Windows	0 ◀
		863	connectEntryLine	instance method	3.0.0	Windows	0 ◀
		864	connectListBox	instance method	3.0.0	Windows	0 ◀
		865	connectListControl	instance method	3.0.0	Windows	0 ◀
		866	connectMultiListBox	instance method	3.0.0	Windows	0 ◀
		867	connectRadioButton	instance method	3.0.0	Windows	0 ◀
		868	connectSeparator	instance method	3.0.0	Windows	0 ◀
		869	connectSliderControl	instance method	3.0.0	Windows	0 ◀
		870	connectTabControl	instance method	3.0.0	Windows	0 ◀
		871	connectTreeControl	instance method	3.0.0	Windows	0 ◀
		872	createCategoryDialog	instance method	3.0.0	Windows	0 ◀
		873	currentCategory	instance method	3.0.0	Windows	0 ◀
		874	defineDialog	instance method	3.0.0	Windows	0 ◀
		875	deleteCategoryComboEntry	instance method	3.0.0	Windows	0 ◀
		876	deleteCategoryListEntry	instance method	3.0.0	Windows	0 ◀
		877	disableCategoryItem	instance method	3.0.0	Windows	0 ◀
		878	enableCategoryItem	instance method	3.0.0	Windows	0 ◀
		879	findCategoryComboEntry	instance method	3.0.0	Windows	0 ◀
		880	findCategoryListEntry	instance method	3.0.0	Windows	0 ◀
		881	focusCategoryItem	instance method	3.0.0	Windows	0 ◀
		882	getCategoryAttrib	instance method	3.0.0	Windows	0 ◀
		883	getCategoryCheckBox	instance method	3.0.0	Windows	0 ◀
		884	getCategoryComboEntry	instance method	3.0.0	Windows	0 ◀
		885	getCategoryComboItems	instance method	3.0.0	Windows	0 ◀
		886	getCategoryComboLine	instance method	3.0.0	Windows	0 ◀
		887	getCategoryEntryLine	instance method	3.0.0	Windows	0 ◀
		888	getCategoryListEntry	instance method	3.0.0	Windows	0 ◀
		889	getCategoryListItemHeight	instance method	3.0.0	Windows	0 ◀
		890	getCategoryListItems	instance method	3.0.0	Windows	0 ◀
		891	getCategoryListLine	instance method	3.0.0	Windows	0 ◀
		892	getCategoryListWidth	instance method	3.0.0	Windows	0 ◀
		893	getCategoryMultiList	instance method	3.0.0	Windows	0 ◀
		894	getCategoryRadioButton	instance method	3.0.0	Windows	0 ◀
		895	getCategoryValue	instance method	3.0.0	Windows	0 ◀
		896	getCurrentCategoryComboIndex	instance method	3.0.0	Windows	0 ◀
		897	getCurrentCategoryListIndex	instance method	3.0.0	Windows	0 ◀
		898	getDefaultOpts	instance method	3.0.0	Windows	0 ◀
		899	getItem	instance method	3.0.0	Windows	0 ◀
		900	getSelectedPage	instance method	3.0.0	Windows	0 ◀
		901	hideCategoryItem	instance method	3.0.0	Windows	0 ◀
		902	init	instance method	3.0.0	Windows	0 ◀
		903	initCategories	instance method	3.0.0	Windows	0 ◀
		904	initDialog	instance method	3.0.0	Windows	0 ◀
		905	insertCategoryComboEntry	instance method	3.0.0	Windows	0 ◀
		906	insertCategoryListEntry	instance method	3.0.0	Windows	0 ◀
		907	moveCategoryItem	instance method	3.0.0	Windows	0 ◀
		908	nextPage	instance method	3.0.0	Windows	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
	909	pageHasChanged	instance method	3.0.0	Windows	0 ◀
	910	previousPage	instance method	3.0.0	Windows	0 ◀
	911	resizeCategoryItem	instance method	3.0.0	Windows	0 ◀
	912	sendMessageToCategoryItem	instance method	3.0.0	Windows	0 ◀
	913	setCategoryAttrib	instance method	3.0.0	Windows	0 ◀
	914	setCategoryCheckBox	instance method	3.0.0	Windows	0 ◀
	915	setCategoryComboLine	instance method	3.0.0	Windows	0 ◀
	916	setCategoryEntryLine	instance method	3.0.0	Windows	0 ◀
	917	setCategoryItemFont	instance method	3.0.0	Windows	0 ◀
	918	setCategoryListColumnWidth	instance method	3.0.0	Windows	0 ◀
	919	setCategoryListItemHeight	instance method	3.0.0	Windows	0 ◀
	920	setCategoryListLine	instance method	3.0.0	Windows	0 ◀
	921	setCategoryListTabulators	instance method	3.0.0	Windows	0 ◀
	922	setCategoryListWidth	instance method	3.0.0	Windows	0 ◀
	923	setCategoryMultiList	instance method	3.0.0	Windows	0 ◀
	924	setCategoryRadioButton	instance method	3.0.0	Windows	0 ◀
	925	setCategoryStaticText	instance method	3.0.0	Windows	0 ◀
	926	setCategoryValue	instance method	3.0.0	Windows	0 ◀
	927	setCurrentCategoryComboIndex	instance method	3.0.0	Windows	0 ◀
	928	setCurrentCategoryListIndex	instance method	3.0.0	Windows	0 ◀
	929	showCategoryItem	instance method	3.0.0	Windows	0 ◀
	930	startIt	instance method	3.0.0	Windows	0 ◀
	931	staticID	instance method	3.0.0	Windows	0 ◀
	932	staticID=	instance method	3.0.0	Windows	0 ◀
	933	wizard	instance method	3.0.0	Windows	0 ◀
	934	wizard=	instance method	3.0.0	Windows	0 ◀

6 - OPT_CLA **CheckList**

	935			3.0.0	Windows	0 ◀
	936	defineDialog	instance method	3.0.0	Windows	0 ◀
	937	execute	instance method	3.0.0	Windows	0 ◀
	938	init	instance method	3.0.0	Windows	0 ◀

6 - OPT_CLA **ComboBox**

	939			3.0.0	Windows	0 ◀
	940	add	instance method	3.0.0	Windows	0 ◀
	941	addDirectory	instance method	3.0.0	Windows	0 ◀
	942	closeDropDown	instance method	3.0.0	Windows	0 ◀
	943	delete	instance method	3.0.0	Windows	0 ◀
	944	deleteAll	instance method	3.0.0	Windows	0 ◀
	945	editSelection	instance method	3.0.0	Windows	0 ◀
	946	find	instance method	3.0.0	Windows	0 ◀
	947	getText	instance method	3.0.0	Windows	0 ◀
	948	insert	instance method	3.0.0	Windows	0 ◀
	949	isDropDownOpen	instance method	3.0.0	Windows	0 ◀
	950	items	instance method	3.0.0	Windows	0 ◀
	951	modify	instance method	3.0.0	Windows	0 ◀
	952	openDropDown	instance method	3.0.0	Windows	0 ◀
	953	select	instance method	3.0.0	Windows	0 ◀
	954	selected	instance method	3.0.0	Windows	0 ◀
	955	selectedIndex	instance method	3.0.0	Windows	0 ◀
	956	selectIndex	instance method	3.0.0	Windows	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
6 - OPT_CLA	DialogControl					
957				3.0.0	Windows	0 ◀
958	new		class method	3.0.0	Windows	0 ◀
959	assignFocus		instance method	3.0.0	Windows	0 ◀
960	assignWindow		instance method	3.0.0	Windows	0 ◀
961	captureMouse		instance method	3.0.0	Windows	0 ◀
962	clear		instance method	3.0.0	Windows	0 ◀
963	clearRect		instance method	3.0.0	Windows	0 ◀
964	getFocus		instance method	3.0.0	Windows	0 ◀
965	getMouseCapture		instance method	3.0.0	Windows	0 ◀
966	getStyleRaw		instance method	3.2.0	Windows	0 ◀
967	group		instance method	3.2.0	Windows	0 ◀
968	hDlg		instance method	3.0.0	Windows	0 ◀
969	hDlg=		instance method	3.0.0	Windows	0 ◀
970	id		instance method	3.0.0	Windows	0 ◀
971	ID=		instance method	3.0.0	Windows	0 ◀
972	init		instance method	3.0.0	Windows	0 ◀
973	isMouseButtonDown		instance method	3.0.0	Windows	0 ◀
974	message2parent		instance method	3.0.0	Windows	0 ◀
975	oDlg		instance method	3.0.0	Windows	0 ◀
976	oDlg=		instance method	3.0.0	Windows	0 ◀
977	processMessage		instance method	3.0.0	Windows	0 ◀
978	redrawRect		instance method	3.0.0	Windows	0 ◀
979	releaseMouseCapture		instance method	3.0.0	Windows	0 ◀
980	setColor		instance method	3.0.0	Windows	0 ◀
981	setFocus		instance method	3.0.0	Windows	0 ◀
982	tabStop		instance method	3.2.0	Windows	0 ◀
983	tabToNext		instance method	3.2.0	Windows	0 ◀
984	tabToPrevious		instance method	3.2.0	Windows	0 ◀
985	value		instance method	3.0.0	Windows	0 ◀
986	value=		instance method	3.0.0	Windows	0 ◀

6 - OPT_CLA	DialogExtensions					
987				3.0.0	Windows	0 ◀
988	addAutoStartMethod		instance method	3.0.0	Windows	0 ◀
989	addBitmapButton		instance method	3.0.0	Windows	0 ◀
990	asyncMessageHandling		instance method	3.0.0	Windows	0 ◀
991	backgroundBitmap		instance method	3.0.0	Windows	0 ◀
992	backgroundColor		instance method	3.0.0	Windows	0 ◀
993	bkgBitmap		instance method	3.0.0	Windows	0 ◀
994	bkgBitmap=		instance method	3.0.0	Windows	0 ◀
995	bkgBrushBMP		instance method	3.0.0	Windows	0 ◀
996	bkgBrushBMP=		instance method	3.0.0	Windows	0 ◀
997	captureMouse		instance method	3.0.0	Windows	0 ◀
998	changeBitmapButton		instance method	3.0.0	Windows	0 ◀
999	checkMenuItem		instance method	3.0.0	Windows	0 ◀
1000	clear		instance method	3.0.0	Windows	0 ◀
1001	clearButtonRect		instance method	3.0.0	Windows	0 ◀
1002	clearRect		instance method	3.0.0	Windows	0 ◀
1003	clearWindowRect		instance method	3.0.0	Windows	0 ◀
1004	combineELwithSB		instance method	3.0.0	Windows	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
		connectAllSBEvents	instance method	3.0.0	Windows	0 ◀
		connectAnimatedButton	instance method	3.0.0	Windows	0 ◀
		connectBitmapButton	instance method	3.0.0	Windows	0 ◀
		connectDraw	instance method	3.0.0	Windows	0 ◀
		connectMenuItem	instance method	3.0.0	Windows	0 ◀
		connectMouseCapture	instance method	3.0.0	Windows	0 ◀
		connectMove	instance method	3.0.0	Windows	0 ◀
		connectPosChanged	instance method	3.0.0	Windows	0 ◀
		connectResize	instance method	3.0.0	Windows	0 ◀
		connectScrollBar	instance method	3.0.0	Windows	0 ◀
		createBrush	instance method	3.0.0	Windows	0 ◀
		determineSBPosition	instance method	3.0.0	Windows	0 ◀
		dimBitmap	instance method	3.0.0	Windows	0 ◀
		disableMenuItem	instance method	3.0.0	Windows	0 ◀
		displaceBitmap	instance method	3.0.0	Windows	0 ◀
		drawBitmap	instance method	3.0.0	Windows	0 ◀
		drawButton	instance method	3.0.0	Windows	0 ◀
		dump	instance method	3.0.0	Windows	0 ◀
		enableMenuItem	instance method	3.0.0	Windows	0 ◀
		endAsyncExecution	instance method	3.0.0	Windows	0 ◀
		executeAsync	instance method	3.0.0	Windows	0 ◀
		freeButtonDC	instance method	3.0.0	Windows	0 ◀
		freeWindowDC	instance method	3.0.0	Windows	0 ◀
		getBitmapSizeX	instance method	3.0.0	Windows	0 ◀
		getBitmapSizeY	instance method	3.0.0	Windows	0 ◀
		getBmpDisplacement	instance method	3.0.0	Windows	0 ◀
		getButtonDC	instance method	3.0.0	Windows	0 ◀
		getButtonRect	instance method	3.0.0	Windows	0 ◀
		getFocus	instance method	3.0.0	Windows	0 ◀
		getListItemHeight	instance method	3.0.0	Windows	0 ◀
		getListWidth	instance method	3.0.0	Windows	0 ◀
		getMenuItemState	instance method	3.0.0	Windows	0 ◀
		getMouseCapture	instance method	3.0.0	Windows	0 ◀
		getSBPos	instance method	3.0.0	Windows	0 ◀
		getSBRange	instance method	3.0.0	Windows	0 ◀
		getWindowDC	instance method	3.0.0	Windows	0 ◀
		getWindowRect	instance method	3.0.0	Windows	0 ◀
		grayMenuItem	instance method	3.0.0	Windows	0 ◀
		hideItemFast	instance method	3.0.0	Windows	0 ◀
		hideWindowFast	instance method	3.0.0	Windows	0 ◀
		isMouseButtonDown	instance method	3.0.0	Windows	0 ◀
		loadBitmap	instance method	3.0.0	Windows	0 ◀
		moveItem	instance method	3.0.0	Windows	0 ◀
		peekDialogMessage	instance method	3.0.0	Windows	0 ◀
		popup	instance method	3.0.0	Windows	0 ◀
		popupAsChild	instance method	3.0.0	Windows	0 ◀
		redrawButton	instance method	3.0.0	Windows	0 ◀
		redrawRect	instance method	3.0.0	Windows	0 ◀
		redrawWindow	instance method	3.0.0	Windows	0 ◀
		redrawWindowRect	instance method	3.0.0	Windows	0 ◀
		releaseMouseCapture	instance method	3.0.0	Windows	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
	1056	removeBitmap	instance method	3.0.0	Windows	0 ◀
	1057	resizeItem	instance method	3.0.0	Windows	0 ◀
	1058	scrollBitmapFromTo	instance method	3.0.0	Windows	0 ◀
	1059	scrollButton	instance method	3.0.0	Windows	0 ◀
	1060	scrollInButton	instance method	3.0.0	Windows	0 ◀
	1061	scrollText	instance method	3.0.0	Windows	0 ◀
	1062	sendMessageToItem	instance method	3.0.0	Windows	0 ◀
	1063	setFocus	instance method	3.0.0	Windows	0 ◀
	1064	setFocusToWindow	instance method	3.2.0	Windows	0 ◀
	1065	setItemColor	instance method	3.0.0	Windows	0 ◀
	1066	setItemFont	instance method	3.0.0	Windows	0 ◀
	1067	setListColumnWidth	instance method	3.0.0	Windows	0 ◀
	1068	setListItemHeight	instance method	3.0.0	Windows	0 ◀
	1069	setListWidth	instance method	3.0.0	Windows	0 ◀
	1070	setMenuItemRadio	instance method	3.0.0	Windows	0 ◀
	1071	setSBPos	instance method	3.0.0	Windows	0 ◀
	1072	setSBRange	instance method	3.0.0	Windows	0 ◀
	1073	setWindowRect	instance method	3.0.0	Windows	0 ◀
	1074	showItemFast	instance method	3.0.0	Windows	0 ◀
	1075	showWindowFast	instance method	3.0.0	Windows	0 ◀
	1076	tiledBackgroundBitmap	instance method	3.0.0	Windows	0 ◀
	1077	unCheckMenuItem	instance method	3.0.0	Windows	0 ◀
	1078	writeToButton	instance method	3.0.0	Windows	0 ◀
	1079	writeToWindow	instance method	3.0.0	Windows	0 ◀

6 - OPT_CLA **DlgArea**

	1080			3.0.0	Windows	0 ◀
	1081	b	instance method	3.0.0	Windows	0 ◀
	1082	b=	instance method	3.0.0	Windows	0 ◀
	1083	cx	instance method	3.0.0	Windows	0 ◀
	1084	cy	instance method	3.0.0	Windows	0 ◀
	1085	h	instance method	3.0.0	Windows	0 ◀
	1086	height	instance method	3.0.0	Windows	0 ◀
	1087	height=	instance method	3.0.0	Windows	0 ◀
	1088	hr	instance method	3.0.0	Windows	0 ◀
	1089	init	instance method	3.0.0	Windows	0 ◀
	1090	l	instance method	3.0.0	Windows	0 ◀
	1091	l=	instance method	3.0.0	Windows	0 ◀
	1092	lastX	instance method	3.0.0	Windows	0 ◀
	1093	lastX=	instance method	3.0.0	Windows	0 ◀
	1094	lastY	instance method	3.0.0	Windows	0 ◀
	1095	lastY=	instance method	3.0.0	Windows	0 ◀
	1096	left	instance method	3.0.0	Windows	0 ◀
	1097	left=	instance method	3.0.0	Windows	0 ◀
	1098	margin	instance method	3.0.0	Windows	0 ◀
	1099	margin=	instance method	3.0.0	Windows	0 ◀
	1100	r	instance method	3.0.0	Windows	0 ◀
	1101	r=	instance method	3.0.0	Windows	0 ◀
	1102	sizeX	instance method	3.0.0	Windows	0 ◀
	1103	sizeY	instance method	3.0.0	Windows	0 ◀
	1104	t	instance method	3.0.0	Windows	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
	1105	t=	instance method	3.0.0	Windows	0 ◀
	1106	top	instance method	3.0.0	Windows	0 ◀
	1107	top=	instance method	3.0.0	Windows	0 ◀
	1108	w	instance method	3.0.0	Windows	0 ◀
	1109	width	instance method	3.0.0	Windows	0 ◀
	1110	width=	instance method	3.0.0	Windows	0 ◀
	1111	wr	instance method	3.0.0	Windows	0 ◀
	1112	x	instance method	3.0.0	Windows	0 ◀
	1113	y	instance method	3.0.0	Windows	0 ◀

6 - OPT_CLA **DlgAreaU**

	1114			3.0.0	Windows	0 ◀
	1115	correctionFactor	instance method	3.0.0	Windows	0 ◀
	1116	correctionFactor=	instance method	3.0.0	Windows	0 ◀
	1117	init	instance method	3.0.0	Windows	0 ◀
	1118	lastError	instance method	3.0.0	Windows	0 ◀
	1119	lastError=	instance method	3.0.0	Windows	0 ◀
	1120	noMove	instance method	3.0.0	Windows	0 ◀
	1121	noMove=	instance method	3.0.0	Windows	0 ◀
	1122	noResize	instance method	3.0.0	Windows	0 ◀
	1123	noResize=	instance method	3.0.0	Windows	0 ◀
	1124	originalHeight	instance method	3.0.0	Windows	0 ◀
	1125	originalHeight=	instance method	3.0.0	Windows	0 ◀
	1126	originalWidth	instance method	3.0.0	Windows	0 ◀
	1127	originalWidth=	instance method	3.0.0	Windows	0 ◀
	1128	resize	instance method	3.0.0	Windows	0 ◀

6 - OPT_CLA **DynamicDialog**

	1129			3.0.0	Windows	0 ◀
	1130	addBlackFrame	instance method	3.0.0	Windows	0 ◀
	1131	addBlackRect	instance method	3.0.0	Windows	0 ◀
	1132	addButton	instance method	3.0.0	Windows	0 ◀
	1133	addButtonGroup	instance method	3.0.0	Windows	0 ◀
	1134	addCheckBox	instance method	3.0.0	Windows	0 ◀
	1135	addCheckBoxStem	instance method	3.0.0	Windows	0 ◀
	1136	addCheckGroup	instance method	3.0.0	Windows	0 ◀
	1137	addComboBox	instance method	3.0.0	Windows	0 ◀
	1138	addComboInput	instance method	3.0.0	Windows	0 ◀
	1139	addEntryLine	instance method	3.0.0	Windows	0 ◀
	1140	addGrayFrame	instance method	3.0.0	Windows	0 ◀
	1141	addGrayRect	instance method	3.0.0	Windows	0 ◀
	1142	addGroupBox	instance method	3.0.0	Windows	0 ◀
	1143	addIcon	instance method	3.0.0	Windows	0 ◀
	1144	addInput	instance method	3.0.0	Windows	0 ◀
	1145	addInputGroup	instance method	3.0.0	Windows	0 ◀
	1146	addInputStem	instance method	3.0.0	Windows	0 ◀
	1147	addListBox	instance method	3.0.0	Windows	0 ◀
	1148	addOkCancelLeftBottom	instance method	3.0.0	Windows	0 ◀
	1149	addOkCancelLeftTop	instance method	3.0.0	Windows	0 ◀
	1150	addOkCancelRightBottom	instance method	3.0.0	Windows	0 ◀
	1151	addOkCancelRightTop	instance method	3.0.0	Windows	0 ◀
	1152	addPasswordLine	instance method	3.0.0	Windows	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
		addRadioButton	instance method	3.0.0	Windows	0 ◀
		addRadioGroup	instance method	3.0.0	Windows	0 ◀
		addRadioStem	instance method	3.0.0	Windows	0 ◀
		addScrollBar	instance method	3.0.0	Windows	0 ◀
		addText	instance method	3.0.0	Windows	0 ◀
		addWhiteFrame	instance method	3.0.0	Windows	0 ◀
		addWhiteRect	instance method	3.0.0	Windows	0 ◀
		aktPtr	instance method	3.0.0	Windows	0 ◀
		aktPtr=	instance method	3.0.0	Windows	0 ◀
		basePtr	instance method	3.0.0	Windows	0 ◀
		basePtr=	instance method	3.0.0	Windows	0 ◀
		checkFile	instance method	3.0.0	Windows	0 ◀
		checkID	instance method	3.0.0	Windows	0 ◀
		create	instance method	3.0.0	Windows	0 ◀
		createCenter	instance method	3.0.0	Windows	0 ◀
		defineDialog	instance method	3.0.0	Windows	0 ◀
		dialogItemCount	instance method	3.0.0	Windows	0 ◀
		dialogItemCount=	instance method	3.0.0	Windows	0 ◀
		dynamicInit	instance method	3.0.0	Windows	0 ◀
		errorFile	instance method	3.0.0	Windows	0 ◀
		getDefaultOpts	instance method	3.0.0	Windows	0 ◀
		getStaticID	instance method	3.0.0	Windows	0 ◀
		initAutoDetection	instance method	3.0.0	Windows	0 ◀
		internAddrBCBgroup	instance method	3.0.0	Windows	0 ◀
		internAddrBCBstem	instance method	3.0.0	Windows	0 ◀
		internAddrC_RBCB	instance method	3.0.0	Windows	0 ◀
		internAddrCButton	instance method	3.0.0	Windows	0 ◀
		internAddStatic	instance method	3.0.0	Windows	0 ◀
		internGetRCStyle	instance method	3.0.0	Windows	0 ◀
		itemAdd	instance method	3.0.0	Windows	0 ◀
		load	instance method	3.0.0	Windows	0 ◀
		loadFrame	instance method	3.0.0	Windows	0 ◀
		loadItems	instance method	3.0.0	Windows	0 ◀
		menuAktPtr	instance method	3.0.0	Windows	0 ◀
		menuAktPtr=	instance method	3.0.0	Windows	0 ◀
		menuBasePtr	instance method	3.0.0	Windows	0 ◀
		menuBasePtr=	instance method	3.0.0	Windows	0 ◀
		menuMemHandle	instance method	3.0.0	Windows	0 ◀
		menuMemHandle=	instance method	3.0.0	Windows	0 ◀
		startIt	instance method	3.0.0	Windows	0 ◀
		stopDynamic	instance method	3.0.0	Windows	0 ◀

6 - OPT_CLA **EditControl**

1194				3.0.0	Windows	0 ◀
1195		addStyle	instance method	3.2.0	Windows	0 ◀
1196		ensureCaretVisibility	instance method	3.0.0	Windows	0 ◀
1197		firstVisibleLine	instance method	3.0.0	Windows	0 ◀
1198		getLine	instance method	3.0.0	Windows	0 ◀
1199		getStyle	instance method	3.2.0	Windows	0 ◀
1200		hideBalloon	instance method	3.2.0	Windows	0 ◀
1201		isModified	instance method	3.0.0	Windows	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
	1202	lineFromIndex	instance method	3.0.0	Windows	0 ◀
	1203	lineIndex	instance method	3.0.0	Windows	0 ◀
	1204	lineLength	instance method	3.0.0	Windows	0 ◀
	1205	lines	instance method	3.0.0	Windows	0 ◀
	1206	lineScroll	instance method	3.0.0	Windows	0 ◀
	1207	margins	instance method	3.0.0	Windows	0 ◀
	1208	passwordChar	instance method	3.0.0	Windows	0 ◀
	1209	passwordChar=	instance method	3.0.0	Windows	0 ◀
	1210	removeStyle	instance method	3.2.0	Windows	0 ◀
	1211	replaceSelText	instance method	3.0.0	Windows	0 ◀
	1212	replaceStyle	instance method	3.2.0	Windows	0 ◀
	1213	scrollCommand	instance method	3.0.0	Windows	0 ◀
	1214	select	instance method	3.0.0	Windows	0 ◀
	1215	selected	instance method	3.0.0	Windows	0 ◀
	1216	setCue	instance method	3.2.0	Windows	0 ◀
	1217	setLimit	instance method	3.0.0	Windows	0 ◀
	1218	setMargins	instance method	3.0.0	Windows	0 ◀
	1219	setModified	instance method	3.0.0	Windows	0 ◀
	1220	setReadOnly	instance method	3.0.0	Windows	0 ◀
	1221	showBalloon	instance method	3.2.0	Windows	0 ◀
	1222	tab=	instance method	3.0.0	Windows	0 ◀

6 - OPT_CLA **InputBox**

	1223			3.0.0	Windows	0 ◀
	1224	addLine	instance method	3.0.0	Windows	0 ◀
	1225	defineDialog	instance method	3.0.0	Windows	0 ◀
	1226	execute	instance method	3.0.0	Windows	0 ◀
	1227	init	instance method	3.0.0	Windows	0 ◀
	1228	sx	instance method	3.0.0	Windows	0 ◀
	1229	sx=	instance method	3.0.0	Windows	0 ◀
	1230	sy	instance method	3.0.0	Windows	0 ◀
	1231	sy=	instance method	3.0.0	Windows	0 ◀

6 - OPT_CLA **IntegerBox**

	1232			3.0.0	Windows	0 ◀
	1233	validate	instance method	3.0.0	Windows	0 ◀

6 - OPT_CLA **ListBox**

	1234			3.0.0	Windows	0 ◀
	1235	add	instance method	3.0.0	Windows	0 ◀
	1236	addDirectory	instance method	3.0.0	Windows	0 ◀
	1237	columnWidth=	instance method	3.0.0	Windows	0 ◀
	1238	delete	instance method	3.0.0	Windows	0 ◀
	1239	deleteAll	instance method	3.0.0	Windows	0 ◀
	1240	deSelectIndex	instance method	3.0.0	Windows	0 ◀
	1241	deselectRange	instance method	3.0.0	Windows	0 ◀
	1242	find	instance method	3.0.0	Windows	0 ◀
	1243	getFirstVisible	instance method	3.0.0	Windows	0 ◀
	1244	getText	instance method	3.0.0	Windows	0 ◀
	1245	insert	instance method	3.0.0	Windows	0 ◀
	1246	itemHeight	instance method	3.0.0	Windows	0 ◀
	1247	itemHeight=	instance method	3.0.0	Windows	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
		items	instance method	3.0.0	Windows	0 ◀
		makeFirstVisible	instance method	3.0.0	Windows	0 ◀
		modify	instance method	3.0.0	Windows	0 ◀
		select	instance method	3.0.0	Windows	0 ◀
		selected	instance method	3.0.0	Windows	0 ◀
		selectedIndex	instance method	3.0.0	Windows	0 ◀
		selectedIndexes	instance method	3.0.0	Windows	0 ◀
		selectedItems	instance method	3.0.0	Windows	0 ◀
		selectIndex	instance method	3.0.0	Windows	0 ◀
		selectRange	instance method	3.0.0	Windows	0 ◀
		setTabulators	instance method	3.0.0	Windows	0 ◀
		setWidth	instance method	3.0.0	Windows	0 ◀
		width	instance method	3.0.0	Windows	0 ◀

6 - OPT_CLA **ListChoice**

1261				3.0.0	Windows	0 ◀
1262		defineDialog	instance method	3.0.0	Windows	0 ◀
1263		dlgX	instance method	3.0.0	Windows	0 ◀
1264		dlgX=	instance method	3.0.0	Windows	0 ◀
1265		dlgY	instance method	3.0.0	Windows	0 ◀
1266		dlgY=	instance method	3.0.0	Windows	0 ◀
1267		execute	instance method	3.0.0	Windows	0 ◀
1268		init	instance method	3.0.0	Windows	0 ◀
1269		initDialog	instance method	3.0.0	Windows	0 ◀
1270		lenX	instance method	3.0.0	Windows	0 ◀
1271		lenX=	instance method	3.0.0	Windows	0 ◀
1272		lenY	instance method	3.0.0	Windows	0 ◀
1273		lenY=	instance method	3.0.0	Windows	0 ◀
1274		message	instance method	3.0.0	Windows	0 ◀
1275		message=	instance method	3.0.0	Windows	0 ◀
1276		sx	instance method	3.0.0	Windows	0 ◀
1277		sx=	instance method	3.0.0	Windows	0 ◀
1278		sy	instance method	3.0.0	Windows	0 ◀
1279		sy=	instance method	3.0.0	Windows	0 ◀

6 - OPT_CLA **ListControl**

1280				3.0.0	Windows	0 ◀
1281		add	instance method	3.0.0	Windows	0 ◀
1282		addExtendedStyle	instance method	3.2.0	Windows	0 ◀
1283		addRow	instance method	3.0.0	Windows	0 ◀
1284		addStyle	instance method	3.0.0	Windows	0 ◀
1285		alignLeft	instance method	3.0.0	Windows	0 ◀
1286		alignTop	instance method	3.0.0	Windows	0 ◀
1287		arrange	instance method	3.0.0	Windows	0 ◀
1288		bkColor	instance method	3.0.0	Windows	0 ◀
1289		bkColor=	instance method	3.0.0	Windows	0 ◀
1290		check	instance method	3.2.0	Windows	0 ◀
1291		checkAll	instance method	3.2.0	Windows	0 ◀
1292		columnInfo	instance method	3.0.0	Windows	0 ◀
1293		columnWidth	instance method	3.0.0	Windows	0 ◀
1294		delete	instance method	3.0.0	Windows	0 ◀
1295		deleteAll	instance method	3.0.0	Windows	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
		deleteColumn	instance method	3.0.0	Windows	0 ◀
		deselect	instance method	3.0.0	Windows	0 ◀
		dropHighlighted	instance method	3.0.0	Windows	0 ◀
		edit	instance method	3.0.0	Windows	0 ◀
		endEdit	instance method	3.0.0	Windows	0 ◀
		ensureVisible	instance method	3.0.0	Windows	0 ◀
		find	instance method	3.0.0	Windows	0 ◀
		findNearestXY	instance method	3.0.0	Windows	0 ◀
		findPartial	instance method	3.0.0	Windows	0 ◀
		firstVisible	instance method	3.0.0	Windows	0 ◀
		focus	instance method	3.0.0	Windows	0 ◀
		focused	instance method	3.0.0	Windows	0 ◀
		getCheck	instance method	3.2.0	Windows	0 ◀
		getExtendedStyle	instance method	3.2.0	Windows	0 ◀
		getExtendedStyleRaw	instance method	3.2.0	Windows	0 ◀
		getHoverTime	instance method	3.2.0	Windows	0 ◀
		init	instance method	3.0.0	Windows	0 ◀
		insert	instance method	3.0.0	Windows	0 ◀
		insertColumn	instance method	3.0.0	Windows	0 ◀
		isChecked	instance method	3.2.0	Windows	0 ◀
		itemInfo	instance method	3.0.0	Windows	0 ◀
		itemPos	instance method	3.0.0	Windows	0 ◀
		items	instance method	3.0.0	Windows	0 ◀
		itemsPerPage	instance method	3.0.0	Windows	0 ◀
		itemState	instance method	3.0.0	Windows	0 ◀
		itemText	instance method	3.0.0	Windows	0 ◀
		last	instance method	3.0.0	Windows	0 ◀
		lastItem	instance method	3.0.0	Windows	0 ◀
		lastItem=	instance method	3.0.0	Windows	0 ◀
		lastSelected	instance method	3.0.0	Windows	0 ◀
		modify	instance method	3.0.0	Windows	0 ◀
		modifyColumn	instance method	3.0.0	Windows	0 ◀
		next	instance method	3.0.0	Windows	0 ◀
		nextLeft	instance method	3.0.0	Windows	0 ◀
		nextRight	instance method	3.0.0	Windows	0 ◀
		nextSelected	instance method	3.0.0	Windows	0 ◀
		prepare4nItems	instance method	3.0.0	Windows	0 ◀
		previous	instance method	3.0.0	Windows	0 ◀
		previousSelected	instance method	3.0.0	Windows	0 ◀
		redrawItems	instance method	3.0.0	Windows	0 ◀
		removeExtendedStyle	instance method	3.2.0	Windows	0 ◀
		removeImages	instance method	3.0.0	Windows	0 ◀
		removeSmallImages	instance method	3.0.0	Windows	0 ◀
		removeStyle	instance method	3.0.0	Windows	0 ◀
		replaceExtendedStyle	instance method	3.2.0	Windows	0 ◀
		replaceStyle	instance method	3.0.0	Windows	0 ◀
		restoreEditClass	instance method	3.0.0	Windows	0 ◀
		scroll	instance method	3.0.0	Windows	0 ◀
		select	instance method	3.0.0	Windows	0 ◀
		selected	instance method	3.0.0	Windows	0 ◀
		selectedItems	instance method	3.0.0	Windows	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
		setColumnWidth	instance method	3.0.0	Windows	0 ◀
		setHoverTime	instance method	3.2.0	Windows	0 ◀
		setImages	instance method	3.0.0	Windows	0 ◀
		setItemPos	instance method	3.0.0	Windows	0 ◀
		setItemState	instance method	3.0.0	Windows	0 ◀
		setItemText	instance method	3.0.0	Windows	0 ◀
		setSmallImages	instance method	3.0.0	Windows	0 ◀
		smallSpacing	instance method	3.0.0	Windows	0 ◀
		snapToGrid	instance method	3.0.0	Windows	0 ◀
		spacing	instance method	3.0.0	Windows	0 ◀
		stringWidth	instance method	3.0.0	Windows	0 ◀
		subclassEdit	instance method	3.0.0	Windows	0 ◀
		textBkColor	instance method	3.0.0	Windows	0 ◀
		textBkColor=	instance method	3.0.0	Windows	0 ◀
		textColor	instance method	3.0.0	Windows	0 ◀
		textColor=	instance method	3.0.0	Windows	0 ◀
		unCheck	instance method	3.2.0	Windows	0 ◀
		unCheckAll	instance method	3.2.0	Windows	0 ◀
		update	instance method	3.0.0	Windows	0 ◀
		updateItem	instance method	3.0.0	Windows	0 ◀

6 - OPT_CLA **MenuObject**

1367				3.0.0	Windows	0 ◀
1368		findItem	instance method	3.0.0	Windows	0 ◀
1369		findSubMenu	instance method	3.0.0	Windows	0 ◀
1370		idOf	instance method	3.0.0	Windows	0 ◀
1371		init	instance method	3.0.0	Windows	0 ◀
1372		isMenu	instance method	3.0.0	Windows	0 ◀
1373		items	instance method	3.0.0	Windows	0 ◀
1374		mainWnd	instance method	3.0.0	Windows	0 ◀
1375		mainWnd=	instance method	3.0.0	Windows	0 ◀
1376		processItem	instance method	3.0.0	Windows	0 ◀
1377		subMenu	instance method	3.0.0	Windows	0 ◀
1378		textOf	instance method	3.0.0	Windows	0 ◀
1379		textOfID	instance method	3.0.0	Windows	0 ◀

6 - OPT_CLA **MessageExtensions**

1380				3.0.0	Windows	0 ◀
1381		connectButtonNotify	instance method	3.0.0	Windows	0 ◀
1382		connectComboBoxNotify	instance method	3.0.0	Windows	0 ◀
1383		connectCommonNotify	instance method	3.0.0	Windows	0 ◀
1384		connectEditNotify	instance method	3.0.0	Windows	0 ◀
1385		connectListBoxNotify	instance method	3.0.0	Windows	0 ◀
1386		connectListNotify	instance method	3.0.0	Windows	0 ◀
1387		connectListViewNotify	instance method	3.2.0	Windows	0 ◀
1388		connectScrollBarNotify	instance method	3.0.0	Windows	0 ◀
1389		connectSliderNotify	instance method	3.0.0	Windows	0 ◀
1390		connectTabNotify	instance method	3.0.0	Windows	0 ◀
1391		connectTreeNotify	instance method	3.0.0	Windows	0 ◀
1392		defListDragHandler	instance method	3.0.0	Windows	0 ◀
1393		defListEditHandler	instance method	3.0.0	Windows	0 ◀
1394		defListEditStarter	instance method	3.0.0	Windows	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
		defTreeDragHandler	instance method	3.0.0	Windows	0 ◀
		defTreeEditHandler	instance method	3.0.0	Windows	0 ◀
		defTreeEditStarter	instance method	3.0.0	Windows	0 ◀
6 - OPT_CLA	MultiInputDialog			3.0.0	Windows	0 ◀
		defineDialog	instance method	3.0.0	Windows	0 ◀
		execute	instance method	3.0.0	Windows	0 ◀
		init	instance method	3.0.0	Windows	0 ◀
6 - OPT_CLA	MultiListChoice			3.0.0	Windows	0 ◀
		defineDialog	instance method	3.0.0	Windows	0 ◀
6 - OPT_CLA	PasswordBox			3.0.0	Windows	0 ◀
		addLine	instance method	3.0.0	Windows	0 ◀
6 - OPT_CLA	PlainBaseDialog			3.0.0	Windows	0 ◀
		addAttribute	instance method	3.0.0	Windows	0 ◀
		addComboEntry	instance method	3.0.0	Windows	0 ◀
		addListEntry	instance method	3.0.0	Windows	0 ◀
		addUserMsg	instance method	3.0.0	Windows	0 ◀
		aDM	instance method	3.0.0	Windows	0 ◀
		aDM=	instance method	3.0.0	Windows	0 ◀
		autoDetect	instance method	3.0.0	Windows	0 ◀
		autoDetect=	instance method	3.0.0	Windows	0 ◀
		autoDetection	instance method	3.0.0	Windows	0 ◀
		automaticMethods	instance method	3.0.0	Windows	0 ◀
		automaticMethods=	instance method	3.0.0	Windows	0 ◀
		boxMessage	instance method	3.0.0	Windows	0 ◀
		cancel	instance method	3.0.0	Windows	0 ◀
		center	instance method	3.0.0	Windows	0 ◀
		changeComboEntry	instance method	3.0.0	Windows	0 ◀
		changeListEntry	instance method	3.0.0	Windows	0 ◀
		childDialogs	instance method	3.0.0	Windows	0 ◀
		childDialogs=	instance method	3.0.0	Windows	0 ◀
		childDied	instance method	3.0.0	Windows	0 ◀
		clearMessages	instance method	3.0.0	Windows	0 ◀
		comboAddDirectory	instance method	3.0.0	Windows	0 ◀
		comboDrop	instance method	3.0.0	Windows	0 ◀
		connectButton	instance method	3.0.0	Windows	0 ◀
		connectCheckBox	instance method	3.0.0	Windows	0 ◀
		connectComboBox	instance method	3.0.0	Windows	0 ◀
		connectControl	instance method	3.0.0	Windows	0 ◀
		connectEntryLine	instance method	3.0.0	Windows	0 ◀
		connectList	instance method	3.0.0	Windows	0 ◀
		connectListBox	instance method	3.0.0	Windows	0 ◀
		connectListLeftDoubleClick	instance method	3.0.0	Windows	0 ◀
		connectMultiListBox	instance method	3.0.0	Windows	0 ◀
		connectRadioButton	instance method	3.0.0	Windows	0 ◀
		connectSeparator	instance method	3.0.0	Windows	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
		constDir	instance method	3.0.0	Windows	0 ◀
		constDir=	instance method	3.0.0	Windows	0 ◀
		dataConnection	instance method	3.0.0	Windows	0 ◀
		dataConnection=	instance method	3.0.0	Windows	0 ◀
		delInstall	instance method	3.0.0	Windows	0 ◀
		deleteComboEntry	instance method	3.0.0	Windows	0 ◀
		deleteListEntry	instance method	3.0.0	Windows	0 ◀
		disableItem	instance method	3.0.0	Windows	0 ◀
		dlgData	instance method	3.0.0	Windows	0 ◀
		dlgHandle	instance method	3.0.0	Windows	0 ◀
		dlgHandle=	instance method	3.0.0	Windows	0 ◀
		enableItem	instance method	3.0.0	Windows	0 ◀
		execute	instance method	3.0.0	Windows	0 ◀
		findComboEntry	instance method	3.0.0	Windows	0 ◀
		findListEntry	instance method	3.0.0	Windows	0 ◀
		finished	instance method	3.0.0	Windows	0 ◀
		finished=	instance method	3.0.0	Windows	0 ◀
		focusItem	instance method	3.0.0	Windows	0 ◀
		get	instance method	3.0.0	Windows	0 ◀
		getAttrib	instance method	3.0.0	Windows	0 ◀
		getCheckBox	instance method	3.0.0	Windows	0 ◀
		getComboEntry	instance method	3.0.0	Windows	0 ◀
		getComboItems	instance method	3.0.0	Windows	0 ◀
		getComboLine	instance method	3.0.0	Windows	0 ◀
		getControlStyleRaw	instance method	3.2.0	Windows	0 ◀
		getCurrentComboIndex	instance method	3.0.0	Windows	0 ◀
		getCurrentListIndex	instance method	3.0.0	Windows	0 ◀
		getData	instance method	3.0.0	Windows	0 ◀
		getDataStem	instance method	3.0.0	Windows	0 ◀
		getEntryLine	instance method	3.0.0	Windows	0 ◀
		getItem	instance method	3.0.0	Windows	0 ◀
		getListEntry	instance method	3.0.0	Windows	0 ◀
		getListItems	instance method	3.0.0	Windows	0 ◀
		getListLine	instance method	3.0.0	Windows	0 ◀
		getMultiList	instance method	3.0.0	Windows	0 ◀
		getRadioButton	instance method	3.0.0	Windows	0 ◀
		getSelf	instance method	3.0.0	Windows	0 ◀
		getValue	instance method	3.0.0	Windows	0 ◀
		handleMessages	instance method	3.0.0	Windows	0 ◀
		help	instance method	3.0.0	Windows	0 ◀
		hideItem	instance method	3.0.0	Windows	0 ◀
		hideWindow	instance method	3.0.0	Windows	0 ◀
		init	instance method	3.0.0	Windows	0 ◀
		initAutoDetection	instance method	3.0.0	Windows	0 ◀
		initDialog	instance method	3.0.0	Windows	0 ◀
		insertComboEntry	instance method	3.0.0	Windows	0 ◀
		insertListEntry	instance method	3.0.0	Windows	0 ◀
		internalGetItemData	instance method	3.0.0	Windows	0 ◀
		internalSetItemData	instance method	3.0.0	Windows	0 ◀
		isDialogActive	instance method	3.0.0	Windows	0 ◀
		itemTitle	instance method	3.0.0	Windows	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
		leaving	instance method	3.0.0	Windows	0 ◀
		listAddDirectory	instance method	3.0.0	Windows	0 ◀
		listDrop	instance method	3.0.0	Windows	0 ◀
		makeArray	instance method	3.0.0	Windows	0 ◀
		noAutoDetection	instance method	3.0.0	Windows	0 ◀
		OK	instance method	3.0.0	Windows	0 ◀
		parentDlg	instance method	3.0.0	Windows	0 ◀
		parentDlg=	instance method	3.0.0	Windows	0 ◀
		parseIncludeFile	instance method	3.0.0	Windows	0 ◀
		processingLoad	instance method	3.0.0	Windows	0 ◀
		processingLoad=	instance method	3.0.0	Windows	0 ◀
		resize	instance method	3.0.0	Windows	0 ◀
		resolveNumericID	instance method	3.0.0	Windows	0 ◀
		resolveSymbolicID	instance method	3.0.0	Windows	0 ◀
		run	instance method	3.0.0	Windows	0 ◀
		setAttrib	instance method	3.0.0	Windows	0 ◀
		setCheckBox	instance method	3.0.0	Windows	0 ◀
		setComboLine	instance method	3.0.0	Windows	0 ◀
		setCurrentComboIndex	instance method	3.0.0	Windows	0 ◀
		setCurrentListIndex	instance method	3.0.0	Windows	0 ◀
		setData	instance method	3.0.0	Windows	0 ◀
		setDataStem	instance method	3.0.0	Windows	0 ◀
		setEntryLine	instance method	3.0.0	Windows	0 ◀
		setGroup	instance method	3.2.0	Windows	0 ◀
		setListLine	instance method	3.0.0	Windows	0 ◀
		setListTabulators	instance method	3.0.0	Windows	0 ◀
		setMultiList	instance method	3.0.0	Windows	0 ◀
		setRadioButton	instance method	3.0.0	Windows	0 ◀
		setStaticText	instance method	3.0.0	Windows	0 ◀
		setTabStop	instance method	3.2.0	Windows	0 ◀
		setValue	instance method	3.0.0	Windows	0 ◀
		setWindowTitle	instance method	3.0.0	Windows	0 ◀
		show	instance method	3.0.0	Windows	0 ◀
		showItem	instance method	3.0.0	Windows	0 ◀
		showWindow	instance method	3.0.0	Windows	0 ◀
		skipThroughIfDefs	instance method	3.0.0	Windows	0 ◀
		stopIt	instance method	3.0.0	Windows	0 ◀
		tabToNext	instance method	3.2.0	Windows	0 ◀
		tabToPrevious	instance method	3.2.0	Windows	0 ◀
		toTheTop	instance method	3.0.0	Windows	0 ◀
		unInit	instance method	3.0.0	Windows	0 ◀
		useStem	instance method	3.0.0	Windows	0 ◀
		useStem=	instance method	3.0.0	Windows	0 ◀
		validate	instance method	3.0.0	Windows	0 ◀
		windowTitle	instance method	3.0.0	Windows	0 ◀
6 - OPT_CLA	PlainUserDialog					
				3.0.0	Windows	0 ◀
		init	instance method	3.0.0	Windows	0 ◀
		stopIt	instance method	3.0.0	Windows	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
6 - OPT_CLA	ProgressBar			3.0.0	Windows	0 ◀
	1539					
	1540	setPos	instance method	3.0.0	Windows	0 ◀
	1541	setRange	instance method	3.0.0	Windows	0 ◀
	1542	setStep	instance method	3.0.0	Windows	0 ◀
	1543	step	instance method	3.0.0	Windows	0 ◀
6 - OPT_CLA	ProgressIndicator			3.0.0	Windows	0 ◀
	1544					
	1545	calcSize	instance method	3.0.0	Windows	0 ◀
	1546	complete	instance method	3.0.0	Windows	0 ◀
	1547	defineDialog	instance method	3.0.0	Windows	0 ◀
	1548	highValue	instance method	3.0.0	Windows	0 ◀
	1549	highValue=	instance method	3.0.0	Windows	0 ◀
	1550	increase	instance method	3.0.0	Windows	0 ◀
	1551	incStep	instance method	3.0.0	Windows	0 ◀
	1552	incStep=	instance method	3.0.0	Windows	0 ◀
	1553	init	instance method	3.0.0	Windows	0 ◀
	1554	initDialog	instance method	3.0.0	Windows	0 ◀
	1555	lowValue	instance method	3.0.0	Windows	0 ◀
	1556	lowValue=	instance method	3.0.0	Windows	0 ◀
	1557	message=	instance method	3.0.0	Windows	0 ◀
	1558	progress=	instance method	3.0.0	Windows	0 ◀
6 - OPT_CLA	PropertySheet			3.0.0	Windows	0 ◀
	1559					
	1560	categoryPage	instance method	3.0.0	Windows	0 ◀
	1561	changePage	instance method	3.0.0	Windows	0 ◀
	1562	defineDialog	instance method	3.0.0	Windows	0 ◀
	1563	getSelectedPage	instance method	3.0.0	Windows	0 ◀
	1564	init	instance method	3.0.0	Windows	0 ◀
	1565	initDialog	instance method	3.0.0	Windows	0 ◀
	1566	propSheetActivated	instance method	3.0.0	Windows	0 ◀
6 - OPT_CLA	RadioButton			3.0.0	Windows	0 ◀
	1567					
	1568	check	instance method	3.0.0	Windows	0 ◀
	1569	indeterminate	instance method	3.0.0	Windows	0 ◀
	1570	isChecked	instance method	3.0.0	Windows	0 ◀
	1571	unCheck	instance method	3.0.0	Windows	0 ◀
6 - OPT_CLA	RcDialog			3.2.0	Windows	0 ◀
	1572					
	1573	init	instance method	3.2.0	Windows	0 ◀
6 - OPT_CLA	RegularExpression			3.0.0		0 ◀
	1574					
	1575	new	class method	3.0.0		0 ◀
	1576	init	instance method	3.0.0		0 ◀
	1577	match	instance method	3.0.0		0 ◀
	1578	parse	instance method	3.0.0		0 ◀
	1579	pos	instance method	3.0.0		0 ◀
	1580	position	instance method	3.0.0		0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
		unInit	instance method	3.0.0		0 ◀
6 - OPT_CLA	ResDialog			3.0.0	Windows	0 ◀
		init	instance method	3.0.0	Windows	0 ◀
		setMenu	instance method	3.0.0	Windows	0 ◀
		startIt	instance method	3.0.0	Windows	0 ◀
		stopIt	instance method	3.0.0	Windows	0 ◀
6 - OPT_CLA	ScrollBar			3.0.0	Windows	0 ◀
		determinePosition	instance method	3.0.0	Windows	0 ◀
		position	instance method	3.0.0	Windows	0 ◀
		range	instance method	3.0.0	Windows	0 ◀
		setPos	instance method	3.0.0	Windows	0 ◀
		setRange	instance method	3.0.0	Windows	0 ◀
6 - OPT_CLA	SingleSelection			3.0.0	Windows	0 ◀
		defineDialog	instance method	3.0.0	Windows	0 ◀
		execute	instance method	3.0.0	Windows	0 ◀
		init	instance method	3.0.0	Windows	0 ◀
6 - OPT_CLA	SliderControl			3.0.0	Windows	0 ◀
		clearSelRange	instance method	3.0.0	Windows	0 ◀
		clearTicks	instance method	3.0.0	Windows	0 ◀
		countTicks	instance method	3.0.0	Windows	0 ◀
		getLineStep	instance method	3.0.0	Windows	0 ◀
		getPageStep	instance method	3.0.0	Windows	0 ◀
		getTick	instance method	3.0.0	Windows	0 ◀
		initRange	instance method	3.0.0	Windows	0 ◀
		initSelRange	instance method	3.0.0	Windows	0 ◀
		pos	instance method	3.0.0	Windows	0 ◀
		pos=	instance method	3.0.0	Windows	0 ◀
		range	instance method	3.0.0	Windows	0 ◀
		selRange	instance method	3.0.0	Windows	0 ◀
		setLineStep	instance method	3.0.0	Windows	0 ◀
		setMax	instance method	3.0.0	Windows	0 ◀
		setMin	instance method	3.0.0	Windows	0 ◀
		setPageStep	instance method	3.0.0	Windows	0 ◀
		setPos	instance method	3.0.0	Windows	0 ◀
		setSelEnd	instance method	3.0.0	Windows	0 ◀
		setSelStart	instance method	3.0.0	Windows	0 ◀
		setTickAt	instance method	3.0.0	Windows	0 ◀
		setTickFrequency	instance method	3.0.0	Windows	0 ◀
6 - OPT_CLA	StateIndicator			3.0.0	Windows	0 ◀
		calcSize	instance method	3.0.0	Windows	0 ◀
		defineDialog	instance method	3.0.0	Windows	0 ◀
		destroy	instance method	3.0.0	Windows	0 ◀
		dims	instance method	3.0.0	Windows	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
		dims=	instance method	3.0.0	Windows	0 ◀
		init	instance method	3.0.0	Windows	0 ◀
		initAutoDetection	instance method	3.0.0	Windows	0 ◀
		message=	instance method	3.0.0	Windows	0 ◀
		msg	instance method	3.0.0	Windows	0 ◀
		msg=	instance method	3.0.0	Windows	0 ◀
		popup	instance method	3.0.0	Windows	0 ◀
		titleTxt	instance method	3.0.0	Windows	0 ◀
		titleTxt=	instance method	3.0.0	Windows	0 ◀
		xExt	instance method	3.0.0	Windows	0 ◀
		xExt=	instance method	3.0.0	Windows	0 ◀

6 - OPT_CLA **TabControl**

1635				3.0.0	Windows	0 ◀
1636		addFullSeq	instance method	3.0.0	Windows	0 ◀
1637		addSequence	instance method	3.0.0	Windows	0 ◀
1638		adjustToRectangle	instance method	3.0.0	Windows	0 ◀
1639		delete	instance method	3.0.0	Windows	0 ◀
1640		deleteAll	instance method	3.0.0	Windows	0 ◀
1641		focus	instance method	3.0.0	Windows	0 ◀
1642		focused	instance method	3.0.0	Windows	0 ◀
1643		init	instance method	3.0.0	Windows	0 ◀
1644		insert	instance method	3.0.0	Windows	0 ◀
1645		itemInfo	instance method	3.0.0	Windows	0 ◀
1646		items	instance method	3.0.0	Windows	0 ◀
1647		last	instance method	3.0.0	Windows	0 ◀
1648		lastItem	instance method	3.0.0	Windows	0 ◀
1649		lastItem=	instance method	3.0.0	Windows	0 ◀
1650		modify	instance method	3.0.0	Windows	0 ◀
1651		posRectangle	instance method	3.0.0	Windows	0 ◀
1652		removeImages	instance method	3.0.0	Windows	0 ◀
1653		requiredWindowSize	instance method	3.0.0	Windows	0 ◀
1654		rows	instance method	3.0.0	Windows	0 ◀
1655		select	instance method	3.0.0	Windows	0 ◀
1656		selected	instance method	3.0.0	Windows	0 ◀
1657		selectedIndex	instance method	3.0.0	Windows	0 ◀
1658		selectIndex	instance method	3.0.0	Windows	0 ◀
1659		setImages	instance method	3.0.0	Windows	0 ◀
1660		setPadding	instance method	3.0.0	Windows	0 ◀
1661		setSize	instance method	3.0.0	Windows	0 ◀

6 - OPT_CLA **TimedMessage**

1662				3.0.0	Windows	0 ◀
1663		defineDialog	instance method	3.0.0	Windows	0 ◀
1664		execute	instance method	3.0.0	Windows	0 ◀
1665		init	instance method	3.0.0	Windows	0 ◀
1666		initAutoDetection	instance method	3.0.0	Windows	0 ◀

6 - OPT_CLA **TreeControl**

1667				3.0.0	Windows	0 ◀
1668		add	instance method	3.0.0	Windows	0 ◀
1669		child	instance method	3.0.0	Windows	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
		collapse	instance method	3.0.0	Windows	0 ◀
		collapseAndReset	instance method	3.0.0	Windows	0 ◀
		delete	instance method	3.0.0	Windows	0 ◀
		deleteAll	instance method	3.0.0	Windows	0 ◀
		dropHighlight	instance method	3.0.0	Windows	0 ◀
		dropHighlighted	instance method	3.0.0	Windows	0 ◀
		edit	instance method	3.0.0	Windows	0 ◀
		endEdit	instance method	3.0.0	Windows	0 ◀
		ensureVisible	instance method	3.0.0	Windows	0 ◀
		expand	instance method	3.0.0	Windows	0 ◀
		firstVisible	instance method	3.0.0	Windows	0 ◀
		hitTest	instance method	3.0.0	Windows	0 ◀
		indent	instance method	3.0.0	Windows	0 ◀
		indent=	instance method	3.0.0	Windows	0 ◀
		init	instance method	3.0.0	Windows	0 ◀
		insert	instance method	3.0.0	Windows	0 ◀
		isAncestor	instance method	3.0.0	Windows	0 ◀
		itemInfo	instance method	3.0.0	Windows	0 ◀
		items	instance method	3.0.0	Windows	0 ◀
		makeFirstVisible	instance method	3.0.0	Windows	0 ◀
		modify	instance method	3.0.0	Windows	0 ◀
		moveItem	instance method	3.0.0	Windows	0 ◀
		next	instance method	3.0.0	Windows	0 ◀
		nextVisible	instance method	3.0.0	Windows	0 ◀
		parent	instance method	3.0.0	Windows	0 ◀
		previous	instance method	3.0.0	Windows	0 ◀
		previousVisible	instance method	3.0.0	Windows	0 ◀
		removeImages	instance method	3.0.0	Windows	0 ◀
		restoreEditClass	instance method	3.0.0	Windows	0 ◀
		root	instance method	3.0.0	Windows	0 ◀
		rootArray	instance method	3.0.0	Windows	0 ◀
		rootArray=	instance method	3.0.0	Windows	0 ◀
		select	instance method	3.0.0	Windows	0 ◀
		selected	instance method	3.0.0	Windows	0 ◀
		setImages	instance method	3.0.0	Windows	0 ◀
		sortChildren	instance method	3.0.0	Windows	0 ◀
		subclassEdit	instance method	3.0.0	Windows	0 ◀
		toggle	instance method	3.0.0	Windows	0 ◀
		visibleItems	instance method	3.0.0	Windows	0 ◀

6 - OPT_CLA **UserDialog**

1709				3.0.0	Windows	0 ◀
1710		addItem	instance method	3.0.0	Windows	0 ◀
1711		addMenuSeparator	instance method	3.0.0	Windows	0 ◀
1712		addPopupMenu	instance method	3.0.0	Windows	0 ◀
1713		createMenu	instance method	3.0.0	Windows	0 ◀
1714		init	instance method	3.0.0	Windows	0 ◀
1715		loadMenu	instance method	3.0.0	Windows	0 ◀
1716		setMenu	instance method	3.0.0	Windows	0 ◀
1717		stopIt	instance method	3.0.0	Windows	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
6 - OPT_CLA	VirtualKeyCodes					
	1718			3.0.0	Windows	0 ◀
	1719	keyName	instance method	3.0.0	Windows	0 ◀
	1720	VCode	instance method	3.0.0	Windows	0 ◀
6 - OPT_CLA	WindowBase					
	1721			3.0.0	Windows	0 ◀
	1722	assignWindow	instance method	3.0.0	Windows	0 ◀
	1723	disable	instance method	3.0.0	Windows	0 ◀
	1724	enable	instance method	3.0.0	Windows	0 ◀
	1725	factorX	instance method	3.0.0	Windows	0 ◀
	1726	factorX=	instance method	3.0.0	Windows	0 ◀
	1727	factorY	instance method	3.0.0	Windows	0 ◀
	1728	factorY=	instance method	3.0.0	Windows	0 ◀
	1729	getID	instance method	3.0.0	Windows	0 ◀
	1730	getPos	instance method	3.0.0	Windows	0 ◀
	1731	getSize	instance method	3.0.0	Windows	0 ◀
	1732	getTextSize	instance method	3.0.0	Windows	0 ◀
	1733	hide	instance method	3.0.0	Windows	0 ◀
	1734	hWnd	instance method	3.0.0	Windows	0 ◀
	1735	hWnd=	instance method	3.0.0	Windows	0 ◀
	1736	init_windowBase	instance method	3.0.0	Windows	0 ◀
	1737	initCode	instance method	3.0.0	Windows	0 ◀
	1738	initCode=	instance method	3.0.0	Windows	0 ◀
	1739	move	instance method	3.0.0	Windows	0 ◀
	1740	resize	instance method	3.0.0	Windows	0 ◀
	1741	setTitle	instance method	3.0.0	Windows	0 ◀
	1742	show	instance method	3.0.0	Windows	0 ◀
	1743	sizeX	instance method	3.0.0	Windows	0 ◀
	1744	sizeX=	instance method	3.0.0	Windows	0 ◀
	1745	sizeY	instance method	3.0.0	Windows	0 ◀
	1746	sizeY=	instance method	3.0.0	Windows	0 ◀
	1747	title	instance method	3.0.0	Windows	0 ◀
	1748	title=	instance method	3.0.0	Windows	0 ◀
	1749	unknown	instance method	3.0.0	Windows	0 ◀
6 - OPT_CLA	WindowExtensions					
	1750			3.0.0	Windows	0 ◀
	1751	absRect2LogRect	instance method	3.0.0	Windows	0 ◀
	1752	clientToScreen	instance method	3.0.0	Windows	0 ◀
	1753	createBrush	instance method	3.0.0	Windows	0 ◀
	1754	createFont	instance method	3.0.0	Windows	0 ◀
	1755	createPen	instance method	3.0.0	Windows	0 ◀
	1756	cursor_AppStarting	instance method	3.0.0	Windows	0 ◀
	1757	cursor_Arrow	instance method	3.0.0	Windows	0 ◀
	1758	cursor_Cross	instance method	3.0.0	Windows	0 ◀
	1759	cursor_No	instance method	3.0.0	Windows	0 ◀
	1760	cursor_Wait	instance method	3.0.0	Windows	0 ◀
	1761	cursorPos	instance method	3.0.0	Windows	0 ◀
	1762	deleteFont	instance method	3.0.0	Windows	0 ◀
	1763	deleteObject	instance method	3.0.0	Windows	0 ◀
	1764	display	instance method	3.0.0	Windows	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
		draw	instance method	3.0.0	Windows	0 ◀
		drawAngleArc	instance method	3.0.0	Windows	0 ◀
		drawArc	instance method	3.0.0	Windows	0 ◀
		drawLine	instance method	3.0.0	Windows	0 ◀
		drawPie	instance method	3.0.0	Windows	0 ◀
		drawPixel	instance method	3.0.0	Windows	0 ◀
		fillDrawing	instance method	3.0.0	Windows	0 ◀
		fontColor	instance method	3.0.0	Windows	0 ◀
		fontToDC	instance method	3.0.0	Windows	0 ◀
		foregroundWindow	instance method	3.0.0	Windows	0 ◀
		freeDC	instance method	3.0.0	Windows	0 ◀
		getArcDirection	instance method	3.0.0	Windows	0 ◀
		getClientRect	instance method	3.0.0	Windows	0 ◀
		getDC	instance method	3.0.0	Windows	0 ◀
		getPixel	instance method	3.0.0	Windows	0 ◀
		getRect	instance method	3.0.0	Windows	0 ◀
		getStdTextSize	instance method	3.0.0	Windows	0 ◀
		hideFast	instance method	3.0.0	Windows	0 ◀
		HScrollPos	instance method	3.0.0	Windows	0 ◀
		init_windowExtensions	instance method	3.0.0	Windows	0 ◀
		loadBitmap	instance method	3.0.0	Windows	0 ◀
		logRect2AbsRect	instance method	3.0.0	Windows	0 ◀
		maximize	instance method	3.0.0	Windows	0 ◀
		minimize	instance method	3.0.0	Windows	0 ◀
		objectToDC	instance method	3.0.0	Windows	0 ◀
		opaqueText	instance method	3.0.0	Windows	0 ◀
		rectangle	instance method	3.0.0	Windows	0 ◀
		redraw	instance method	3.0.0	Windows	0 ◀
		redrawClient	instance method	3.0.0	Windows	0 ◀
		removeBitmap	instance method	3.0.0	Windows	0 ◀
		restoreCursorShape	instance method	3.0.0	Windows	0 ◀
		RGB	instance method	3.0.0	Windows	0 ◀
		screenToClient	instance method	3.0.0	Windows	0 ◀
		scroll	instance method	3.0.0	Windows	0 ◀
		setArcDirection	instance method	3.0.0	Windows	0 ◀
		setCursorPos	instance method	3.0.0	Windows	0 ◀
		setFont	instance method	3.0.0	Windows	0 ◀
		setForegroundWindow	instance method	3.2.0	Windows	0 ◀
		setHScrollPos	instance method	3.0.0	Windows	0 ◀
		setRect	instance method	3.0.0	Windows	0 ◀
		setVScrollPos	instance method	3.0.0	Windows	0 ◀
		showFast	instance method	3.0.0	Windows	0 ◀
		transparentText	instance method	3.0.0	Windows	0 ◀
		update	instance method	3.0.0	Windows	0 ◀
		VScrollPos	instance method	3.0.0	Windows	0 ◀
		write	instance method	3.0.0	Windows	0 ◀
		writeDirect	instance method	3.0.0	Windows	0 ◀
6 - OPT_CLA	WindowObject					
				3.0.0	Windows	0 ◀
		assocWindow	instance method	3.0.0	Windows	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
		childAtPosition	instance method	3.0.0	Windows	0 ◀
		coordinates	instance method	3.0.0	Windows	0 ◀
		disable	instance method	3.0.0	Windows	0 ◀
		enable	instance method	3.0.0	Windows	0 ◀
		enumerateChildren	instance method	3.0.0	Windows	0 ◀
		findChild	instance method	3.0.0	Windows	0 ◀
		first	instance method	3.0.0	Windows	0 ◀
		firstChild	instance method	3.0.0	Windows	0 ◀
		focusItem	instance method	3.0.0	Windows	0 ◀
		focusNextItem	instance method	3.0.0	Windows	0 ◀
		focusPreviousItem	instance method	3.0.0	Windows	0 ◀
		handle	instance method	3.0.0	Windows	0 ◀
		hide	instance method	3.0.0	Windows	0 ◀
		hWnd	instance method	3.0.0	Windows	0 ◀
		hWnd=	instance method	3.0.0	Windows	0 ◀
		id	instance method	3.0.0	Windows	0 ◀
		init	instance method	3.0.0	Windows	0 ◀
		isMenu	instance method	3.0.0	Windows	0 ◀
		last	instance method	3.0.0	Windows	0 ◀
		maximize	instance method	3.0.0	Windows	0 ◀
		menu	instance method	3.0.0	Windows	0 ◀
		minimize	instance method	3.0.0	Windows	0 ◀
		moveTo	instance method	3.0.0	Windows	0 ◀
		next	instance method	3.0.0	Windows	0 ◀
		owner	instance method	3.0.0	Windows	0 ◀
		previous	instance method	3.0.0	Windows	0 ◀
		processMenuCommand	instance method	3.0.0	Windows	0 ◀
		pushButton	instance method	3.0.0	Windows	0 ◀
		resize	instance method	3.0.0	Windows	0 ◀
		restore	instance method	3.0.0	Windows	0 ◀
		sendChar	instance method	3.0.0	Windows	0 ◀
		sendCommand	instance method	3.0.0	Windows	0 ◀
		sendKeys	instance method	3.0.0	Windows	0 ◀
		sendKeysDown	instance method	3.0.0	Windows	0 ◀
		sendKeysUp	instance method	3.0.0	Windows	0 ◀
		sendMenuCommand	instance method	3.0.0	Windows	0 ◀
		sendMessage	instance method	3.0.0	Windows	0 ◀
		sendMouseClicked	instance method	3.0.0	Windows	0 ◀
		sendSysCommand	instance method	3.0.0	Windows	0 ◀
		sendText	instance method	3.0.0	Windows	0 ◀
		state	instance method	3.0.0	Windows	0 ◀
		systemMenu	instance method	3.0.0	Windows	0 ◀
		title	instance method	3.0.0	Windows	0 ◀
		title=	instance method	3.0.0	Windows	0 ◀
		toForeground	instance method	3.0.0	Windows	0 ◀
		wclass	instance method	3.0.0	Windows	0 ◀

6 - OPT_CLA **WindowsClassesBase**

				3.0.0	Windows	0 ◀
		delInstall	instance method	3.0.0	Windows	0 ◀
		init	instance method	3.0.0	Windows	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
	1863	initCode	instance method	3.0.0	Windows	0 ◀
	1864	initCode=	instance method	3.0.0	Windows	0 ◀
6 - OPT_CLA	WindowsClipboard					
	1865			3.0.0	Windows	0 ◀
	1866	copy	instance method	3.0.0	Windows	0 ◀
	1867	empty	instance method	3.2.0	Windows	0 ◀
	1868	isDataAvailable	instance method	3.0.0	Windows	0 ◀
	1869	makeArray	instance method	3.0.0	Windows	0 ◀
	1870	paste	instance method	3.0.0	Windows	0 ◀
6 - OPT_CLA	WindowsEventLog					
	1871			3.0.0	Windows	0 ◀
	1872	clear	instance method	3.0.0	Windows	0 ◀
	1873	close	instance method	3.0.0	Windows	0 ◀
	1874	currentHandle	instance method	3.0.0	Windows	0 ◀
	1875	currentHandle=	instance method	3.0.0	Windows	0 ◀
	1876	events	instance method	3.0.0	Windows	0 ◀
	1877	events=	instance method	3.0.0	Windows	0 ◀
	1878	getNumber	instance method	3.0.0	Windows	0 ◀
	1879	init	instance method	3.0.0	Windows	0 ◀
	1880	open	instance method	3.0.0	Windows	0 ◀
	1881	read	instance method	3.0.0	Windows	0 ◀
	1882	write	instance method	3.0.0	Windows	0 ◀
6 - OPT_CLA	WindowsManager					
	1883			3.0.0	Windows	0 ◀
	1884	broadcastSettingChanged	instance method	3.2.0	Windows	0 ◀
	1885	consoleTitle	instance method	3.0.0	Windows	0 ◀
	1886	consoleTitle=	instance method	3.0.0	Windows	0 ◀
	1887	find	instance method	3.0.0	Windows	0 ◀
	1888	foregroundWindow	instance method	3.0.0	Windows	0 ◀
	1889	processMenuCommand	instance method	3.0.0	Windows	0 ◀
	1890	pushButtonInWindow	instance method	3.0.0	Windows	0 ◀
	1891	sendTextToWindow	instance method	3.0.0	Windows	0 ◀
	1892	windowAtPosition	instance method	3.0.0	Windows	0 ◀
6 - OPT_CLA	WindowsProgramManager					
	1893			3.0.0	Windows	0 ◀
	1894	actGroup	instance method	3.0.0	Windows	0 ◀
	1895	addDesktopIcon	instance method	3.0.0	Windows	0 ◀
	1896	addGroup	instance method	3.0.0	Windows	0 ◀
	1897	addItem	instance method	3.0.0	Windows	0 ◀
	1898	addShortCut	instance method	3.0.0	Windows	0 ◀
	1899	close	instance method	3.0.0	Windows	0 ◀
	1900	deleteDesktopIcon	instance method	3.0.0	Windows	0 ◀
	1901	deleteGroup	instance method	3.0.0	Windows	0 ◀
	1902	deleteItem	instance method	3.0.0	Windows	0 ◀
	1903	init	instance method	3.0.0	Windows	0 ◀
	1904	showGroup	instance method	3.0.0	Windows	0 ◀
6 - OPT_CLA	WindowsRegistry					
	1905			3.0.0	Windows	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
1906		classes_root	instance method	3.0.0	Windows	0 ◀
1907		classes_root=	instance method	3.0.0	Windows	0 ◀
1908		close	instance method	3.0.0	Windows	0 ◀
1909		connect	instance method	3.0.0	Windows	0 ◀
1910		create	instance method	3.0.0	Windows	0 ◀
1911		current_config	instance method	3.0.0	Windows	0 ◀
1912		current_config=	instance method	3.0.0	Windows	0 ◀
1913		current_key	instance method	3.0.0	Windows	0 ◀
1914		current_key=	instance method	3.0.0	Windows	0 ◀
1915		current_user	instance method	3.0.0	Windows	0 ◀
1916		current_user=	instance method	3.0.0	Windows	0 ◀
1917		currentKey	instance method	3.0.0	Windows	0 ◀
1918		currentKey=	instance method	3.0.0	Windows	0 ◀
1919		delete	instance method	3.0.0	Windows	0 ◀
1920		deleteValue	instance method	3.0.0	Windows	0 ◀
1921		flush	instance method	3.0.0	Windows	0 ◀
1922		getValue	instance method	3.0.0	Windows	0 ◀
1923		init	instance method	3.0.0	Windows	0 ◀
1924		list	instance method	3.0.0	Windows	0 ◀
1925		listValues	instance method	3.0.0	Windows	0 ◀
1926		load	instance method	3.0.0	Windows	0 ◀
1927		local_machine	instance method	3.0.0	Windows	0 ◀
1928		local_machine=	instance method	3.0.0	Windows	0 ◀
1929		open	instance method	3.0.0	Windows	0 ◀
1930		performance_data	instance method	3.0.0	Windows	0 ◀
1931		performance_data=	instance method	3.0.0	Windows	0 ◀
1932		query	instance method	3.0.0	Windows	0 ◀
1933		replace	instance method	3.0.0	Windows	0 ◀
1934		restore	instance method	3.0.0	Windows	0 ◀
1935		save	instance method	3.0.0	Windows	0 ◀
1936		setValue	instance method	3.0.0	Windows	0 ◀
1937		unload	instance method	3.0.0	Windows	0 ◀
1938		users	instance method	3.0.0	Windows	0 ◀
1939		users=	instance method	3.0.0	Windows	0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
9 - DIRECTIVE - Directive						
9 - DIRECTIV	ATTRIBUTE					
	1940			3.2.0		0 ◀
9 - DIRECTIV	CLASS					
	1941			3.0.0		0 ◀
9 - DIRECTIV	METHOD					
	1942			3.0.0		0 ◀
9 - DIRECTIV	REQUIRES					
	1943			3.0.0		0 ◀
9 - DIRECTIV	ROUTINE					
	1944			3.0.0		0 ◀

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	#Tests
10 - FEATURE - Language feature						
10 - FEATUR	.ENVIRONMENT			3.0.0		0 ◀
	1945					
10 - FEATUR	.LOCAL			3.0.0		0 ◀
	1946					
10 - FEATUR	.METHODS			3.0.0		0 ◀
	1947					
10 - FEATUR	.RS			3.0.0		0 ◀
	1948					
10 - FEATUR	Assignments-short					
	1949	"%="		3.2.0		1
	1950	"&&="		3.2.0		1
	1951	"&="		3.2.0		1
	1952	"**="		3.2.0		1
	1953	"*="		3.2.0		1
	1954	"//="		3.2.0		1
	1955	"/="		3.2.0		1
	1956	" ="		3.2.0		1
	1957	" ="		3.2.0		1
	1958	"+="		3.2.0		1
	1959	"-="		3.2.0		1
10 - FEATUR	BlankEqualsTAB			3.2.0		11
	1960					
10 - FEATUR	RC			3.0.0		3
	1961					
10 - FEATUR	RESULT			3.0.0		6
	1962					
10 - FEATUR	Short-Circuiting			3.2.0		6
	1963	Logical "AND" concatenations				
10 - FEATUR	SIGL			3.0.0		1
	1964					