

TestMaster

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys
2 - KWD - Keyword Statement					
2 - KWD - Keyword	ADDRESS			3.0.0	All
2 - KWD - Keyword	ARG			3.0.0	All
2 - KWD - Keyword	CALL			3.0.0	All
2 - KWD - Keyword	DO			3.0.0	All
2 - KWD - Keyword	DROP			3.0.0	All
2 - KWD - Keyword	EXIT			3.0.0	All
2 - KWD - Keyword	EXPOSE			3.0.0	All
2 - KWD - Keyword	FORWARD			3.0.0	All
2 - KWD - Keyword	GUARD			3.0.0	All
2 - KWD - Keyword	IF			3.0.0	All
2 - KWD - Keyword	INTERPRET			3.0.0	All
2 - KWD - Keyword	ITERATE			3.0.0	All
2 - KWD - Keyword	LEAVE			3.0.0	All
2 - KWD - Keyword	LOOP			3.0.0	All
2 - KWD - Keyword	NOP			3.0.0	All
2 - KWD - Keyword	NUMERIC			3.0.0	All
2 - KWD - Keyword	PARSE			3.0.0	All
2 - KWD - Keyword	PROCEDURE			3.0.0	All

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys
2 - KWD - Keyword	PULL			3.0.0	All
	19				
2 - KWD - Keyword	PUSH			3.0.0	All
	20				
2 - KWD - Keyword	QUEUE			3.0.0	All
	21				
2 - KWD - Keyword	RAISE			3.0.0	All
	22				
2 - KWD - Keyword	REPLY			3.0.0	All
	23				
2 - KWD - Keyword	RETURN			3.0.0	All
	24				
2 - KWD - Keyword	SAY			3.0.0	All
	25				
2 - KWD - Keyword	SELECT			3.0.0	All
	26				
2 - KWD - Keyword	SIGNAL			3.0.0	All
	27				
2 - KWD - Keyword	TRACE			3.0.0	All
	28				
2 - KWD - Keyword	USE			3.0.0	All
	29				

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys
3 - BIF - Built-in Function					
3 - BIF - Built-in Fu	ABBREV				
	30			3.0.0	All
3 - BIF - Built-in Fu	ABS				
	31			3.0.0	All
3 - BIF - Built-in Fu	ADDRESS				
	32			3.0.0	All
3 - BIF - Built-in Fu	ARG				
	33			3.0.0	All
3 - BIF - Built-in Fu	B2X				
	34			3.0.0	All
3 - BIF - Built-in Fu	BEEP				
	35			3.0.0	All
3 - BIF - Built-in Fu	BITAND				
	36			3.0.0	All
3 - BIF - Built-in Fu	BITOR				
	37			3.0.0	All
3 - BIF - Built-in Fu	BITXOR				
	38			3.0.0	All
3 - BIF - Built-in Fu	C2D				
	39			3.0.0	All
3 - BIF - Built-in Fu	C2X				
	40			3.0.0	All
3 - BIF - Built-in Fu	CENTER				
	41			3.0.0	All
3 - BIF - Built-in Fu	CENTRE				
	42			3.0.0	All
3 - BIF - Built-in Fu	CHANGESTR				
	43			3.0.0	All
3 - BIF - Built-in Fu	CHARIN				
	44			3.0.0	All
3 - BIF - Built-in Fu	CHAROUT				
	45			3.0.0	All
3 - BIF - Built-in Fu	CHARS				
	46			3.0.0	All
3 - BIF - Built-in Fu	COMPARE				
	47			3.0.0	All
3 - BIF - Built-in Fu	CONDITION				
	48			3.0.0	All

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys
3 - BIF - Built-in Fu	COPIES				
	49			3.0.0	All
3 - BIF - Built-in Fu	COUNTSTR				
	50			3.0.0	All
3 - BIF - Built-in Fu	D2C				
	51			3.0.0	All
3 - BIF - Built-in Fu	D2X				
	52			3.0.0	All
3 - BIF - Built-in Fu	DATATYPE				
	53			3.0.0	All
3 - BIF - Built-in Fu	DATE				
	54			3.0.0	All
3 - BIF - Built-in Fu	DELSTR				
	55			3.0.0	All
3 - BIF - Built-in Fu	DELWORD				
	56			3.0.0	All
3 - BIF - Built-in Fu	DIGITS				
	57			3.0.0	All
3 - BIF - Built-in Fu	DIRECTORY				
	58			3.0.0	All
3 - BIF - Built-in Fu	ENDLOCAL				
	59			3.0.0	Linux
3 - BIF - Built-in Fu	ERRORTTEXT				
	60			3.0.0	All
3 - BIF - Built-in Fu	FILESPEC				
	61			3.0.0	All
3 - BIF - Built-in Fu	FORM				
	62			3.0.0	All
3 - BIF - Built-in Fu	FORMAT				
	63			3.0.0	All
3 - BIF - Built-in Fu	FUZZ				
	64			3.0.0	All
3 - BIF - Built-in Fu	INSERT				
	65			3.0.0	All
3 - BIF - Built-in Fu	LASTPOS				
	66			3.0.0	All
3 - BIF - Built-in Fu	LEFT				
	67			3.0.0	All
3 - BIF - Built-in Fu	LENGTH				
	68			3.0.0	All

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys
3 - BIF - Built-in Fu	LINEIN			3.0.0	All
	69				
3 - BIF - Built-in Fu	LINEOUT			3.0.0	All
	70				
3 - BIF - Built-in Fu	LINES			3.0.0	All
	71				
3 - BIF - Built-in Fu	LOWER			3.0.0	All
	72				
3 - BIF - Built-in Fu	MAX			3.0.0	All
	73				
3 - BIF - Built-in Fu	MIN			3.0.0	All
	74				
3 - BIF - Built-in Fu	OVERLAY			3.0.0	All
	75				
3 - BIF - Built-in Fu	POS			3.0.0	All
	76				
3 - BIF - Built-in Fu	QUEUED			3.0.0	All
	77				
3 - BIF - Built-in Fu	RANDOM			3.0.0	All
	78				
3 - BIF - Built-in Fu	REVERSE			3.0.0	All
	79				
3 - BIF - Built-in Fu	RIGHT			3.0.0	All
	80				
3 - BIF - Built-in Fu	RXFUNCADD			3.0.0	All
	81				
3 - BIF - Built-in Fu	RXFUNCDROP			3.0.0	All
	82				
3 - BIF - Built-in Fu	RXFUNCQUERY			3.0.0	All
	83				
3 - BIF - Built-in Fu	RXQUEUE			3.0.0	All
	84				
3 - BIF - Built-in Fu	SETLOCAL			3.0.0	Linux
	85				
3 - BIF - Built-in Fu	SIGN			3.0.0	All
	86				
3 - BIF - Built-in Fu	SOURCELINE			3.0.0	All
	87				
3 - BIF - Built-in Fu	SPACE			3.0.0	All
	88				

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys
3 - BIF - Built-in Fu	STREAM				
	89			3.0.0	All
3 - BIF - Built-in Fu	STRIP				
	90			3.0.0	All
3 - BIF - Built-in Fu	SUBSTR				
	91			3.0.0	All
3 - BIF - Built-in Fu	SUBWORD				
	92			3.0.0	All
3 - BIF - Built-in Fu	SYMBOL				
	93			3.0.0	All
3 - BIF - Built-in Fu	TIME				
	94			3.0.0	All
3 - BIF - Built-in Fu	TRACE				
	95			3.0.0	All
3 - BIF - Built-in Fu	TRANSLATE				
	96			3.0.0	All
3 - BIF - Built-in Fu	TRUNC				
	97			3.0.0	All
3 - BIF - Built-in Fu	UPPER				
	98			3.0.0	All
3 - BIF - Built-in Fu	USERID				
	99			3.0.0	All
3 - BIF - Built-in Fu	VALUE				
	100			3.0.0	All
3 - BIF - Built-in Fu	VAR				
	101			3.0.0	All
3 - BIF - Built-in Fu	VERIFY				
	102			3.0.0	All
3 - BIF - Built-in Fu	WORD				
	103			3.0.0	All
3 - BIF - Built-in Fu	WORDINDEX				
	104			3.0.0	All
3 - BIF - Built-in Fu	WORDLENGTH				
	105			3.0.0	All
3 - BIF - Built-in Fu	WORDPOS				
	106			3.0.0	All
3 - BIF - Built-in Fu	WORDS				
	107			3.0.0	All
3 - BIF - Built-in Fu	X2B				
	108			3.0.0	All

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys
3 - BIF - Built-in Fu	X2C				
	109			3.0.0	All
3 - BIF - Built-in Fu	X2D				
	110			3.0.0	All
3 - BIF - Built-in Fu	XRANGE				
	111			3.0.0	All

5 - STD_CLASS - Standard class, i.e. part of base distribution

5 - STD_CLASS - **Alarm**

112	cancel	instance method	3.0.0
113	init	instance method	3.0.0

5 - STD_CLASS - **Array**

114	new	class method	3.0.0
115	of	class method	3.0.0
116	"[]"	instance method	3.0.0
117	"[]="	instance method	3.0.0
118	allIndexes	instance method	3.2.0
119	allItems	instance method	3.2.0
120	append	instance method	3.2.0
121	at	instance method	3.0.0
122	dimension	instance method	3.0.0
123	empty	instance method	3.2.0
124	first	instance method	3.0.0
125	hasIndex	instance method	3.0.0
126	hasItem	instance method	3.2.0
127	index	instance method	3.2.0
128	isEmpty	instance method	3.2.0
129	items	instance method	3.0.0
130	last	instance method	3.0.0
131	makeArray	instance method	3.0.0
132	makeString	instance method	3.0.0
133	next	instance method	3.0.0
134	previous	instance method	3.0.0
135	put	instance method	3.0.0
136	remove	instance method	3.0.0
137	removeItem	instance method	3.2.0
138	section	instance method	3.0.0
139	size	instance method	3.0.0
140	sort	instance method	3.2.0
141	sortWith	instance method	3.2.0
142	stableSort	instance method	3.2.0
143	stableSortWith	instance method	3.2.0
144	supplier	instance method	3.0.0
145	toString	instance method	3.2.0

5 - STD_CLASS - **Bag**

146	of	class method	3.0.0
147	"[]="	instance method	3.0.0
148	difference	instance method	3.2.0
149	interSection	instance method	3.2.0
150	put	instance method	3.0.0
151	putAll	instance method	3.2.0
152	subSet	instance method	3.2.0
153	union	instance method	3.2.0
154	xor	instance method	3.2.0

5 - STD_CLASS - **CaselessColumnComparator**

155	compare	instance method	3.2.0
156	init	instance method	3.2.0

5 - STD_CLASS - **CaselessComparator**

157	compare	instance method	3.2.0
-----	---------	-----------------	-------

5 - STD_CLASS - **CaselessDescendingComparator**

158	compare	instance method	3.2.0
-----	---------	-----------------	-------

Category	MainTestArea	SubTestArea	Hint	Introduced OpSys
5 - STD_CLASS -	CircularQueue			
	159	of	class method	3.1.1
	160	init	instance method	3.1.1
	161	makeArray	instance method	3.1.1
	162	push	instance method	3.1.1
	163	queue	instance method	3.1.1
	164	resize	instance method	3.1.1
	165	size	instance method	3.1.1
	166	string	instance method	3.1.1
	167	supplier	instance method	3.1.1
5 - STD_CLASS -	Class			
	168	"\="	class method	3.0.0
	169	"\=="	class method	3.0.0
	170	"<>"	class method	3.0.0
	171	"="	class method	3.0.0
	172	"=="	class method	3.0.0
	173	"><"	class method	3.0.0
	174	baseClass	class method	3.0.0
	175	defaultName	class method	3.0.0
	176	define	class method	3.0.0
	177	delete	class method	3.0.0
	178	enhanced	class method	3.0.0
	179	id	class method	3.0.0
	180	inherit	class method	3.0.0
	181	isSubclassOf	class method	3.0.0
	182	metaClass	class method	3.0.0
	183	method	class method	3.0.0
	184	methods	class method	3.0.0
	185	mixinClass	class method	3.0.0
	186	new	class method	3.0.0
	187	queryMixinClass	class method	3.0.0
	188	subClass	class method	3.0.0
	189	subClasses	class method	3.0.0
	190	superClass	class method	3.0.0
	191	superClasses	class method	3.0.0
	192	unInherit	class method	3.0.0
	193	"\="	instance method	3.0.0
	194	"\=="	instance method	3.0.0
	195	"<>"	instance method	3.0.0
	196	"="	instance method	3.0.0
	197	"=="	instance method	3.0.0
	198	"><"	instance method	3.0.0
	199	baseClass	instance method	3.0.0
	200	defaultName	instance method	3.0.0
	201	define	instance method	3.0.0
	202	delete	instance method	3.0.0
	203	enhanced	instance method	3.0.0
	204	id	instance method	3.0.0
	205	inherit	instance method	3.0.0
	206	isSubclassOf	instance method	3.2.0
	207	metaClass	instance method	3.0.0
	208	method	instance method	3.0.0
	209	methods	instance method	3.0.0
	210	mixinClass	instance method	3.0.0
	211	queryMixinClass	instance method	3.0.0
	212	subClass	instance method	3.0.0
	213	subClasses	instance method	3.0.0
	214	superClass	instance method	3.2.0
	215	superClasses	instance method	3.0.0
	216	unInherit	instance method	3.0.0

Category	MainTestArea	SubTestArea	Hint	Introduced OpSys
5 - STD_CLASS -	Collection			
	217	"[]"	instance method	3.2.0
	218	"[]="	instance method	3.2.0
	219	allIndexes	instance method	3.2.0
	220	allItems	instance method	3.2.0
	221	at	instance method	3.2.0
	222	difference	instance method	3.2.0
	223	hasIndex	instance method	3.2.0
	224	hasItem	instance method	3.2.0
	225	index	instance method	3.2.0
	226	interSection	instance method	3.2.0
	227	items	instance method	3.2.0
	228	makeArray	instance method	3.2.0
	229	put	instance method	3.2.0
	230	subSet	instance method	3.2.0
	231	supplier	instance method	3.2.0
	232	union	instance method	3.2.0
	233	xor	instance method	3.2.0
5 - STD_CLASS -	ColumnComparator			
	234	compare	instance method	3.2.0
	235	init	instance method	3.2.0
5 - STD_CLASS -	Comparable			
	236	compareTo	instance method	3.2.0
5 - STD_CLASS -	Comparator			
	237	compare	instance method	3.2.0
5 - STD_CLASS -	DescendingComparator			
	238	compare	instance method	3.2.0
5 - STD_CLASS -	Directory			
	239	new	class method	3.0.0
	240	"[]"	instance method	3.0.0
	241	"[]="	instance method	3.0.0
	242	allIndexes	instance method	3.2.0
	243	allItems	instance method	3.2.0
	244	at	instance method	3.0.0
	245	empty	instance method	3.2.0
	246	entry	instance method	3.0.0
	247	hasEntry	instance method	3.0.0
	248	hasIndex	instance method	3.0.0
	249	hasItem	instance method	3.2.0
	250	index	instance method	3.2.0
	251	isEmpty	instance method	3.2.0
	252	items	instance method	3.0.0
	253	makeArray	instance method	3.0.0
	254	put	instance method	3.0.0
	255	remove	instance method	3.0.0
	256	removeItem	instance method	3.2.0
	257	setEntry	instance method	3.0.0
	258	setMethod	instance method	3.0.0
	259	supplier	instance method	3.0.0
	260	unknown	instance method	3.0.0
	261	unsetMethod	instance method	3.0.0
5 - STD_CLASS -	InputStream			
	262	arrayIn	instance method	3.2.0
	263	charIn	instance method	3.2.0
	264	charOut	instance method	3.2.0
	265	chars	instance method	3.2.0

Category	MainTestArea	SubTestArea	Hint	Introduced OpSys
	266	close	instance method	3.2.0
	267	lineIn	instance method	3.2.0
	268	lineOut	instance method	3.2.0
	269	lines	instance method	3.2.0
	270	open	instance method	3.2.0
	271	position	instance method	3.2.0
<hr/>				
5 - STD_CLASS -	InvertingComparator			
	272	compare	instance method	3.2.0
	273	init	instance method	3.2.0
<hr/>				
5 - STD_CLASS -	List			
	274	new	class method	3.0.0
	275	of	class method	3.0.0
	276	"[]"	instance method	3.0.0
	277	"[]="	instance method	3.0.0
	278	allIndexes	instance method	3.2.0
	279	allItems	instance method	3.2.0
	280	append	instance method	3.2.0
	281	at	instance method	3.0.0
	282	empty	instance method	3.2.0
	283	first	instance method	3.0.0
	284	firstItem	instance method	3.0.0
	285	hasIndex	instance method	3.0.0
	286	hasItem	instance method	3.2.0
	287	index	instance method	3.2.0
	288	insert	instance method	3.0.0
	289	isEmpty	instance method	3.2.0
	290	items	instance method	3.0.0
	291	last	instance method	3.0.0
	292	lastItem	instance method	3.0.0
	293	makeArray	instance method	3.0.0
	294	next	instance method	3.0.0
	295	previous	instance method	3.0.0
	296	put	instance method	3.0.0
	297	remove	instance method	3.0.0
	298	removeItem	instance method	3.2.0
	299	section	instance method	3.0.0
	300	supplier	instance method	3.0.0
<hr/>				
5 - STD_CLASS -	MapCollection			
	301	makeArray	instance method	3.2.0
	302	putAll	instance method	3.2.0
<hr/>				
5 - STD_CLASS -	Message			
	303	new	class method	3.0.0
	304	arguments	instance method	3.1.2
	305	completed	instance method	3.0.0
	306	errorCondition	instance method	3.1.2
	307	hasError	instance method	3.1.2
	308	messageName	instance method	3.1.2
	309	notify	instance method	3.0.0
	310	result	instance method	3.0.0
	311	send	instance method	3.0.0
	312	start	instance method	3.0.0
	313	target	instance method	3.1.2
<hr/>				
5 - STD_CLASS -	Method			
	314	new	class method	3.0.0
	315	newFile	class method	3.0.0
	316	INTERFACE	instance method	3.0.0
	317	setGuarded	instance method	3.0.0
	318	SETINTERFACE	instance method	3.0.0

Category	MainTestArea	SubTestArea	Hint	Introduced OpSys
		setPrivate	instance method	3.0.0
		setProtected	instance method	3.0.0
		setSecurityManager	instance method	3.0.0
		setUnguarded	instance method	3.0.0
		source	instance method	3.0.0
<hr/>				
5 - STD_CLASS -	Monitor			
		current	instance method	3.0.0
		destination	instance method	3.0.0
		init	instance method	3.0.0
		unknown	instance method	3.0.0
<hr/>				
5 - STD_CLASS -	MutableBuffer			
		new	class method	3.0.0
		append	instance method	3.0.0
		delete	instance method	3.0.0
		getBufferSize	instance method	3.0.0
		insert	instance method	3.0.0
		lastPos	instance method	3.1.2
		length	instance method	3.0.0
		overlay	instance method	3.0.0
		pos	instance method	3.1.2
		request	instance method	3.0.0
		setBufferSize	instance method	3.0.0
		string	instance method	3.0.0
		subChar	instance method	3.1.2
		subStr	instance method	3.0.0
		unInit	instance method	3.0.0
<hr/>				
5 - STD_CLASS -	Object			
		"\="	class method	3.0.0
		"\=="	class method	3.0.0
		"<>"	class method	3.0.0
		"="	class method	3.0.0
		"=="	class method	3.0.0
		"><"	class method	3.0.0
		class	class method	3.0.0
		copy	class method	3.0.0
		defaultName	class method	3.0.0
		hasMethod	class method	3.0.0
		identityHash	class method	3.0.0
		init	class method	3.0.0
		instanceMethod	class method	3.0.0
		instanceMethods	class method	3.0.0
		isA	class method	3.0.0
		isInstanceOf	class method	3.0.0
		new	class method	3.0.0
		objectName	class method	3.0.0
		objectName=	class method	3.0.0
		request	class method	3.0.0
		run	class method	3.0.0
		setMethod	class method	3.0.0
		start	class method	3.0.0
		string	class method	3.0.0
		unsetMethod	class method	3.0.0
		"\="	instance method	3.0.0
		"\=="	instance method	3.0.0
		"<>"	instance method	3.0.0
		"="	instance method	3.0.0
		"=="	instance method	3.0.0
		"><"	instance method	3.0.0
		class	instance method	3.0.0
		copy	instance method	3.0.0
		defaultName	instance method	3.0.0

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys
	377	hasMethod	instance method	3.0.0	
	378	identityHash	instance method	3.2.0	
	379	init	instance method	3.0.0	
	380	instanceMethod	instance method	3.2.0	
	381	instanceMethods	instance method	3.2.0	
	382	isA	instance method	3.2.0	
	383	isInstanceOf	instance method	3.1.2	
	384	objectName	instance method	3.0.0	
	385	objectName=	instance method	3.0.0	
	386	request	instance method	3.0.0	
	387	run	instance method	3.0.0	
	388	setMethod	instance method	3.0.0	
	389	start	instance method	3.0.0	
	390	string	instance method	3.0.0	
	391	unsetMethod	instance method	3.0.0	
<hr/>					
5 - STD_CLASS -	OLEObject				
	392	getObject	class method	3.0.0	Windows
	393	new	class method	3.0.0	Windows
	394	dispatch	instance method	3.1.1	Windows
	395	getConstant	instance method	3.0.0	Windows
	396	getKnownEvents	instance method	3.0.0	Windows
	397	getKnownMethods	instance method	3.0.0	Windows
	398	getOutParameters	instance method	3.0.0	Windows
	399	init	instance method	3.0.0	Windows
	400	request	instance method	3.0.0	Windows
	401	unInit	instance method	3.0.0	Windows
	402	unknown	instance method	3.0.0	Windows
<hr/>					
5 - STD_CLASS -	OLEVariant				
	403	new	class method	3.1.2	Windows
	404	lparamFlags_	instance method	3.1.2	Windows
	405	lparamFlags_ =	instance method	3.1.2	Windows
	406	lvarType_	instance method	3.1.2	Windows
	407	lvarType_ =	instance method	3.1.2	Windows
	408	lvarValue_	instance method	3.1.2	Windows
	409	lvarValue_ =	instance method	3.1.2	Windows
	410	init	instance method	3.1.2	Windows
<hr/>					
5 - STD_CLASS -	OrderedCollection				
	411	append	instance method	3.2.0	
	412	appendAll	instance method	3.2.0	
	413	difference	instance method	3.2.0	
	414	interSection	instance method	3.2.0	
	415	subSet	instance method	3.2.0	
	416	union	instance method	3.2.0	
	417	xor	instance method	3.2.0	
<hr/>					
5 - STD_CLASS -	OutputStream				
	418	arrayOut	instance method	3.2.0	
	419	charIn	instance method	3.2.0	
	420	charOut	instance method	3.2.0	
	421	chars	instance method	3.2.0	
	422	close	instance method	3.2.0	
	423	lineIn	instance method	3.2.0	
	424	lineOut	instance method	3.2.0	
	425	lines	instance method	3.2.0	
	426	open	instance method	3.2.0	
	427	position	instance method	3.2.0	
<hr/>					
5 - STD_CLASS -	Properties				
	428	load	class method	3.1.2	
	429	"[]="	instance method	3.1.2	

Category	MainTestArea	SubTestArea	Hint	Introduced OpSys
	430	getLogical	instance method	3.1.2
	431	getProperty	instance method	3.1.2
	432	getWhole	instance method	3.1.2
	433	load	instance method	3.1.2
	434	put	instance method	3.1.2
	435	save	instance method	3.1.2
	436	setLogical	instance method	3.1.2
	437	setProperty	instance method	3.1.2
	438	setWhole	instance method	3.1.2

5 - STD_CLASS - **Queue**

439	new	class method	3.0.0
440	of	class method	3.2.0
441	"[]"	instance method	3.0.0
442	"[]="	instance method	3.0.0
443	allIndexes	instance method	3.2.0
444	allItems	instance method	3.2.0
445	append	instance method	3.2.0
446	at	instance method	3.0.0
447	empty	instance method	3.2.0
448	first	instance method	3.2.0
449	hasIndex	instance method	3.0.0
450	hasItem	instance method	3.2.0
451	index	instance method	3.2.0
452	insert	instance method	3.2.0
453	isEmpty	instance method	3.2.0
454	items	instance method	3.0.0
455	last	instance method	3.2.0
456	makeArray	instance method	3.0.0
457	next	instance method	3.2.0
458	peek	instance method	3.0.0
459	previous	instance method	3.2.0
460	pull	instance method	3.0.0
461	push	instance method	3.0.0
462	put	instance method	3.0.0
463	queue	instance method	3.0.0
464	remove	instance method	3.0.0
465	removeItem	instance method	3.2.0
466	supplier	instance method	3.0.0

5 - STD_CLASS - **Relation**

467	new	class method	3.0.0
468	"[]"	instance method	3.0.0
469	"[]="	instance method	3.0.0
470	allAt	instance method	3.0.0
471	allIndex	instance method	3.0.0
472	allIndexes	instance method	3.2.0
473	allItems	instance method	3.2.0
474	at	instance method	3.0.0
475	difference	instance method	3.0.0
476	empty	instance method	3.2.0
477	hasIndex	instance method	3.0.0
478	hasItem	instance method	3.0.0
479	index	instance method	3.0.0
480	interSection	instance method	3.0.0
481	isEmpty	instance method	3.2.0
482	items	instance method	3.0.0
483	makeArray	instance method	3.0.0
484	put	instance method	3.0.0
485	remove	instance method	3.0.0
486	removeItem	instance method	3.0.0
487	subSet	instance method	3.0.0
488	supplier	instance method	3.0.0
489	union	instance method	3.0.0

Category	MainTestArea	SubTestArea	Hint	Introduced OpSys
	490	xor	instance method	3.0.0
5 - STD_CLASS - RextxQueue				
	491	create	class method	3.2.0
	492	delete	class method	3.2.0
	493	delete	instance method	3.2.0
	494	get	instance method	3.2.0
	495	init	instance method	3.2.0
	496	lineIn	instance method	3.2.0
	497	lineOut	instance method	3.2.0
	498	pull	instance method	3.2.0
	499	push	instance method	3.2.0
	500	queue	instance method	3.2.0
	501	queued	instance method	3.2.0
	502	say	instance method	3.2.0
	503	set	instance method	3.2.0
5 - STD_CLASS - Set				
	504	of	class method	3.0.0
	505	"[]="	instance method	3.0.0
	506	interSection	instance method	3.2.0
	507	put	instance method	3.0.0
	508	putAll	instance method	3.2.0
	509	subSet	instance method	3.2.0
	510	union	instance method	3.2.0
	511	xor	instance method	3.2.0
5 - STD_CLASS - Stem				
	512	new	class method	3.0.0
	513	"[]"	instance method	3.0.0
	514	"[]="	instance method	3.0.0
	515	"\"="	instance method	3.0.0
	516	"\"=="	instance method	3.0.0
	517	"<>"	instance method	3.0.0
	518	"="	instance method	3.0.0
	519	"=="	instance method	3.0.0
	520	"><"	instance method	3.0.0
	521	allIndexes	instance method	3.2.0
	522	allItems	instance method	3.2.0
	523	at	instance method	3.2.0
	524	empty	instance method	3.2.0
	525	hasIndex	instance method	3.2.0
	526	hasItem	instance method	3.2.0
	527	index	instance method	3.2.0
	528	isEmpty	instance method	3.2.0
	529	items	instance method	3.2.0
	530	makeArray	instance method	3.0.0
	531	put	instance method	3.2.0
	532	remove	instance method	3.2.0
	533	removeItem	instance method	3.2.0
	534	request	instance method	3.0.0
	535	supplier	instance method	3.2.0
	536	unknown	instance method	3.0.0
5 - STD_CLASS - Stream				
	537	arrayIn	instance method	3.0.0
	538	arrayOut	instance method	3.0.0
	539	charIn	instance method	3.0.0
	540	charOut	instance method	3.0.0
	541	chars	instance method	3.0.0
	542	close	instance method	3.0.0
	543	command	instance method	3.0.0
	544	description	instance method	3.0.0

Category	MainTestArea	SubTestArea	Hint	Introduced OpSys
	545	flush	instance method	3.0.0
	546	init	instance method	3.0.0
	547	lineIn	instance method	3.0.0
	548	lineOut	instance method	3.0.0
	549	lines	instance method	3.0.0
	550	makeArray	instance method	3.0.0
	551	open	instance method	3.0.0
	552	position	instance method	3.0.0
	553	qualify	instance method	3.0.0
	554	query	instance method	3.0.0
	555	say	instance method	3.0.0
	556	seek	instance method	3.0.0
	557	state	instance method	3.0.0
	558	string	instance method	3.0.0
	559	supplier	instance method	3.0.0
	560	unInit	instance method	3.0.0
<hr/>				
5 - STD_CLASS -	StreamSupplier			
	561	available	instance method	3.0.0
	562	index	instance method	3.0.0
	563	init	instance method	3.0.0
	564	item	instance method	3.0.0
	565	next	instance method	3.0.0
<hr/>				
5 - STD_CLASS -	String			
	566	new	class method	3.0.0
	567	" "	instance method	3.0.0
	568	""	instance method	3.0.0
	569	" "	instance method	3.0.0
	570	"%"	instance method	3.0.0
	571	"&"	instance method	3.0.0
	572	"&&"	instance method	3.0.0
	573	"**"	instance method	3.0.0
	574	"***"	instance method	3.0.0
	575	"/"	instance method	3.0.0
	576	"//"	instance method	3.0.0
	577	"\"	instance method	3.0.0
	578	"<"	instance method	3.0.0
	579	"<<"	instance method	3.0.0
	580	"="	instance method	3.0.0
	581	"=="	instance method	3.0.0
	582	">"	instance method	3.0.0
	583	">>"	instance method	3.0.0
	584	" "	instance method	3.0.0
	585	" "	instance method	3.0.0
	586	"+"	instance method	3.0.0
	587	"<"	instance method	3.0.0
	588	"<<"	instance method	3.0.0
	589	"<<="	instance method	3.0.0
	590	"<="	instance method	3.0.0
	591	"<>"	instance method	3.0.0
	592	"="	instance method	3.0.0
	593	"=="	instance method	3.0.0
	594	">"	instance method	3.0.0
	595	">>"	instance method	3.0.0
	596	">="	instance method	3.0.0
	597	">>="	instance method	3.0.0
	598	">="	instance method	3.0.0
	599	abbrev	instance method	3.0.0
	600	abs	instance method	3.0.0
	601	b2x	instance method	3.0.0
	602	bitAnd	instance method	3.0.0
	603	bitOr	instance method	3.0.0
	604	bitXor	instance method	3.0.0

Category	MainTestArea	SubTestArea	Hint	Introduced OpSys
	605	c2d	instance method	3.0.0
	606	c2x	instance method	3.0.0
	607	caselessAbbrev	instance method	3.2.0
	608	caselessChangeStr	instance method	3.2.0
	609	caselessCompare	instance method	3.2.0
	610	caselessCompareTo	instance method	3.2.0
	611	caselessCountStr	instance method	3.2.0
	612	caselessEquals	instance method	3.2.0
	613	caselessLastPos	instance method	3.2.0
	614	caselessMatch	instance method	3.2.0
	615	caselessMatchChar	instance method	3.2.0
	616	caselessPos	instance method	3.2.0
	617	caselessWordPos	instance method	3.2.0
	618	center	instance method	3.0.0
	619	centre	instance method	3.0.0
	620	changeStr	instance method	3.0.0
	621	compare	instance method	3.0.0
	622	compareTo	instance method	3.2.0
	623	copies	instance method	3.0.0
	624	countStr	instance method	3.0.0
	625	d2c	instance method	3.0.0
	626	d2x	instance method	3.0.0
	627	dataType	instance method	3.0.0
	628	decodeBase64	instance method	3.0.0
	629	delStr	instance method	3.0.0
	630	delWord	instance method	3.0.0
	631	encodeBase64	instance method	3.0.0
	632	equals	instance method	3.2.0
	633	format	instance method	3.0.0
	634	insert	instance method	3.0.0
	635	lastPos	instance method	3.0.0
	636	left	instance method	3.0.0
	637	length	instance method	3.0.0
	638	lower	instance method	3.2.0
	639	makeArray	instance method	3.0.0
	640	makeString	instance method	3.0.0
	641	match	instance method	3.2.0
	642	matchChar	instance method	3.2.0
	643	max	instance method	3.0.0
	644	min	instance method	3.0.0
	645	overlay	instance method	3.0.0
	646	pos	instance method	3.0.0
	647	reverse	instance method	3.0.0
	648	right	instance method	3.0.0
	649	sign	instance method	3.0.0
	650	space	instance method	3.0.0
	651	strip	instance method	3.0.0
	652	subChar	instance method	3.2.0
	653	subStr	instance method	3.0.0
	654	subWord	instance method	3.0.0
	655	translate	instance method	3.0.0
	656	trunc	instance method	3.0.0
	657	upper	instance method	3.2.0
	658	verify	instance method	3.0.0
	659	word	instance method	3.0.0
	660	wordIndex	instance method	3.0.0
	661	wordLength	instance method	3.0.0
	662	wordPos	instance method	3.0.0
	663	words	instance method	3.0.0
	664	x2b	instance method	3.0.0
	665	x2c	instance method	3.0.0
	666	x2d	instance method	3.0.0
5 - STD_CLASS -	Supplier			
	667	new	class method	3.0.0

Category	MainTestArea	SubTestArea	Hint	Introduced OpSys
	668	allIndexes	instance method	3.2.0
	669	allItems	instance method	3.2.0
	670	available	instance method	3.0.0
	671	getArrays	instance method	3.2.0
	672	index	instance method	3.0.0
	673	init	instance method	3.2.0
	674	item	instance method	3.0.0
	675	next	instance method	3.0.0
	676	supplier	instance method	3.2.0

5 - STD_CLASS - Table

677	new	class method	3.0.0
678	"[]"	instance method	3.0.0
679	"[]="	instance method	3.0.0
680	allIndexes	instance method	3.2.0
681	allItems	instance method	3.2.0
682	at	instance method	3.0.0
683	empty	instance method	3.2.0
684	hasIndex	instance method	3.0.0
685	hasItem	instance method	3.2.0
686	index	instance method	3.2.0
687	isEmpty	instance method	3.2.0
688	items	instance method	3.0.0
689	makeArray	instance method	3.0.0
690	put	instance method	3.0.0
691	remove	instance method	3.0.0
692	removeItem	instance method	3.2.0
693	supplier	instance method	3.0.0

6 - OPT_CLASS - Optional class, i.4. needs to be required

6 - OPT_CLASS - **AdvancedControls**

694	addListControl	instance method	3.0.0	Windows
695	addProgressBar	instance method	3.0.0	Windows
696	addSliderControl	instance method	3.0.0	Windows
697	addTabControl	instance method	3.0.0	Windows
698	addTreeControl	instance method	3.0.0	Windows
699	connectListControl	instance method	3.0.0	Windows
700	connectSliderControl	instance method	3.0.0	Windows
701	connectTabControl	instance method	3.0.0	Windows
702	connectTreeControl	instance method	3.0.0	Windows
703	getButtonControl	instance method	3.0.0	Windows
704	getCheckControl	instance method	3.0.0	Windows
705	getComboBox	instance method	3.0.0	Windows
706	getControl	instance method	3.0.0	Windows
707	getEditControl	instance method	3.0.0	Windows
708	getListBox	instance method	3.0.0	Windows
709	getListControl	instance method	3.0.0	Windows
710	getProgressBar	instance method	3.0.0	Windows
711	getRadioControl	instance method	3.0.0	Windows
712	getScrollBar	instance method	3.0.0	Windows
713	getSliderControl	instance method	3.0.0	Windows
714	getStaticControl	instance method	3.0.0	Windows
715	getTabControl	instance method	3.0.0	Windows
716	getTreeControl	instance method	3.0.0	Windows
717	internGetNewCtrlStyle	instance method	3.0.0	Windows

6 - OPT_CLASS - **AnimatedButton**

718	getPos	instance method	3.0.0	Windows
719	getSprite	instance method	3.0.0	Windows
720	hitBottom	instance method	3.0.0	Windows
721	hitLeft	instance method	3.0.0	Windows
722	hitRight	instance method	3.0.0	Windows
723	hitTop	instance method	3.0.0	Windows
724	init	instance method	3.0.0	Windows
725	movePos	instance method	3.0.0	Windows
726	moveSeq	instance method	3.0.0	Windows
727	moveTo	instance method	3.0.0	Windows
728	parentDlg	instance method	3.0.0	Windows
729	parentDlg=	instance method	3.0.0	Windows
730	parentStopped	instance method	3.0.0	Windows
731	run	instance method	3.0.0	Windows
732	setDelay	instance method	3.0.0	Windows
733	setFromTo	instance method	3.0.0	Windows
734	setMove	instance method	3.0.0	Windows
735	setPos	instance method	3.0.0	Windows
736	setSmooth	instance method	3.0.0	Windows
737	setSprite	instance method	3.0.0	Windows
738	setStep	instance method	3.0.0	Windows
739	stop	instance method	3.0.0	Windows
740	stopped	instance method	3.0.0	Windows
741	stopped=	instance method	3.0.0	Windows

6 - OPT_CLASS - **BaseDialog**

742	init	instance method	3.0.0	Windows
743	scrollNow	instance method	3.0.0	Windows
744	scrollNow=	instance method	3.0.0	Windows

6 - OPT_CLASS - **ButtonControl**

745	changeBitmap	instance method	3.0.0	Windows
746	dimBitmap	instance method	3.0.0	Windows
747	displaceBitmap	instance method	3.0.0	Windows
748	drawBitmap	instance method	3.0.0	Windows

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys
	749	getBitmapSizeX	instance method	3.0.0	Windows
	750	getBitmapSizeY	instance method	3.0.0	Windows
	751	getBmpDisplacement	instance method	3.0.0	Windows
	752	getImage	instance method	3.0.0	Windows
	753	scroll	instance method	3.0.0	Windows
	754	scrollBitmapFromTo	instance method	3.0.0	Windows
	755	scrollText	instance method	3.0.0	Windows
	756	setImage	instance method	3.0.0	Windows
	757	state	instance method	3.0.0	Windows
	758	state=	instance method	3.0.0	Windows
	759	style=	instance method	3.0.0	Windows

6 - OPT_CLASS - **CategoryDialog**

760	addCategoryComboEntry	instance method	3.0.0	Windows
761	addCategoryListEntry	instance method	3.0.0	Windows
762	boxMessage	instance method	3.0.0	Windows
763	catalog	instance method	3.0.0	Windows
764	catalog=	instance method	3.0.0	Windows
765	catCX	instance method	3.0.0	Windows
766	catCX=	instance method	3.0.0	Windows
767	categoryComboAddDirectory	instance method	3.0.0	Windows
768	categoryComboDrop	instance method	3.0.0	Windows
769	categoryListAddDirectory	instance method	3.0.0	Windows
770	categoryListDrop	instance method	3.0.0	Windows
771	categoryPage	instance method	3.0.0	Windows
772	catLabel	instance method	3.0.0	Windows
773	catLabel=	instance method	3.0.0	Windows
774	catMax	instance method	3.0.0	Windows
775	catMax=	instance method	3.0.0	Windows
776	catStyle	instance method	3.0.0	Windows
777	catStyle=	instance method	3.0.0	Windows
778	catX	instance method	3.0.0	Windows
779	catX=	instance method	3.0.0	Windows
780	catY	instance method	3.0.0	Windows
781	catY=	instance method	3.0.0	Windows
782	changeCategoryComboEntry	instance method	3.0.0	Windows
783	changeCategoryListEntry	instance method	3.0.0	Windows
784	changePage	instance method	3.0.0	Windows
785	connectCheckBox	instance method	3.0.0	Windows
786	connectComboBox	instance method	3.0.0	Windows
787	connectEntryLine	instance method	3.0.0	Windows
788	connectListBox	instance method	3.0.0	Windows
789	connectListControl	instance method	3.0.0	Windows
790	connectMultiListBox	instance method	3.0.0	Windows
791	connectRadioButton	instance method	3.0.0	Windows
792	connectSeparator	instance method	3.0.0	Windows
793	connectSliderControl	instance method	3.0.0	Windows
794	connectTabControl	instance method	3.0.0	Windows
795	connectTreeControl	instance method	3.0.0	Windows
796	createCategoryDialog	instance method	3.0.0	Windows
797	currentCategory	instance method	3.0.0	Windows
798	defineDialog	instance method	3.0.0	Windows
799	deleteCategoryComboEntry	instance method	3.0.0	Windows
800	deleteCategoryListEntry	instance method	3.0.0	Windows
801	disableCategoryItem	instance method	3.0.0	Windows
802	enableCategoryItem	instance method	3.0.0	Windows
803	findCategoryComboEntry	instance method	3.0.0	Windows
804	findCategoryListEntry	instance method	3.0.0	Windows
805	focusCategoryItem	instance method	3.0.0	Windows
806	getCategoryAttrib	instance method	3.0.0	Windows
807	getCategoryCheckBox	instance method	3.0.0	Windows
808	getCategoryComboEntry	instance method	3.0.0	Windows
809	getCategoryComboItems	instance method	3.0.0	Windows
810	getCategoryComboLine	instance method	3.0.0	Windows
811	getCategoryEntryLine	instance method	3.0.0	Windows

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys	
		812	getCategoryListEntry	instance method	3.0.0	Windows
		813	getCategoryListItemHeight	instance method	3.0.0	Windows
		814	getCategoryListItems	instance method	3.0.0	Windows
		815	getCategoryListLine	instance method	3.0.0	Windows
		816	getCategoryListWidth	instance method	3.0.0	Windows
		817	getCategoryMultiList	instance method	3.0.0	Windows
		818	getCategoryRadioButton	instance method	3.0.0	Windows
		819	getCategoryValue	instance method	3.0.0	Windows
		820	getCurrentCategoryComboIndex	instance method	3.0.0	Windows
		821	getCurrentCategoryListIndex	instance method	3.0.0	Windows
		822	getDefaultOpts	instance method	3.0.0	Windows
		823	getItem	instance method	3.0.0	Windows
		824	getSelectedPage	instance method	3.0.0	Windows
		825	hideCategoryItem	instance method	3.0.0	Windows
		826	init	instance method	3.0.0	Windows
		827	initCategories	instance method	3.0.0	Windows
		828	initDialog	instance method	3.0.0	Windows
		829	insertCategoryComboEntry	instance method	3.0.0	Windows
		830	insertCategoryListEntry	instance method	3.0.0	Windows
		831	moveCategoryItem	instance method	3.0.0	Windows
		832	nextPage	instance method	3.0.0	Windows
		833	pageHasChanged	instance method	3.0.0	Windows
		834	previousPage	instance method	3.0.0	Windows
		835	resizeCategoryItem	instance method	3.0.0	Windows
		836	sendMessageToCategoryItem	instance method	3.0.0	Windows
		837	setCategoryAttrib	instance method	3.0.0	Windows
		838	setCategoryCheckBox	instance method	3.0.0	Windows
		839	setCategoryComboLine	instance method	3.0.0	Windows
		840	setCategoryEntryLine	instance method	3.0.0	Windows
		841	setCategoryItemFont	instance method	3.0.0	Windows
		842	setCategoryListColumnWidth	instance method	3.0.0	Windows
		843	setCategoryListItemHeight	instance method	3.0.0	Windows
		844	setCategoryListLine	instance method	3.0.0	Windows
		845	setCategoryListTabulators	instance method	3.0.0	Windows
		846	setCategoryListWidth	instance method	3.0.0	Windows
		847	setCategoryMultiList	instance method	3.0.0	Windows
		848	setCategoryRadioButton	instance method	3.0.0	Windows
		849	setCategoryStaticText	instance method	3.0.0	Windows
		850	setCategoryValue	instance method	3.0.0	Windows
		851	setCurrentCategoryComboIndex	instance method	3.0.0	Windows
		852	setCurrentCategoryListIndex	instance method	3.0.0	Windows
		853	showCategoryItem	instance method	3.0.0	Windows
		854	startIt	instance method	3.0.0	Windows
		855	staticID	instance method	3.0.0	Windows
		856	staticID=	instance method	3.0.0	Windows
		857	wizard	instance method	3.0.0	Windows
		858	wizard=	instance method	3.0.0	Windows
<hr/>						
6 - OPT_CLASS -	CheckList					
		859	defineDialog	instance method	3.0.0	Windows
		860	execute	instance method	3.0.0	Windows
		861	init	instance method	3.0.0	Windows
<hr/>						
6 - OPT_CLASS -	ComboBox					
		862	add	instance method	3.0.0	Windows
		863	addDirectory	instance method	3.0.0	Windows
		864	closeDropDown	instance method	3.0.0	Windows
		865	delete	instance method	3.0.0	Windows
		866	deleteAll	instance method	3.0.0	Windows
		867	editSelection	instance method	3.0.0	Windows
		868	find	instance method	3.0.0	Windows
		869	getText	instance method	3.0.0	Windows
		870	insert	instance method	3.0.0	Windows
		871	isDropDownOpen	instance method	3.0.0	Windows

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys
	872	items	instance method	3.0.0	Windows
	873	modify	instance method	3.0.0	Windows
	874	openDropDown	instance method	3.0.0	Windows
	875	select	instance method	3.0.0	Windows
	876	selected	instance method	3.0.0	Windows
	877	selectedIndex	instance method	3.0.0	Windows
	878	selectIndex	instance method	3.0.0	Windows

6 - OPT_CLASS - **DialogControl**

	879	new	class method	3.0.0	Windows
	880	assignFocus	instance method	3.0.0	Windows
	881	assignWindow	instance method	3.0.0	Windows
	882	captureMouse	instance method	3.0.0	Windows
	883	clear	instance method	3.0.0	Windows
	884	clearRect	instance method	3.0.0	Windows
	885	getFocus	instance method	3.0.0	Windows
	886	getMouseCapture	instance method	3.0.0	Windows
	887	getStyleRaw	instance method	3.2.0	Windows
	888	group	instance method	3.2.0	Windows
	889	hDlg	instance method	3.0.0	Windows
	890	hDlg=	instance method	3.0.0	Windows
	891	id	instance method	3.0.0	Windows
	892	ID=	instance method	3.0.0	Windows
	893	init	instance method	3.0.0	Windows
	894	isMouseButtonDown	instance method	3.0.0	Windows
	895	message2parent	instance method	3.0.0	Windows
	896	oDlg	instance method	3.0.0	Windows
	897	oDlg=	instance method	3.0.0	Windows
	898	processMessage	instance method	3.0.0	Windows
	899	redrawRect	instance method	3.0.0	Windows
	900	releaseMouseCapture	instance method	3.0.0	Windows
	901	setColor	instance method	3.0.0	Windows
	902	setFocus	instance method	3.0.0	Windows
	903	tabStop	instance method	3.2.0	Windows
	904	tabToNext	instance method	3.2.0	Windows
	905	tabToPrevious	instance method	3.2.0	Windows
	906	value	instance method	3.0.0	Windows
	907	value=	instance method	3.0.0	Windows

6 - OPT_CLASS - **DialogExtensions**

	908	addAutoStartMethod	instance method	3.0.0	Windows
	909	addBitmapButton	instance method	3.0.0	Windows
	910	asyncMessageHandling	instance method	3.0.0	Windows
	911	backgroundBitmap	instance method	3.0.0	Windows
	912	backgroundColor	instance method	3.0.0	Windows
	913	bkgBitmap	instance method	3.0.0	Windows
	914	bkgBitmap=	instance method	3.0.0	Windows
	915	bkgBrushBMP	instance method	3.0.0	Windows
	916	bkgBrushBMP=	instance method	3.0.0	Windows
	917	captureMouse	instance method	3.0.0	Windows
	918	changeBitmapButton	instance method	3.0.0	Windows
	919	checkMenuItem	instance method	3.0.0	Windows
	920	clear	instance method	3.0.0	Windows
	921	clearButtonRect	instance method	3.0.0	Windows
	922	clearRect	instance method	3.0.0	Windows
	923	clearWindowRect	instance method	3.0.0	Windows
	924	combineELwithSB	instance method	3.0.0	Windows
	925	connectAllSBEvents	instance method	3.0.0	Windows
	926	connectAnimatedButton	instance method	3.0.0	Windows
	927	connectBitmapButton	instance method	3.0.0	Windows
	928	connectDraw	instance method	3.0.0	Windows
	929	connectMenuItem	instance method	3.0.0	Windows
	930	connectMouseCapture	instance method	3.0.0	Windows
	931	connectMove	instance method	3.0.0	Windows

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys
	932	connectPosChanged	instance method	3.0.0	Windows
	933	connectResize	instance method	3.0.0	Windows
	934	connectScrollBar	instance method	3.0.0	Windows
	935	createBrush	instance method	3.0.0	Windows
	936	determineSBPosition	instance method	3.0.0	Windows
	937	dimBitmap	instance method	3.0.0	Windows
	938	disableMenuItem	instance method	3.0.0	Windows
	939	displaceBitmap	instance method	3.0.0	Windows
	940	drawBitmap	instance method	3.0.0	Windows
	941	drawButton	instance method	3.0.0	Windows
	942	dump	instance method	3.0.0	Windows
	943	enableMenuItem	instance method	3.0.0	Windows
	944	endAsyncExecution	instance method	3.0.0	Windows
	945	executeAsync	instance method	3.0.0	Windows
	946	freeButtonDC	instance method	3.0.0	Windows
	947	freeWindowDC	instance method	3.0.0	Windows
	948	getBitmapSizeX	instance method	3.0.0	Windows
	949	getBitmapSizeY	instance method	3.0.0	Windows
	950	getBmpDisplacement	instance method	3.0.0	Windows
	951	getButtonDC	instance method	3.0.0	Windows
	952	getButtonRect	instance method	3.0.0	Windows
	953	getFocus	instance method	3.0.0	Windows
	954	getListItemHeight	instance method	3.0.0	Windows
	955	getListWidth	instance method	3.0.0	Windows
	956	getMenuItemState	instance method	3.0.0	Windows
	957	getMouseCapture	instance method	3.0.0	Windows
	958	getSBPos	instance method	3.0.0	Windows
	959	getSBRange	instance method	3.0.0	Windows
	960	getWindowDC	instance method	3.0.0	Windows
	961	getWindowRect	instance method	3.0.0	Windows
	962	grayMenuItem	instance method	3.0.0	Windows
	963	hideItemFast	instance method	3.0.0	Windows
	964	hideWindowFast	instance method	3.0.0	Windows
	965	isMouseButtonDown	instance method	3.0.0	Windows
	966	loadBitmap	instance method	3.0.0	Windows
	967	moveItem	instance method	3.0.0	Windows
	968	peekDialogMessage	instance method	3.0.0	Windows
	969	popup	instance method	3.0.0	Windows
	970	popupAsChild	instance method	3.0.0	Windows
	971	redrawButton	instance method	3.0.0	Windows
	972	redrawRect	instance method	3.0.0	Windows
	973	redrawWindow	instance method	3.0.0	Windows
	974	redrawWindowRect	instance method	3.0.0	Windows
	975	releaseMouseCapture	instance method	3.0.0	Windows
	976	removeBitmap	instance method	3.0.0	Windows
	977	resizeItem	instance method	3.0.0	Windows
	978	scrollBitmapFromTo	instance method	3.0.0	Windows
	979	scrollButton	instance method	3.0.0	Windows
	980	scrollInButton	instance method	3.0.0	Windows
	981	scrollText	instance method	3.0.0	Windows
	982	sendMessageToItem	instance method	3.0.0	Windows
	983	setFocus	instance method	3.0.0	Windows
	984	setFocusToWindow	instance method	3.2.0	Windows
	985	setItemColor	instance method	3.0.0	Windows
	986	setItemFont	instance method	3.0.0	Windows
	987	setListColumnWidth	instance method	3.0.0	Windows
	988	setListItemHeight	instance method	3.0.0	Windows
	989	setListWidth	instance method	3.0.0	Windows
	990	setMenuItemRadio	instance method	3.0.0	Windows
	991	setSBPos	instance method	3.0.0	Windows
	992	setSBRange	instance method	3.0.0	Windows
	993	setWindowRect	instance method	3.0.0	Windows
	994	showItemFast	instance method	3.0.0	Windows
	995	showWindowFast	instance method	3.0.0	Windows
	996	tiledBackgroundBitmap	instance method	3.0.0	Windows

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys
	997	unCheckMenuItem	instance method	3.0.0	Windows
	998	writeToButton	instance method	3.0.0	Windows
	999	writeToWindow	instance method	3.0.0	Windows

6 - OPT_CLASS - **DlgArea**

1000	b	instance method	3.0.0	Windows
1001	b=	instance method	3.0.0	Windows
1002	cx	instance method	3.0.0	Windows
1003	cy	instance method	3.0.0	Windows
1004	h	instance method	3.0.0	Windows
1005	height	instance method	3.0.0	Windows
1006	height=	instance method	3.0.0	Windows
1007	hr	instance method	3.0.0	Windows
1008	init	instance method	3.0.0	Windows
1009	l	instance method	3.0.0	Windows
1010	l=	instance method	3.0.0	Windows
1011	lastX	instance method	3.0.0	Windows
1012	lastX=	instance method	3.0.0	Windows
1013	lastY	instance method	3.0.0	Windows
1014	lastY=	instance method	3.0.0	Windows
1015	left	instance method	3.0.0	Windows
1016	left=	instance method	3.0.0	Windows
1017	margin	instance method	3.0.0	Windows
1018	margin=	instance method	3.0.0	Windows
1019	r	instance method	3.0.0	Windows
1020	r=	instance method	3.0.0	Windows
1021	sizeX	instance method	3.0.0	Windows
1022	sizeY	instance method	3.0.0	Windows
1023	t	instance method	3.0.0	Windows
1024	t=	instance method	3.0.0	Windows
1025	top	instance method	3.0.0	Windows
1026	top=	instance method	3.0.0	Windows
1027	w	instance method	3.0.0	Windows
1028	width	instance method	3.0.0	Windows
1029	width=	instance method	3.0.0	Windows
1030	wr	instance method	3.0.0	Windows
1031	x	instance method	3.0.0	Windows
1032	y	instance method	3.0.0	Windows

6 - OPT_CLASS - **DlgAreaU**

1033	correctionFactor	instance method	3.0.0	Windows
1034	correctionFactor=	instance method	3.0.0	Windows
1035	init	instance method	3.0.0	Windows
1036	lastError	instance method	3.0.0	Windows
1037	lastError=	instance method	3.0.0	Windows
1038	noMove	instance method	3.0.0	Windows
1039	noMove=	instance method	3.0.0	Windows
1040	noResize	instance method	3.0.0	Windows
1041	noResize=	instance method	3.0.0	Windows
1042	originalHeight	instance method	3.0.0	Windows
1043	originalHeight=	instance method	3.0.0	Windows
1044	originalWidth	instance method	3.0.0	Windows
1045	originalWidth=	instance method	3.0.0	Windows
1046	resize	instance method	3.0.0	Windows

6 - OPT_CLASS - **DynamicDialog**

1047	addBlackFrame	instance method	3.0.0	Windows
1048	addBlackRect	instance method	3.0.0	Windows
1049	addButton	instance method	3.0.0	Windows
1050	addButtonGroup	instance method	3.0.0	Windows
1051	addCheckBox	instance method	3.0.0	Windows
1052	addCheckBoxStem	instance method	3.0.0	Windows
1053	addCheckGroup	instance method	3.0.0	Windows
1054	addComboBox	instance method	3.0.0	Windows

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys
	1055	addComboInput	instance method	3.0.0	Windows
	1056	addEntryLine	instance method	3.0.0	Windows
	1057	addGrayFrame	instance method	3.0.0	Windows
	1058	addGrayRect	instance method	3.0.0	Windows
	1059	addGroupBox	instance method	3.0.0	Windows
	1060	addIcon	instance method	3.0.0	Windows
	1061	addInput	instance method	3.0.0	Windows
	1062	addInputGroup	instance method	3.0.0	Windows
	1063	addInputStem	instance method	3.0.0	Windows
	1064	addListBox	instance method	3.0.0	Windows
	1065	addOkCancelLeftBottom	instance method	3.0.0	Windows
	1066	addOkCancelLeftTop	instance method	3.0.0	Windows
	1067	addOkCancelRightBottom	instance method	3.0.0	Windows
	1068	addOkCancelRightTop	instance method	3.0.0	Windows
	1069	addPasswordLine	instance method	3.0.0	Windows
	1070	addRadioButton	instance method	3.0.0	Windows
	1071	addRadioGroup	instance method	3.0.0	Windows
	1072	addRadioStem	instance method	3.0.0	Windows
	1073	addScrollBar	instance method	3.0.0	Windows
	1074	addText	instance method	3.0.0	Windows
	1075	addWhiteFrame	instance method	3.0.0	Windows
	1076	addWhiteRect	instance method	3.0.0	Windows
	1077	aktPtr	instance method	3.0.0	Windows
	1078	aktPtr=	instance method	3.0.0	Windows
	1079	basePtr	instance method	3.0.0	Windows
	1080	basePtr=	instance method	3.0.0	Windows
	1081	checkFile	instance method	3.0.0	Windows
	1082	checkID	instance method	3.0.0	Windows
	1083	create	instance method	3.0.0	Windows
	1084	createCenter	instance method	3.0.0	Windows
	1085	defineDialog	instance method	3.0.0	Windows
	1086	dialogItemCount	instance method	3.0.0	Windows
	1087	dialogItemCount=	instance method	3.0.0	Windows
	1088	dynamicInit	instance method	3.0.0	Windows
	1089	errorFile	instance method	3.0.0	Windows
	1090	getDefaultOpts	instance method	3.0.0	Windows
	1091	getStaticID	instance method	3.0.0	Windows
	1092	initAutoDetection	instance method	3.0.0	Windows
	1093	internAddrBCBgroup	instance method	3.0.0	Windows
	1094	internAddrBCBstem	instance method	3.0.0	Windows
	1095	internAddrC_RCB	instance method	3.0.0	Windows
	1096	internAddrCButton	instance method	3.0.0	Windows
	1097	internAddStatic	instance method	3.0.0	Windows
	1098	internGetRCStyle	instance method	3.0.0	Windows
	1099	itemAdd	instance method	3.0.0	Windows
	1100	load	instance method	3.0.0	Windows
	1101	loadFrame	instance method	3.0.0	Windows
	1102	loadItems	instance method	3.0.0	Windows
	1103	menuAktPtr	instance method	3.0.0	Windows
	1104	menuAktPtr=	instance method	3.0.0	Windows
	1105	menuBasePtr	instance method	3.0.0	Windows
	1106	menuBasePtr=	instance method	3.0.0	Windows
	1107	menuMemHandle	instance method	3.0.0	Windows
	1108	menuMemHandle=	instance method	3.0.0	Windows
	1109	startIt	instance method	3.0.0	Windows
	1110	stopDynamic	instance method	3.0.0	Windows

6 - OPT_CLASS - **EditControl**

1111	addStyle	instance method	3.2.0	Windows
1112	ensureCaretVisibility	instance method	3.0.0	Windows
1113	firstVisibleLine	instance method	3.0.0	Windows
1114	getLine	instance method	3.0.0	Windows
1115	getStyle	instance method	3.2.0	Windows
1116	hideBalloon	instance method	3.2.0	Windows
1117	isModified	instance method	3.0.0	Windows

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys
	1118	lineFromIndex	instance method	3.0.0	Windows
	1119	lineIndex	instance method	3.0.0	Windows
	1120	lineLength	instance method	3.0.0	Windows
	1121	lines	instance method	3.0.0	Windows
	1122	lineScroll	instance method	3.0.0	Windows
	1123	margins	instance method	3.0.0	Windows
	1124	passwordChar	instance method	3.0.0	Windows
	1125	passwordChar=	instance method	3.0.0	Windows
	1126	removeStyle	instance method	3.2.0	Windows
	1127	replaceSelText	instance method	3.0.0	Windows
	1128	replaceStyle	instance method	3.2.0	Windows
	1129	scrollCommand	instance method	3.0.0	Windows
	1130	select	instance method	3.0.0	Windows
	1131	selected	instance method	3.0.0	Windows
	1132	setCue	instance method	3.2.0	Windows
	1133	setLimit	instance method	3.0.0	Windows
	1134	setMargins	instance method	3.0.0	Windows
	1135	setModified	instance method	3.0.0	Windows
	1136	setReadOnly	instance method	3.0.0	Windows
	1137	showBalloon	instance method	3.2.0	Windows
	1138	tab=	instance method	3.0.0	Windows

6 - OPT_CLASS - **InputBox**

	1139	addLine	instance method	3.0.0	Windows
	1140	defineDialog	instance method	3.0.0	Windows
	1141	execute	instance method	3.0.0	Windows
	1142	init	instance method	3.0.0	Windows
	1143	sx	instance method	3.0.0	Windows
	1144	sx=	instance method	3.0.0	Windows
	1145	sy	instance method	3.0.0	Windows
	1146	sy=	instance method	3.0.0	Windows

6 - OPT_CLASS - **IntegerBox**

	1147	validate	instance method	3.0.0	Windows
--	------	----------	-----------------	-------	---------

6 - OPT_CLASS - **ListBox**

	1148	add	instance method	3.0.0	Windows
	1149	addDirectory	instance method	3.0.0	Windows
	1150	columnWidth=	instance method	3.0.0	Windows
	1151	delete	instance method	3.0.0	Windows
	1152	deleteAll	instance method	3.0.0	Windows
	1153	deSelectIndex	instance method	3.0.0	Windows
	1154	deselectRange	instance method	3.0.0	Windows
	1155	find	instance method	3.0.0	Windows
	1156	getFirstVisible	instance method	3.0.0	Windows
	1157	getText	instance method	3.0.0	Windows
	1158	insert	instance method	3.0.0	Windows
	1159	itemHeight	instance method	3.0.0	Windows
	1160	itemHeight=	instance method	3.0.0	Windows
	1161	items	instance method	3.0.0	Windows
	1162	makeFirstVisible	instance method	3.0.0	Windows
	1163	modify	instance method	3.0.0	Windows
	1164	select	instance method	3.0.0	Windows
	1165	selected	instance method	3.0.0	Windows
	1166	selectedIndex	instance method	3.0.0	Windows
	1167	selectedIndexes	instance method	3.0.0	Windows
	1168	selectedItems	instance method	3.0.0	Windows
	1169	selectIndex	instance method	3.0.0	Windows
	1170	selectRange	instance method	3.0.0	Windows
	1171	setTabulators	instance method	3.0.0	Windows
	1172	setWidth	instance method	3.0.0	Windows
	1173	width	instance method	3.0.0	Windows

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys
----------	--------------	-------------	------	------------	-------

6 - OPT_CLASS - ListChoice

1174	defineDialog	instance method	3.0.0	Windows
1175	dlgX	instance method	3.0.0	Windows
1176	dlgX=	instance method	3.0.0	Windows
1177	dlgY	instance method	3.0.0	Windows
1178	dlgY=	instance method	3.0.0	Windows
1179	execute	instance method	3.0.0	Windows
1180	init	instance method	3.0.0	Windows
1181	initDialog	instance method	3.0.0	Windows
1182	lenX	instance method	3.0.0	Windows
1183	lenX=	instance method	3.0.0	Windows
1184	lenY	instance method	3.0.0	Windows
1185	lenY=	instance method	3.0.0	Windows
1186	message	instance method	3.0.0	Windows
1187	message=	instance method	3.0.0	Windows
1188	sx	instance method	3.0.0	Windows
1189	sx=	instance method	3.0.0	Windows
1190	sy	instance method	3.0.0	Windows
1191	sy=	instance method	3.0.0	Windows

6 - OPT_CLASS - ListControl

1192	add	instance method	3.0.0	Windows
1193	addExtendedStyle	instance method	3.2.0	Windows
1194	addRow	instance method	3.0.0	Windows
1195	addStyle	instance method	3.0.0	Windows
1196	alignLeft	instance method	3.0.0	Windows
1197	alignTop	instance method	3.0.0	Windows
1198	arrange	instance method	3.0.0	Windows
1199	bkColor	instance method	3.0.0	Windows
1200	bkColor=	instance method	3.0.0	Windows
1201	check	instance method	3.2.0	Windows
1202	checkAll	instance method	3.2.0	Windows
1203	columnInfo	instance method	3.0.0	Windows
1204	columnWidth	instance method	3.0.0	Windows
1205	delete	instance method	3.0.0	Windows
1206	deleteAll	instance method	3.0.0	Windows
1207	deleteColumn	instance method	3.0.0	Windows
1208	deselect	instance method	3.0.0	Windows
1209	dropHighlighted	instance method	3.0.0	Windows
1210	edit	instance method	3.0.0	Windows
1211	endEdit	instance method	3.0.0	Windows
1212	ensureVisible	instance method	3.0.0	Windows
1213	find	instance method	3.0.0	Windows
1214	findNearestXY	instance method	3.0.0	Windows
1215	findPartial	instance method	3.0.0	Windows
1216	firstVisible	instance method	3.0.0	Windows
1217	focus	instance method	3.0.0	Windows
1218	focused	instance method	3.0.0	Windows
1219	getCheck	instance method	3.2.0	Windows
1220	getExtendedStyle	instance method	3.2.0	Windows
1221	getExtendedStyleRaw	instance method	3.2.0	Windows
1222	getHoverTime	instance method	3.2.0	Windows
1223	init	instance method	3.0.0	Windows
1224	insert	instance method	3.0.0	Windows
1225	insertColumn	instance method	3.0.0	Windows
1226	isChecked	instance method	3.2.0	Windows
1227	itemInfo	instance method	3.0.0	Windows
1228	itemPos	instance method	3.0.0	Windows
1229	items	instance method	3.0.0	Windows
1230	itemsPerPage	instance method	3.0.0	Windows
1231	itemState	instance method	3.0.0	Windows
1232	itemText	instance method	3.0.0	Windows
1233	last	instance method	3.0.0	Windows
1234	lastItem	instance method	3.0.0	Windows

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys
	1235	lastItem=	instance method	3.0.0	Windows
	1236	lastSelected	instance method	3.0.0	Windows
	1237	modify	instance method	3.0.0	Windows
	1238	modifyColumn	instance method	3.0.0	Windows
	1239	next	instance method	3.0.0	Windows
	1240	nextLeft	instance method	3.0.0	Windows
	1241	nextRight	instance method	3.0.0	Windows
	1242	nextSelected	instance method	3.0.0	Windows
	1243	prepare4nItems	instance method	3.0.0	Windows
	1244	previous	instance method	3.0.0	Windows
	1245	previousSelected	instance method	3.0.0	Windows
	1246	redrawItems	instance method	3.0.0	Windows
	1247	removeExtendedStyle	instance method	3.2.0	Windows
	1248	removeImages	instance method	3.0.0	Windows
	1249	removeSmallImages	instance method	3.0.0	Windows
	1250	removeStyle	instance method	3.0.0	Windows
	1251	replaceExtendedStyle	instance method	3.2.0	Windows
	1252	replaceStyle	instance method	3.0.0	Windows
	1253	restoreEditClass	instance method	3.0.0	Windows
	1254	scroll	instance method	3.0.0	Windows
	1255	select	instance method	3.0.0	Windows
	1256	selected	instance method	3.0.0	Windows
	1257	selectedItems	instance method	3.0.0	Windows
	1258	setColumnWidth	instance method	3.0.0	Windows
	1259	setHoverTime	instance method	3.2.0	Windows
	1260	setImages	instance method	3.0.0	Windows
	1261	setItemPos	instance method	3.0.0	Windows
	1262	setItemState	instance method	3.0.0	Windows
	1263	setItemText	instance method	3.0.0	Windows
	1264	setSmallImages	instance method	3.0.0	Windows
	1265	smallSpacing	instance method	3.0.0	Windows
	1266	snapToGrid	instance method	3.0.0	Windows
	1267	spacing	instance method	3.0.0	Windows
	1268	stringWidth	instance method	3.0.0	Windows
	1269	subclassEdit	instance method	3.0.0	Windows
	1270	textBkColor	instance method	3.0.0	Windows
	1271	textBkColor=	instance method	3.0.0	Windows
	1272	textColor	instance method	3.0.0	Windows
	1273	textColor=	instance method	3.0.0	Windows
	1274	unCheck	instance method	3.2.0	Windows
	1275	unCheckAll	instance method	3.2.0	Windows
	1276	update	instance method	3.0.0	Windows
	1277	updateItem	instance method	3.0.0	Windows

6 - OPT_CLASS - **MenuObject**

	1278	findItem	instance method	3.0.0	Windows
	1279	findSubMenu	instance method	3.0.0	Windows
	1280	idOf	instance method	3.0.0	Windows
	1281	init	instance method	3.0.0	Windows
	1282	isMenu	instance method	3.0.0	Windows
	1283	items	instance method	3.0.0	Windows
	1284	mainWnd	instance method	3.0.0	Windows
	1285	mainWnd=	instance method	3.0.0	Windows
	1286	processItem	instance method	3.0.0	Windows
	1287	subMenu	instance method	3.0.0	Windows
	1288	textOf	instance method	3.0.0	Windows
	1289	textOfID	instance method	3.0.0	Windows

6 - OPT_CLASS - **MessageExtensions**

	1290	connectButtonNotify	instance method	3.0.0	Windows
	1291	connectComboBoxNotify	instance method	3.0.0	Windows
	1292	connectCommonNotify	instance method	3.0.0	Windows
	1293	connectEditNotify	instance method	3.0.0	Windows
	1294	connectListBoxNotify	instance method	3.0.0	Windows

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys
		connectListNotify	instance method	3.0.0	Windows
		connectListViewNotify	instance method	3.2.0	Windows
		connectScrollBarNotify	instance method	3.0.0	Windows
		connectSliderNotify	instance method	3.0.0	Windows
		connectTabNotify	instance method	3.0.0	Windows
		connectTreeNotify	instance method	3.0.0	Windows
		defListDragHandler	instance method	3.0.0	Windows
		defListEditHandler	instance method	3.0.0	Windows
		defListEditStarter	instance method	3.0.0	Windows
		defTreeDragHandler	instance method	3.0.0	Windows
		defTreeEditHandler	instance method	3.0.0	Windows
		defTreeEditStarter	instance method	3.0.0	Windows
<hr/>					
6 - OPT_CLASS -	MultiInputDialog				
		defineDialog	instance method	3.0.0	Windows
		execute	instance method	3.0.0	Windows
		init	instance method	3.0.0	Windows
<hr/>					
6 - OPT_CLASS -	MultiListChoice				
		defineDialog	instance method	3.0.0	Windows
<hr/>					
6 - OPT_CLASS -	PasswordBox				
		addLine	instance method	3.0.0	Windows
<hr/>					
6 - OPT_CLASS -	PlainBaseDialog				
		addAttribute	instance method	3.0.0	Windows
		addComboEntry	instance method	3.0.0	Windows
		addListEntry	instance method	3.0.0	Windows
		addUserMsg	instance method	3.0.0	Windows
		aDM	instance method	3.0.0	Windows
		aDM=	instance method	3.0.0	Windows
		autoDetect	instance method	3.0.0	Windows
		autoDetect=	instance method	3.0.0	Windows
		autoDetection	instance method	3.0.0	Windows
		automaticMethods	instance method	3.0.0	Windows
		automaticMethods=	instance method	3.0.0	Windows
		boxMessage	instance method	3.0.0	Windows
		cancel	instance method	3.0.0	Windows
		center	instance method	3.0.0	Windows
		changeComboEntry	instance method	3.0.0	Windows
		changeListEntry	instance method	3.0.0	Windows
		childDialogs	instance method	3.0.0	Windows
		childDialogs=	instance method	3.0.0	Windows
		childDied	instance method	3.0.0	Windows
		clearMessages	instance method	3.0.0	Windows
		comboAddDirectory	instance method	3.0.0	Windows
		comboDrop	instance method	3.0.0	Windows
		connectButton	instance method	3.0.0	Windows
		connectCheckBox	instance method	3.0.0	Windows
		connectComboBox	instance method	3.0.0	Windows
		connectControl	instance method	3.0.0	Windows
		connectEntryLine	instance method	3.0.0	Windows
		connectList	instance method	3.0.0	Windows
		connectListBox	instance method	3.0.0	Windows
		connectListLeftDoubleClick	instance method	3.0.0	Windows
		connectMultiListBox	instance method	3.0.0	Windows
		connectRadioButton	instance method	3.0.0	Windows
		connectSeparator	instance method	3.0.0	Windows
		constDir	instance method	3.0.0	Windows
		constDir=	instance method	3.0.0	Windows
		dataConnection	instance method	3.0.0	Windows
		dataConnection=	instance method	3.0.0	Windows
		deInstall	instance method	3.0.0	Windows
		deleteComboEntry	instance method	3.0.0	Windows

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys
	1351	deleteListEntry	instance method	3.0.0	Windows
	1352	disableItem	instance method	3.0.0	Windows
	1353	dlgData	instance method	3.0.0	Windows
	1354	dlgHandle	instance method	3.0.0	Windows
	1355	dlgHandle=	instance method	3.0.0	Windows
	1356	enableItem	instance method	3.0.0	Windows
	1357	execute	instance method	3.0.0	Windows
	1358	findComboEntry	instance method	3.0.0	Windows
	1359	findListEntry	instance method	3.0.0	Windows
	1360	finished	instance method	3.0.0	Windows
	1361	finished=	instance method	3.0.0	Windows
	1362	focusItem	instance method	3.0.0	Windows
	1363	get	instance method	3.0.0	Windows
	1364	getAttrib	instance method	3.0.0	Windows
	1365	getCheckBox	instance method	3.0.0	Windows
	1366	getComboEntry	instance method	3.0.0	Windows
	1367	getComboItems	instance method	3.0.0	Windows
	1368	getComboLine	instance method	3.0.0	Windows
	1369	getControlStyleRaw	instance method	3.2.0	Windows
	1370	getCurrentComboIndex	instance method	3.0.0	Windows
	1371	getCurrentListIndex	instance method	3.0.0	Windows
	1372	getData	instance method	3.0.0	Windows
	1373	getDataStem	instance method	3.0.0	Windows
	1374	getEntryLine	instance method	3.0.0	Windows
	1375	getItem	instance method	3.0.0	Windows
	1376	getListEntry	instance method	3.0.0	Windows
	1377	getListItems	instance method	3.0.0	Windows
	1378	getListLine	instance method	3.0.0	Windows
	1379	getMultiList	instance method	3.0.0	Windows
	1380	getRadioButton	instance method	3.0.0	Windows
	1381	getSelf	instance method	3.0.0	Windows
	1382	getValue	instance method	3.0.0	Windows
	1383	handleMessages	instance method	3.0.0	Windows
	1384	help	instance method	3.0.0	Windows
	1385	hideItem	instance method	3.0.0	Windows
	1386	hideWindow	instance method	3.0.0	Windows
	1387	init	instance method	3.0.0	Windows
	1388	initAutoDetection	instance method	3.0.0	Windows
	1389	initDialog	instance method	3.0.0	Windows
	1390	insertComboEntry	instance method	3.0.0	Windows
	1391	insertListEntry	instance method	3.0.0	Windows
	1392	internalGetItemData	instance method	3.0.0	Windows
	1393	internalSetItemData	instance method	3.0.0	Windows
	1394	isDialogActive	instance method	3.0.0	Windows
	1395	itemTitle	instance method	3.0.0	Windows
	1396	leaving	instance method	3.0.0	Windows
	1397	listAddDirectory	instance method	3.0.0	Windows
	1398	listDrop	instance method	3.0.0	Windows
	1399	makeArray	instance method	3.0.0	Windows
	1400	noAutoDetection	instance method	3.0.0	Windows
	1401	OK	instance method	3.0.0	Windows
	1402	parentDlg	instance method	3.0.0	Windows
	1403	parentDlg=	instance method	3.0.0	Windows
	1404	parseIncludeFile	instance method	3.0.0	Windows
	1405	processingLoad	instance method	3.0.0	Windows
	1406	processingLoad=	instance method	3.0.0	Windows
	1407	resize	instance method	3.0.0	Windows
	1408	resolveNumericID	instance method	3.0.0	Windows
	1409	resolveSymbolicID	instance method	3.0.0	Windows
	1410	run	instance method	3.0.0	Windows
	1411	setAttrib	instance method	3.0.0	Windows
	1412	setCheckBox	instance method	3.0.0	Windows
	1413	setComboLine	instance method	3.0.0	Windows
	1414	setCurrentComboIndex	instance method	3.0.0	Windows
	1415	setCurrentListIndex	instance method	3.0.0	Windows

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys
	1416	setData	instance method	3.0.0	Windows
	1417	setDataStem	instance method	3.0.0	Windows
	1418	setEntryLine	instance method	3.0.0	Windows
	1419	setGroup	instance method	3.2.0	Windows
	1420	setListLine	instance method	3.0.0	Windows
	1421	setListTabulators	instance method	3.0.0	Windows
	1422	setMultiList	instance method	3.0.0	Windows
	1423	setRadioButton	instance method	3.0.0	Windows
	1424	setStaticText	instance method	3.0.0	Windows
	1425	setTabStop	instance method	3.2.0	Windows
	1426	setValue	instance method	3.0.0	Windows
	1427	setWindowTitle	instance method	3.0.0	Windows
	1428	show	instance method	3.0.0	Windows
	1429	showItem	instance method	3.0.0	Windows
	1430	showWindow	instance method	3.0.0	Windows
	1431	skipThroughIfDefs	instance method	3.0.0	Windows
	1432	stopIt	instance method	3.0.0	Windows
	1433	tabToNext	instance method	3.2.0	Windows
	1434	tabToPrevious	instance method	3.2.0	Windows
	1435	toTheTop	instance method	3.0.0	Windows
	1436	unInit	instance method	3.0.0	Windows
	1437	useStem	instance method	3.0.0	Windows
	1438	useStem=	instance method	3.0.0	Windows
	1439	validate	instance method	3.0.0	Windows
	1440	windowTitle	instance method	3.0.0	Windows
<hr/>					
6 - OPT_CLASS -	PlainUserDialog				
	1441	init	instance method	3.0.0	Windows
	1442	stopIt	instance method	3.0.0	Windows
<hr/>					
6 - OPT_CLASS -	ProgressBar				
	1443	setPos	instance method	3.0.0	Windows
	1444	setRange	instance method	3.0.0	Windows
	1445	setStep	instance method	3.0.0	Windows
	1446	step	instance method	3.0.0	Windows
<hr/>					
6 - OPT_CLASS -	ProgressIndicator				
	1447	calcSize	instance method	3.0.0	Windows
	1448	complete	instance method	3.0.0	Windows
	1449	defineDialog	instance method	3.0.0	Windows
	1450	highValue	instance method	3.0.0	Windows
	1451	highValue=	instance method	3.0.0	Windows
	1452	increase	instance method	3.0.0	Windows
	1453	incStep	instance method	3.0.0	Windows
	1454	incStep=	instance method	3.0.0	Windows
	1455	init	instance method	3.0.0	Windows
	1456	initDialog	instance method	3.0.0	Windows
	1457	lowValue	instance method	3.0.0	Windows
	1458	lowValue=	instance method	3.0.0	Windows
	1459	message=	instance method	3.0.0	Windows
	1460	progress=	instance method	3.0.0	Windows
<hr/>					
6 - OPT_CLASS -	PropertySheet				
	1461	categoryPage	instance method	3.0.0	Windows
	1462	changePage	instance method	3.0.0	Windows
	1463	defineDialog	instance method	3.0.0	Windows
	1464	getSelectedPage	instance method	3.0.0	Windows
	1465	init	instance method	3.0.0	Windows
	1466	initDialog	instance method	3.0.0	Windows
	1467	propSheetActivated	instance method	3.0.0	Windows
<hr/>					
6 - OPT_CLASS -	RadioButton				
	1468	check	instance method	3.0.0	Windows
	1469	indeterminate	instance method	3.0.0	Windows

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys
	1470	isChecked	instance method	3.0.0	Windows
	1471	unCheck	instance method	3.0.0	Windows
<hr/>					
6 - OPT_CLASS -	RcDialog				
	1472	init	instance method	3.2.0	Windows
<hr/>					
6 - OPT_CLASS -	RegularExpression				
	1473	new	class method	3.0.0	
	1474	init	instance method	3.0.0	
	1475	match	instance method	3.0.0	
	1476	parse	instance method	3.0.0	
	1477	pos	instance method	3.0.0	
	1478	position	instance method	3.0.0	
	1479	unInit	instance method	3.0.0	
<hr/>					
6 - OPT_CLASS -	ResDialog				
	1480	init	instance method	3.0.0	Windows
	1481	setMenu	instance method	3.0.0	Windows
	1482	startIt	instance method	3.0.0	Windows
	1483	stopIt	instance method	3.0.0	Windows
<hr/>					
6 - OPT_CLASS -	ScrollBar				
	1484	determinePosition	instance method	3.0.0	Windows
	1485	position	instance method	3.0.0	Windows
	1486	range	instance method	3.0.0	Windows
	1487	setPos	instance method	3.0.0	Windows
	1488	setRange	instance method	3.0.0	Windows
<hr/>					
6 - OPT_CLASS -	SingleSelection				
	1489	defineDialog	instance method	3.0.0	Windows
	1490	execute	instance method	3.0.0	Windows
	1491	init	instance method	3.0.0	Windows
<hr/>					
6 - OPT_CLASS -	SliderControl				
	1492	clearSelRange	instance method	3.0.0	Windows
	1493	clearTicks	instance method	3.0.0	Windows
	1494	countTicks	instance method	3.0.0	Windows
	1495	getLineStep	instance method	3.0.0	Windows
	1496	getPageStep	instance method	3.0.0	Windows
	1497	getTick	instance method	3.0.0	Windows
	1498	initRange	instance method	3.0.0	Windows
	1499	initSelRange	instance method	3.0.0	Windows
	1500	pos	instance method	3.0.0	Windows
	1501	pos=	instance method	3.0.0	Windows
	1502	range	instance method	3.0.0	Windows
	1503	selRange	instance method	3.0.0	Windows
	1504	setLineStep	instance method	3.0.0	Windows
	1505	setMax	instance method	3.0.0	Windows
	1506	setMin	instance method	3.0.0	Windows
	1507	setPageStep	instance method	3.0.0	Windows
	1508	setPos	instance method	3.0.0	Windows
	1509	setSelEnd	instance method	3.0.0	Windows
	1510	setSelStart	instance method	3.0.0	Windows
	1511	setTickAt	instance method	3.0.0	Windows
	1512	setTickFrequency	instance method	3.0.0	Windows
<hr/>					
6 - OPT_CLASS -	StateIndicator				
	1513	calcSize	instance method	3.0.0	Windows
	1514	defineDialog	instance method	3.0.0	Windows
	1515	destroy	instance method	3.0.0	Windows
	1516	dims	instance method	3.0.0	Windows
	1517	dims=	instance method	3.0.0	Windows
	1518	init	instance method	3.0.0	Windows

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys
	1519	initAutoDetection	instance method	3.0.0	Windows
	1520	message=	instance method	3.0.0	Windows
	1521	msg	instance method	3.0.0	Windows
	1522	msg=	instance method	3.0.0	Windows
	1523	popup	instance method	3.0.0	Windows
	1524	titleTxt	instance method	3.0.0	Windows
	1525	titleTxt=	instance method	3.0.0	Windows
	1526	xExt	instance method	3.0.0	Windows
	1527	xExt=	instance method	3.0.0	Windows

6 - OPT_CLASS - **TabControl**

	1528	addFullSeq	instance method	3.0.0	Windows
	1529	addSequence	instance method	3.0.0	Windows
	1530	adjustToRectangle	instance method	3.0.0	Windows
	1531	delete	instance method	3.0.0	Windows
	1532	deleteAll	instance method	3.0.0	Windows
	1533	focus	instance method	3.0.0	Windows
	1534	focused	instance method	3.0.0	Windows
	1535	init	instance method	3.0.0	Windows
	1536	insert	instance method	3.0.0	Windows
	1537	itemInfo	instance method	3.0.0	Windows
	1538	items	instance method	3.0.0	Windows
	1539	last	instance method	3.0.0	Windows
	1540	lastItem	instance method	3.0.0	Windows
	1541	lastItem=	instance method	3.0.0	Windows
	1542	modify	instance method	3.0.0	Windows
	1543	posRectangle	instance method	3.0.0	Windows
	1544	removeImages	instance method	3.0.0	Windows
	1545	requiredWindowSize	instance method	3.0.0	Windows
	1546	rows	instance method	3.0.0	Windows
	1547	select	instance method	3.0.0	Windows
	1548	selected	instance method	3.0.0	Windows
	1549	selectedIndex	instance method	3.0.0	Windows
	1550	selectIndex	instance method	3.0.0	Windows
	1551	setImages	instance method	3.0.0	Windows
	1552	setPadding	instance method	3.0.0	Windows
	1553	setSize	instance method	3.0.0	Windows

6 - OPT_CLASS - **TimedMessage**

	1554	defineDialog	instance method	3.0.0	Windows
	1555	execute	instance method	3.0.0	Windows
	1556	init	instance method	3.0.0	Windows
	1557	initAutoDetection	instance method	3.0.0	Windows

6 - OPT_CLASS - **TreeControl**

	1558	add	instance method	3.0.0	Windows
	1559	child	instance method	3.0.0	Windows
	1560	collapse	instance method	3.0.0	Windows
	1561	collapseAndReset	instance method	3.0.0	Windows
	1562	delete	instance method	3.0.0	Windows
	1563	deleteAll	instance method	3.0.0	Windows
	1564	dropHighlight	instance method	3.0.0	Windows
	1565	dropHighlighted	instance method	3.0.0	Windows
	1566	edit	instance method	3.0.0	Windows
	1567	endEdit	instance method	3.0.0	Windows
	1568	ensureVisible	instance method	3.0.0	Windows
	1569	expand	instance method	3.0.0	Windows
	1570	firstVisible	instance method	3.0.0	Windows
	1571	hitTest	instance method	3.0.0	Windows
	1572	indent	instance method	3.0.0	Windows
	1573	indent=	instance method	3.0.0	Windows
	1574	init	instance method	3.0.0	Windows
	1575	insert	instance method	3.0.0	Windows
	1576	isAncestor	instance method	3.0.0	Windows

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys
	1577	itemInfo	instance method	3.0.0	Windows
	1578	items	instance method	3.0.0	Windows
	1579	makeFirstVisible	instance method	3.0.0	Windows
	1580	modify	instance method	3.0.0	Windows
	1581	moveItem	instance method	3.0.0	Windows
	1582	next	instance method	3.0.0	Windows
	1583	nextVisible	instance method	3.0.0	Windows
	1584	parent	instance method	3.0.0	Windows
	1585	previous	instance method	3.0.0	Windows
	1586	previousVisible	instance method	3.0.0	Windows
	1587	removeImages	instance method	3.0.0	Windows
	1588	restoreEditClass	instance method	3.0.0	Windows
	1589	root	instance method	3.0.0	Windows
	1590	rootArray	instance method	3.0.0	Windows
	1591	rootArray=	instance method	3.0.0	Windows
	1592	select	instance method	3.0.0	Windows
	1593	selected	instance method	3.0.0	Windows
	1594	setImages	instance method	3.0.0	Windows
	1595	sortChildren	instance method	3.0.0	Windows
	1596	subclassEdit	instance method	3.0.0	Windows
	1597	toggle	instance method	3.0.0	Windows
	1598	visibleItems	instance method	3.0.0	Windows
<hr/>					
6 - OPT_CLASS -	UserDialog				
	1599	addMenuItem	instance method	3.0.0	Windows
	1600	addMenuSeparator	instance method	3.0.0	Windows
	1601	addPopupMenu	instance method	3.0.0	Windows
	1602	createMenu	instance method	3.0.0	Windows
	1603	init	instance method	3.0.0	Windows
	1604	loadMenu	instance method	3.0.0	Windows
	1605	setMenu	instance method	3.0.0	Windows
	1606	stopIt	instance method	3.0.0	Windows
<hr/>					
6 - OPT_CLASS -	VirtualKeyCodes				
	1607	keyName	instance method	3.0.0	Windows
	1608	VCode	instance method	3.0.0	Windows
<hr/>					
6 - OPT_CLASS -	WindowBase				
	1609	assignWindow	instance method	3.0.0	Windows
	1610	disable	instance method	3.0.0	Windows
	1611	enable	instance method	3.0.0	Windows
	1612	factorX	instance method	3.0.0	Windows
	1613	factorX=	instance method	3.0.0	Windows
	1614	factorY	instance method	3.0.0	Windows
	1615	factorY=	instance method	3.0.0	Windows
	1616	getID	instance method	3.0.0	Windows
	1617	getPos	instance method	3.0.0	Windows
	1618	getSize	instance method	3.0.0	Windows
	1619	getTextSize	instance method	3.0.0	Windows
	1620	hide	instance method	3.0.0	Windows
	1621	hWnd	instance method	3.0.0	Windows
	1622	hWnd=	instance method	3.0.0	Windows
	1623	init_windowBase	instance method	3.0.0	Windows
	1624	initCode	instance method	3.0.0	Windows
	1625	initCode=	instance method	3.0.0	Windows
	1626	move	instance method	3.0.0	Windows
	1627	resize	instance method	3.0.0	Windows
	1628	setTitle	instance method	3.0.0	Windows
	1629	show	instance method	3.0.0	Windows
	1630	sizeX	instance method	3.0.0	Windows
	1631	sizeX=	instance method	3.0.0	Windows
	1632	sizeY	instance method	3.0.0	Windows
	1633	sizeY=	instance method	3.0.0	Windows
	1634	title	instance method	3.0.0	Windows

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys
	1635	title=	instance method	3.0.0	Windows
	1636	unknown	instance method	3.0.0	Windows
<hr/>					
6 - OPT_CLASS -	WindowExtensions				
	1637	absRect2LogRect	instance method	3.0.0	Windows
	1638	clientToScreen	instance method	3.0.0	Windows
	1639	createBrush	instance method	3.0.0	Windows
	1640	createFont	instance method	3.0.0	Windows
	1641	createPen	instance method	3.0.0	Windows
	1642	cursor_AppStarting	instance method	3.0.0	Windows
	1643	cursor_Arrow	instance method	3.0.0	Windows
	1644	cursor_Cross	instance method	3.0.0	Windows
	1645	cursor_No	instance method	3.0.0	Windows
	1646	cursor_Wait	instance method	3.0.0	Windows
	1647	cursorPos	instance method	3.0.0	Windows
	1648	deleteFont	instance method	3.0.0	Windows
	1649	deleteObject	instance method	3.0.0	Windows
	1650	display	instance method	3.0.0	Windows
	1651	draw	instance method	3.0.0	Windows
	1652	drawAngleArc	instance method	3.0.0	Windows
	1653	drawArc	instance method	3.0.0	Windows
	1654	drawLine	instance method	3.0.0	Windows
	1655	drawPie	instance method	3.0.0	Windows
	1656	drawPixel	instance method	3.0.0	Windows
	1657	fillDrawing	instance method	3.0.0	Windows
	1658	fontColor	instance method	3.0.0	Windows
	1659	fontToDC	instance method	3.0.0	Windows
	1660	foregroundWindow	instance method	3.0.0	Windows
	1661	freeDC	instance method	3.0.0	Windows
	1662	getArcDirection	instance method	3.0.0	Windows
	1663	getClientRect	instance method	3.0.0	Windows
	1664	getDC	instance method	3.0.0	Windows
	1665	getPixel	instance method	3.0.0	Windows
	1666	getRect	instance method	3.0.0	Windows
	1667	getStdTextSize	instance method	3.0.0	Windows
	1668	hideFast	instance method	3.0.0	Windows
	1669	HScrollPos	instance method	3.0.0	Windows
	1670	init_windowExtensions	instance method	3.0.0	Windows
	1671	loadBitmap	instance method	3.0.0	Windows
	1672	logRect2AbsRect	instance method	3.0.0	Windows
	1673	maximize	instance method	3.0.0	Windows
	1674	minimize	instance method	3.0.0	Windows
	1675	objectToDC	instance method	3.0.0	Windows
	1676	opaqueText	instance method	3.0.0	Windows
	1677	rectangle	instance method	3.0.0	Windows
	1678	redraw	instance method	3.0.0	Windows
	1679	redrawClient	instance method	3.0.0	Windows
	1680	removeBitmap	instance method	3.0.0	Windows
	1681	restoreCursorShape	instance method	3.0.0	Windows
	1682	RGB	instance method	3.0.0	Windows
	1683	screenToClient	instance method	3.0.0	Windows
	1684	scroll	instance method	3.0.0	Windows
	1685	setArcDirection	instance method	3.0.0	Windows
	1686	setCursorPos	instance method	3.0.0	Windows
	1687	setFont	instance method	3.0.0	Windows
	1688	setForegroundWindow	instance method	3.2.0	Windows
	1689	setHScrollPos	instance method	3.0.0	Windows
	1690	setRect	instance method	3.0.0	Windows
	1691	setVScrollPos	instance method	3.0.0	Windows
	1692	showFast	instance method	3.0.0	Windows
	1693	transparentText	instance method	3.0.0	Windows
	1694	update	instance method	3.0.0	Windows
	1695	VScrollPos	instance method	3.0.0	Windows
	1696	write	instance method	3.0.0	Windows
	1697	writeDirect	instance method	3.0.0	Windows

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys
6 - OPT_CLASS - WindowObject					
1698		assocWindow	instance method	3.0.0	Windows
1699		childAtPosition	instance method	3.0.0	Windows
1700		coordinates	instance method	3.0.0	Windows
1701		disable	instance method	3.0.0	Windows
1702		enable	instance method	3.0.0	Windows
1703		enumerateChildren	instance method	3.0.0	Windows
1704		findChild	instance method	3.0.0	Windows
1705		first	instance method	3.0.0	Windows
1706		firstChild	instance method	3.0.0	Windows
1707		focusItem	instance method	3.0.0	Windows
1708		focusNextItem	instance method	3.0.0	Windows
1709		focusPreviousItem	instance method	3.0.0	Windows
1710		handle	instance method	3.0.0	Windows
1711		hide	instance method	3.0.0	Windows
1712		hWnd	instance method	3.0.0	Windows
1713		hWnd=	instance method	3.0.0	Windows
1714		id	instance method	3.0.0	Windows
1715		init	instance method	3.0.0	Windows
1716		isMenu	instance method	3.0.0	Windows
1717		last	instance method	3.0.0	Windows
1718		maximize	instance method	3.0.0	Windows
1719		menu	instance method	3.0.0	Windows
1720		minimize	instance method	3.0.0	Windows
1721		moveTo	instance method	3.0.0	Windows
1722		next	instance method	3.0.0	Windows
1723		owner	instance method	3.0.0	Windows
1724		previous	instance method	3.0.0	Windows
1725		processMenuCommand	instance method	3.0.0	Windows
1726		pushButton	instance method	3.0.0	Windows
1727		resize	instance method	3.0.0	Windows
1728		restore	instance method	3.0.0	Windows
1729		sendChar	instance method	3.0.0	Windows
1730		sendCommand	instance method	3.0.0	Windows
1731		sendKeys	instance method	3.0.0	Windows
1732		sendKeysDown	instance method	3.0.0	Windows
1733		sendKeysUp	instance method	3.0.0	Windows
1734		sendMenuCommand	instance method	3.0.0	Windows
1735		sendMessage	instance method	3.0.0	Windows
1736		sendMouseClicked	instance method	3.0.0	Windows
1737		sendSysCommand	instance method	3.0.0	Windows
1738		sendText	instance method	3.0.0	Windows
1739		state	instance method	3.0.0	Windows
1740		systemMenu	instance method	3.0.0	Windows
1741		title	instance method	3.0.0	Windows
1742		title=	instance method	3.0.0	Windows
1743		toForeground	instance method	3.0.0	Windows
1744		wclass	instance method	3.0.0	Windows
6 - OPT_CLASS - WindowsClassesBase					
1745		deInstall	instance method	3.0.0	Windows
1746		init	instance method	3.0.0	Windows
1747		initCode	instance method	3.0.0	Windows
1748		initCode=	instance method	3.0.0	Windows
6 - OPT_CLASS - WindowsClipboard					
1749		copy	instance method	3.0.0	Windows
1750		empty	instance method	3.2.0	Windows
1751		isDataAvailable	instance method	3.0.0	Windows
1752		makeArray	instance method	3.0.0	Windows
1753		paste	instance method	3.0.0	Windows

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys
6 - OPT_CLASS -	WindowsEventLog				
1754		clear	instance method	3.0.0	Windows
1755		close	instance method	3.0.0	Windows
1756		currentHandle	instance method	3.0.0	Windows
1757		currentHandle=	instance method	3.0.0	Windows
1758		events	instance method	3.0.0	Windows
1759		events=	instance method	3.0.0	Windows
1760		getNumber	instance method	3.0.0	Windows
1761		init	instance method	3.0.0	Windows
1762		open	instance method	3.0.0	Windows
1763		read	instance method	3.0.0	Windows
1764		write	instance method	3.0.0	Windows
6 - OPT_CLASS -	WindowsManager				
1765		broadcastSettingChanged	instance method	3.2.0	Windows
1766		consoleTitle	instance method	3.0.0	Windows
1767		consoleTitle=	instance method	3.0.0	Windows
1768		find	instance method	3.0.0	Windows
1769		foregroundWindow	instance method	3.0.0	Windows
1770		processMenuCommand	instance method	3.0.0	Windows
1771		pushButtonInWindow	instance method	3.0.0	Windows
1772		sendTextToWindow	instance method	3.0.0	Windows
1773		windowAtPosition	instance method	3.0.0	Windows
6 - OPT_CLASS -	WindowsProgramManager				
1774		actGroup	instance method	3.0.0	Windows
1775		addDesktopIcon	instance method	3.0.0	Windows
1776		addGroup	instance method	3.0.0	Windows
1777		addItem	instance method	3.0.0	Windows
1778		addShortcut	instance method	3.0.0	Windows
1779		close	instance method	3.0.0	Windows
1780		deleteDesktopIcon	instance method	3.0.0	Windows
1781		deleteGroup	instance method	3.0.0	Windows
1782		deleteItem	instance method	3.0.0	Windows
1783		init	instance method	3.0.0	Windows
1784		showGroup	instance method	3.0.0	Windows
6 - OPT_CLASS -	WindowsRegistry				
1785		classes_root	instance method	3.0.0	Windows
1786		classes_root=	instance method	3.0.0	Windows
1787		close	instance method	3.0.0	Windows
1788		connect	instance method	3.0.0	Windows
1789		create	instance method	3.0.0	Windows
1790		current_config	instance method	3.0.0	Windows
1791		current_config=	instance method	3.0.0	Windows
1792		current_key	instance method	3.0.0	Windows
1793		current_key=	instance method	3.0.0	Windows
1794		current_user	instance method	3.0.0	Windows
1795		current_user=	instance method	3.0.0	Windows
1796		currentKey	instance method	3.0.0	Windows
1797		currentKey=	instance method	3.0.0	Windows
1798		delete	instance method	3.0.0	Windows
1799		deleteValue	instance method	3.0.0	Windows
1800		flush	instance method	3.0.0	Windows
1801		getValue	instance method	3.0.0	Windows
1802		init	instance method	3.0.0	Windows
1803		list	instance method	3.0.0	Windows
1804		listValues	instance method	3.0.0	Windows
1805		load	instance method	3.0.0	Windows
1806		local_machine	instance method	3.0.0	Windows
1807		local_machine=	instance method	3.0.0	Windows
1808		open	instance method	3.0.0	Windows
1809		performance_data	instance method	3.0.0	Windows

Category	MainTestArea	SubTestArea	Hint	Introduced	OpSys
1810		performance_data=	instance method	3.0.0	Windows
1811		query	instance method	3.0.0	Windows
1812		replace	instance method	3.0.0	Windows
1813		restore	instance method	3.0.0	Windows
1814		save	instance method	3.0.0	Windows
1815		setValue	instance method	3.0.0	Windows
1816		unload	instance method	3.0.0	Windows
1817		users	instance method	3.0.0	Windows
1818		users=	instance method	3.0.0	Windows