

"Employing Object Rexx for Teaching MBA Students the Object-orientation-paradigm"

Rony G. Flatscher (Rony.Flatscher@wu-wien.ac.at)

Vienna University of Economics and Business Administration (<http://www.wu-wien.ac.at>)

MIS Department (<http://www.wu-wien.ac.at/wi>)

Abteilung für
Wirtschaftsinformatik



Overview


- Vienna University of Economics and Business Administration
 - "Special field of Business Administration": MIS curriculum
- OO-development trends in business applications
 - ERP software
 - Individual software
- OO paradigm for MBA's
 - Mandatory concepts
- Object Rexx
 - OO features
- Syllabus
 - Overview of classes and contents, emphasizing OO concepts



WU-Wien (1)

(Wirtschaftsuniversität Wien)



- WU-Wien - <http://www.wu-wien.ac.at>
 - Wirtschaftsuniversität Wien
 - "Vienna University of Economics and Business Administration"
 - Over 20,000 MBA students
 - Master degree in one of the four fields of studies: Business Administration (55%), Commerce (35%), Business Education (5%), Economics (5%)
 - 4 years studies in two parts, e.g. BA studies
 - *Part I studies encompasses Business Administration (15-16hrs), Economics (13hrs), Private Law (8-12hrs), Mathematics and Statistics (8-12hrs), Foreign Language (8hrs), Foreign Language II (12hrs) and Sociology (8-12hrs)*
- 

WU-Wien (2)

(Wirtschaftsuniversität Wien)

- *Part II studies encompasses Business Administration (13hrs), First Special Field of Business Administration (12hrs), Second Special Field of Business Administration (12hrs), Elective (8hrs), Economics (10hrs), Public Law (8hrs)*
- *Master Thesis (6 months to a couple of years)*
- Management Information Systems (MIS)
 - *Special field of Business Administration in Part II studies*
 - *Elective in Part II studies*
- Miscellaneous
 - *Free form studies (no class system!)*
 - *Duration in effect 6-7 years in the average*
 - *Drop-out rate more than 60%*



WU-Wien (3)

Special BA field "MIS"

- Total of 12hrs
 - 2hrs lecture "Electronic Commerce"
 - 2hrs lecture "Electronic Financial Services"
 - *optional workshop (2hrs) "Business Process Modelling"*
 - *optional workshop (2hrs), choice of*
 - *"Introduction to Solving Problems with Enduser Tools"*
 - *"Introduction to Developing Information Systems with CASE"*
 - 2hrs proseminar, choice of
 - *"Introduction to Solving Problems with Enduser Tools"*
 - *"Introduction to Developing Information Systems with CASE"*
 - 2hrs seminar, content varies from semester to semester

WU-Wien (4)

Special BA field "MIS"

- Total of 12hrs (continued)
 - Choice of at least two lectures (each 2hrs) from the following pool:
 - *Computer Law*
 - *Electronic Money, Payment Systems and Security*
 - *Information Systems in Finance and Accounting*
 - *Information Systems in Marketing*
 - *IT Market and Information Management from the Viewpoints of Suppliers and Consumers*
 - *Since summer semester 1999: "Introduction to Procedural and Object-oriented Programming (Object Rexx)"*
 - Aimed at teaching MBA students the OO-paradigm
 - Just **two** hours available!



Introducing OO-Concepts into Business Applications (1)



- OO-development trends relevant to business applications
 - Enterprise Resource Programs (ERP) start to employ terms (and introduce concepts) like
 - *"Business objects"*
 - *"Business components"*
 - *"Patterns"*
 - *"Frameworks"*
 - Object Management Group (OMG)
 - *Business Object Domain Task Force (BODT)*
 - *Produced OO-standard for Workflow Management Systems*
 - *Devised a "Business Object Component Architecture"*
 - *Split up (March 1999) to three new RFP's (August 1999)*
 - *Genuine OMG "Component Architecture Standard"*

Introducing OO-Concepts into Business Applications (2)

- Problems with MBA students
 - No *working* knowledge of the fundamentals of OO
 - *Classes, objects, messages, methods, ...*
 - *Inheritance of properties (attributes and functionality)*
 - As a result
 - *No ability to fully evaluate and assess OO-based business applications*
 - *No working knowledge for analyzing and devising OO-models*
 - *MBA students with a working knowledge in EERM (Extended Entity-Relationship-Modelling) think they have no knowledge whatsoever with respect to OOM (Object-oriented Modelling)*
 - *True for OMG's UML (Unified Modelling Language, a meta-model)*
 - *True for OMG's MOF (Meta Object Facility, a meta-meta-model)*

Mandatory OO-Concepts (1)

■ "Class"

– Specification (and in the context of an OO-language an implementation) of an abstract data type (ADT)

- *Properties, e.g.*

- *Attributes*

- *Determining data structure*

- *Functions/Procedures (Methods)*

- *Methods are invoked by sending messages to the instances (objects)*

- *Flow of messages can be seen as **behaviour***

– **Classification tree**

- *Generalization/Specialization*


- *There is a **root class***

- *Inheritance, Multiple Inheritance*

- *Taking advantage of pre-defined **and** pre-tested properties of superclasses up to and including the root class*

Mandatory OO-Concepts (2)

- Instance (an "object") of a class
 - *Creation (Initializing)*
 - *Destroying (Uninitializing)*
- Sending of messages
 - Resolution of methods
 - Unknown messages
- "Instance" methods versus "Class" methods
 - Metaclasses
- Concurrency
 - Execution of methods in parallel, differentiated between:
 - *Inter-object*
 - *Intra-object*



Object Rexx (1)


Available OO-Features

- Object Rexx
 - Backward compatible with "classic" Rexx
 - Internally totally OO
 - *"Classic" Rexx statements transformed internally to their OO equivalents*
- ✓ Abstract data type (ADT)
 - *::CLASS- and ::METHOD-directives allow for fully implementing ADT's including attributes*
- ✓ Classification tree available
 - **Object, Class, Method, Message**
 - **Alarm, Monitor**
 - **String, Stem, Stream**

Object Rexx (2)

Available OO-Features

- ✓ Classification tree available (continued)
 - Collection classes
 - *Array, List, Queue, Directory, Relation, Bag, Table, Set*
- ✓ Multiple Inheritance
- ✓ Instantiation/destruction (creating/destroying objects)
 - Initializing (method **INIT**)
 - Uninitializing (method **UNINIT**)
- ✓ Resolution of messages
 - Handling of unknown messages (method **UNKNOWN**)
- ✓ "Instance" methods versus "Class" methods
 - Metaclasses



Object Rexx (3)

Available OO-Features



- ✓ Concurrency

- Execution of methods in parallel, differentiated between:


- *Inter-object*

- *By default available*

- *Intra-object*

- *Individual objects are sheltered by default from having more than one method activated from the same class (possible for programmers to change this behaviour)*

- *By default available if the methods running in parallel for individual objects stem from different classes*



Object Rexx (4)

Miscellaneous Aspects

- Syntax
 - Same intention as with classic Rexx
 - *Keep the **syntax** and **built-in functionality** "user friendly", i.e. as simple as possible*
- Versatility
 - Underpinned with a powerful OO-model
 - Classes, methods, messages can be generated at runtime
 - "One-off objects"
- Direct support of OO-infrastructure in OS
 - OS/2: direct SOM- and DSOM-support
 - *Object Rexx classes specializing D/SOM classes*
 - *Instantiating D/SOM classes from Object Rexx, sending D/SOM messages as if they were Object Rexx messages*

Object Rexx (5)

Miscellaneous Aspects

- Direct support of OO-infrastructure in OS (continued)
 - Windows 95/98/NT/2000: direct OLE-/ActiveX-automation support in beta test since fall 1998
 - *Instantiating OLE-/ActiveX-classes from Object Rexx, sending OLE-/ActiveX-messages as if they were Object Rexx messages*
 - *<http://www.service.software.ibm.com/dl/rexx/orexx-d>
 - URL to download "OLE/ActiveX extension" for Object Rexx*
- Multiplatform availability
 - AIX (since 1999)
 - Linux (since 1998, freely available)
 - OS/2 (since 1997 part of Warp4, freely available for Warp3)
 - Windows 95/98/NT/2000 (since 1998)



Teaching MBA Students the OO-paradigm with Object Rexx

■ Pre-requisites

- Only 2 (two!) hours available due to the MIS curriculum
 - *Students, who mostlikely have no knowledge of OO-concepts*
 - *Students, who possibly have no prior experience with programming languages at all*

■ Conclusions

- Teaching OO-concepts should be supported with examples in order to ease understanding
 - *Programming language for experimenting with the examples*
 - **Must have**
 - *Easy syntax (in order to save time)*
 - *Powerful OO-model (in order to experiment with all OO-concepts)*
 - *Examples for demonstrating OO-concepts need to be carefully chosen and worked out*



Syllabus

Procedural Concepts (1)

- Class 1 (2hrs, i.e. 90 minutes)
 - Overview of the lecture, history of Rexx, new developments: ANSI Rexx, Object Rexx, NetRexx
- Class 2 (2hrs, i.e. 90 minutes)
 - Minimal Rexx program, "Rexxtry.cmd" resp. "Rexxtry.rex", variables, constants, comments
 - Statement, block, conditional branch, iteration
- Class 3 (2hrs, i.e. 90 minutes)
 - Labels, procedures/functions, resolution of function calls, Scopes
- Class 4 (2hrs, i.e. 90 minutes)
 - Rexx builtin functions
 - Stems (associative arrays), RexxUtility functions



Syllabus

Procedural Concepts (2)

- Class 5 (2hrs, i.e. 90 minutes)
 - Exceptions (**SIGNAL**, **RAISE**) and their handling
 - Object Rexx extensions
 - *Routines*
 - *Public or private depending on the keyword **PUBLIC** at the end of a **::ROUTINE**-directive*
 - *All public routines can be called from other programs*
 - *References to arguments which allows stems to be passed by reference*
 - ***USER**-definable exceptions*
- Class 6 (2hrs, i.e. 90 minutes)
 - Examples and possible solutions



Syllabus

Object-oriented Concepts (1)

- Class 7 (2hrs, i.e. 90 minutes)
 - Abstract data type (ADT)
 - Implementing an ADT with Object Rexx
 - *Class, methods, attributes*
 - Messages (message operator "~")
 - *Cascading messages "~~"*
 - Scopes
 - Creating an instance (an object) of a class
 - *Initializing (INIT)*
 - Destroying an instance (an object) of a class
 - *DROP*
 - *Garbage collector*
 - *Uninitializing (UNINIT)*



Syllabus

Object-oriented Concepts (2)

- Class 8 (2hrs, i.e. 90 minutes)
 - Reiterating ADT, class, method, attribute, message, **INIT** and **UNINIT**
 - Specializing, inheritance
 - Multi-threading
 - Scopes
- Class 9+10+11 (2hrs, i.e. 90 minutes)
 - Method resolution
 - *Special variables supplied by the run-time and available within methods only*
 - *self* and *super*
 - **UNKNOWN** Method
 - *Effects of multiple inheritance on the method resolution*

Syllabus

Object-oriented Concepts (3)

- Class 9+10+11 (2hrs, i.e. 90 minutes) (continued)
 - Object Rexx classification tree
 - *Introduction class by class*
 - *Fundamental classes: **Object**, **Class**, **Method**, **Message***
 - *Alarm class **Alarm** and monitor class **Monitor***
 - *Classic Rexx classes: **String**, **Stem**, **Stream***
 - *Collection classes*
 - *System (external) supplied indices: **Array**, **List**, **Queue***
 - *User (programmer) supplied indices: **Directory**, **Relation**, **Bag**, **Table**, **Set***
 - *Iterating over all collected objects with **DO...OVER** or with the help of a **Supplier** object*



Syllabus

Object-oriented Concepts (4)

- Class 12 (2hrs, i.e. 90 minutes)
 - Class methods
 - Metaclass
 - *Taking advantage of metaclass programming, e.g.*
 - *Singleton pattern*
 - *Manager pattern*
 - Defining classes and methods at run-time
 - "One-off objects" and creating them
 - "The Big Picture"
 - *Starting and instantiating the Object Rexx run-time environment*

Syllabus

Object-oriented Concepts (5)

- Class 13 (2hrs, i.e. 90 minutes)
 - Coupling of Object Rexx programs with the available environments
 - *.local*
 - *.environment*
- Class 14 (2hrs, i.e. 90 minutes)
 - Introduction to Object Rexx utilities
 - *ORX7 (from the 7th International Rexx symposium)*
 - *Object Rexx program for analyzing (Object) Rexx programs and rendering them into ASCII or HTML*
 - *Articles on explaining the "environment", "classes" and "metaclasses" and documenting the analysis tool*
 - URLs
 - *ftp://hobbes.nmsu.edu/pub/os2/dev/orexx/orx7.zip*
 - *ftp://hobbes.nmsu.edu/pub/os2/dev/orexx/orx7doc.zip*



Syllabus

Object-oriented Concepts (6)

- Class 14 (2hrs, i.e. 90 minutes) (continued)
 - *ORX8 (from the 8th International Rexx symposium)*
 - *Utility classes e.g.*
 - *Classes for managing anchors and references*
 - *Classes for implementing a NLS version of the class Directory, etc.*
 - *Utility routines e.g.*
 - *Routines for sorting any collection in a versatile manner*
 - *Routines for supporting national languages*
 - *Routines for determining whether an object is of a given type or whether an object is a class object, etc.*
 - URLs
 - *`ftp://hobbes.nmsu.edu/pub/os2/dev/orexx/orx8.zip`*
 - *`ftp://hobbes.nmsu.edu/pub/os2/dev/orexx/orx8doc.zip`*



Syllabus

Object-oriented Concepts (7)

- Class 15 (2hrs, i.e. 90 minutes)
 - Concurrency
 - *Inter-Object*
 - *Intra-Object*
 - *GUARD and REPLY*
 - *Object Rexx classes Message and Alarm*
- Class 16 (2hrs, i.e. 90 minutes)
 - Overview of the Object Rexx "Security Manager":
 - *Tasks, Implementation*
 - *Example of implementing a sandbox*
 - **FORWARD** statement
 - Direct D/SOM support
 - Direct OLE-/ActiveX-support



Roundup

Teaching MBA students ... (1)

- Experiences as of 1999-04-30
 - Up to and including class # 11
 - So far they have understood all taught OO-concepts
 - Even the concept of multiple inheritance has not posed any conceptual problems
 - Students have *no* problems whatsoever understanding examples presented in the Object Rexx syntax
 - The examples can be read as if they were pseudo code
 - Preparing the classes is extremely time consuming
 - Defining the sequence of OO-concepts to be introduced
 - Devising examples highlighting the freshly introduced OO-concepts such that the OO-concepts become perfectly clear
 - "Inventing" excercises needing the taught concepts only



Roundup

Teaching MBA students ... (2)

■ Conclusions

- It seems possible to teach the fundamental procedural and object-oriented concepts in a lecture of 2 hours
- Object Rexx seems to be an ideal language for crafting example code and have the students experiment with it
 - Simple Syntax
 - Powerful OO-model
 - Masterable with respect to the built-in classes
- Learned concepts directly applicable to real-world problems
 - CGI-Scripting
 - Scripting of applications, components
 - Taking advantage of OLE-/ActiveX-automation, D/SOM
 - Stand-alone applications

Rexx-Related URL's

- "Rexx Language Association" homepage

<http://www.RexxLA.org/>

- **Object Rexx homepage**

<http://www2.hursley.ibm.com/orexx/>

<http://www.software.ibm.com/ad/obj-rexx/> (new!)

- PDF-foils for the lecture "*Einführung in die Prozedurale und objekt-orientierte Programmierung (Object Rexx)*" (in German)

<http://www.wu-wien.ac.at/wi/Studium/LVA-Unterlagen/poolv>

- Rexx homepage

<http://www2.hursley.ibm.com/rexx/>

- NetRexx homepage

<http://www2.hursley.ibm.com/netrexx/>